

**CORRECTION**

**Open Access**

# Correction: Cisplatin-induced epigenetic activation of miR-34a sensitizes bladder cancer cells to chemotherapy

Heng Li<sup>1†</sup>, Gan Yu<sup>1†</sup>, Runlin Shi<sup>1</sup>, Bin Lang<sup>3</sup>, Xianguo Chen<sup>4</sup>, Ding Xia<sup>1</sup>, Haibing Xiao<sup>1</sup>, Xiaolin Guo<sup>1</sup>, Wei Guan<sup>1</sup>, Zhangqun Ye<sup>1</sup>, Wei Xiao<sup>2\*</sup> and Hua Xu<sup>1\*</sup>

## Correction

After the publication of this work [1] it was brought to the authors' attention that Figures six (Figure 1 here) (E) and (F) contained an error in their data presentation. The correct figure is given below.

We regret any inconvenience that this inaccuracy may have caused.


\* Correspondence: xiaowei0041@163.com; xuhua@mail.hust.edu.cn

<sup>†</sup>Equal contributors

<sup>2</sup>Translational Medicine Center, Tongji Hospital, Tongji Medical College, Huazhong University of Science and Technology, Wuhan 430030, China

<sup>1</sup>Department of Urology, Tongji Hospital, Tongji Medical College, Huazhong University of Science and Technology, Wuhan 430030, China

Full list of author information is available at the end of the article



**Figure 1** The tumor-suppressive and chemosensitivity functions of miR-34a were mediated by reduction the production of CD44. Downregulation of CD44 by siRNA led to similar effect of miR-34a overexpression on **A)** cell proliferation (mean  $\pm$  SEM; n = 3; \*p < 0.05) and **B-C)** tumorigenicity (mean  $\pm$  SEM; n = 3; \*p < 0.05). Increased CD44 expression could efficiently reverse the effect of miR-34a on MIBC **D)** cell proliferation (mean  $\pm$  SEM; n = 3; \*p < 0.05), **E-F)** colonogenic potential and **G)** chemosensitivity (mean  $\pm$  SEM; n = 3; \*p < 0.05).

#### Author details

<sup>1</sup>Department of Urology, Tongji Hospital, Tongji Medical College, Huazhong University of Science and Technology, Wuhan 430030, China. <sup>2</sup>Translational Medicine Center, Tongji Hospital, Tongji Medical College, Huazhong University of Science and Technology, Wuhan 430030, China. <sup>3</sup>School of Health Sciences, Macao Polytechnic Institute, Macao, China. <sup>4</sup>Department of Urology, First Affiliated Hospital of Anhui Medical University, Hefei, Anhui 230022, China.

Received: 5 August 2014 Accepted: 5 August 2014

Published: 14 August 2014

#### Reference

1. Heng L, Gan Y, Runlin S, Bin L, Xianguo C, Ding X, Haibing X, Xiaolin G, Wei G, Zhangqun Y, Wei X, Hua X: **Cisplatin-induced epigenetic activation of miR-34a sensitizes bladder cancer cells to chemotherapy.** *Molecular Cancer* 2014, **13**:8.

doi:10.1186/1476-4598-13-183

**Cite this article as:** Li *et al.*: Correction: Cisplatin-induced epigenetic activation of miR-34a sensitizes bladder cancer cells to chemotherapy. *Molecular Cancer* 2014 **13**:183.