

POSTER PRESENTATION

Open Access

BaCarbTM: a novel bioinorganic matrix for local drug delivery

Karina Cesca^{1*}, Maximiliano L Cacicedo², Valéria E Bossio², Guillermo R Castro², Luismar M Porto¹

From 5th Congress of the Brazilian Biotechnology Society (SBBIOTEC)
Florianópolis, Brazil. 10-14 November 2013

Background

Treatment of localized tumor by chemotherapy is mostly used as an adjuvant to surgery to protect against or delay the progression of disseminated metastatic diseases or for treatment when other local therapies, such as surgery are not feasible. Local drug delivery offers high potential as a therapeutic choice against premature oncological stages or with isolated cancers since it is more effective in reducing cancer recurrences and avoiding the undesirable side effects of drug spreading along the body [1]. Several applications of the bacterial cellulose in the biomedical field were proposed, like wound healing membranes based on the similarities to the human skin, artificial blood vessels, and as replacement of cornea, valve prosthesis, urethra, cartilage, etc. Also, the use of cellulose membranes has been postulated for drug delivery of hormones and proteins and it was recently fully reviewed [2,3]. Doxorubicin hydrochloride (dox) is commonly used in the treatment of many solid tumors, such as breast, lung, stomach or ovarian cancer and sarcoma [4]. In the present work, we develop a bacterial cellulose membrane for encapsulation of Doxorubicin and containing λ -Carr and CaCO₃ as a potential implant device for local treatment of solid tumors. The *in vitro* Dox release kinetics from the matrices was studied at different pH values and also in different matrices.

Methods

The system of bacterial cellulose containing hybrid micro-particles (HMPs) was carried out by colloidal crystallization in the presence of CaCl₂, glycine (Gly), Na₂CO₃ and λ -carrageenan (Carr) [5]. To evaluate the potential for incorporation of chemotherapy, the hybrid system was immersed in a doxorubicin solution (Dox). The *in vitro* kinetics was carried out in PBS buffer.

¹Chemical and Food Engineering Department - UFSC, Florianópolis-SC, Brazil
Full list of author information is available at the end of the article

Results and conclusions

The developed systems have the advantages of being synthesized on bacterial cellulose, a biomaterial broadly used in many biomedical engineering applications, where cellulose is used as a physical support and a biological scaffold for tissue formation. Addition of Carr to the matrix raises the Dox loading only to 16.6%. However, the presence of CaCO₃ raises up to 83.3% and 87.3% the Dox loaded into BC and BC-Carr, respectively. The presence of HMPs attached to MC allowed the increase of the Dox loading and made strict control of the drug release produced by local changes of pH made by tumoral cells. The Dox administration can be modulated by the amount of Dox required in the treatment and also by the amount of CaCO₃ and their crystallization conditions.

The system has the simplicity of Dox encapsulation in the HMPs by a technical procedure that allows to establish the amount of Dox/matrix required for specific treatment. The high loading capability of the Dox-CaCO₃-Carr-BC matrix is advantageous since it is reducing the drug waste. Finally, the biodegradable matrix could be used for the treatment of oncological pathologies, particularly for breast cancer by local delivery of doxorubicin and defining the amount of drug to be released.

Acknowledgements

The present work was supported by Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET) Universidad Nacional de La Plata (UNLP), Universidade Federal de Santa Catarina (UFSC), CNPq and CAPES.

Authors' details

¹Chemical and Food Engineering Department - UFSC, Florianópolis-SC, Brazil.
²Nanobiomaterials Laboratory - UNLP, La Plata, Argentina.

Published: 1 October 2014

References

- Wolinsky JB, Colson YL, Grinstaff MW: Local drug delivery strategies for cancer treatment: Gels, nanoparticles, polymeric films, rods, and wafers. *Journal of Controlled Release* 2012, 159(1):14-26.

2. Durán N, Lemes AP, Seabra AB: Review of cellulose nanocrystals patents: preparation, composites and general applications. *Recent Patents on Nanotechnology* 2012, **6**(1):16-28.
3. Charreau H, Foresti ML, Vázquez A: Nanocellulose patents trends: A comprehensive review on patents on cellulose nanocrystals, microfibrillated and bacterial cellulose. *Recent Patents on Nanotechnology* 2013, **7**(1):56-80.
4. Ejlerksen B, Mouridsen HT, Jensen MB, Bengtsson NO, Bergh J, Cold S, Edlund P, Ewertz M, de Graaf PW, Mouridsen HT, Jensen MB, Bengtsson NO, Bergh J, Cold S, Edlund P, Ewertz M, de Graaf PW, Kamby C, Nielsen DL: Similar efficacy for ovarian ablation compared with cyclophosphamide, methotrexate, and fluorouracil: from a randomized comparison of premenopausal patients with node-positive, hormone receptor-positive breast cancer. *Journal of Clinical Oncology* 2006, **24**(31):4956-4962.
5. Bosio VE, Cacicedo ML, Calvignac B, León I, Beuvier T, Boury F, Castro GR: Synthesis and characterization of CaCO₃-biopolymers hybrid nanoporous microparticles for cancer damaged bone therapy. *Journal of Nanoparticle Research*, Sent in 2013.

doi:10.1186/1753-6561-8-S4-P77

Cite this article as: Cesca et al.: BaCarb™: a novel bioinorganic matrix for local drug delivery. *BMC Proceedings* 2014 **8**(Suppl 4):P77.

**Submit your next manuscript to BioMed Central
and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

