


## CORRECTION

# Correction: Broadly directed SARS-CoV-2-specific CD4+ T cell response includes frequently detected peptide specificities within the membrane and nucleoprotein in patients with acute and resolved COVID-19

Janna Heide, Sophia Schulte, Matin Kohsar, Thomas Theo Brehm, Marissa Herrmann, Hendrik Karsten, Matthias Marget, Sven Peine, Alexandra M. Johansson, Alessandro Sette, Marc Lütgehetmann, William W. Kwok, John Sidney, Julian Schulze zur Wiesch

In [Table 6](#), the 4th column of HLA alleles, the allele for DQB1 is missing a number. The correct column heading is: DQA1\*05:01/DQB1\*03:01. Please see the correct [Table 6](#) below.



---

## OPEN ACCESS

**Citation:** Heide J, Schulte S, Kohsar M, Brehm TT, Herrmann M, Karsten H, et al. (2022) Correction: Broadly directed SARS-CoV-2-specific CD4+ T cell response includes frequently detected peptide specificities within the membrane and nucleoprotein in patients with acute and resolved COVID-19. *PLoS Pathog* 18(1): e1010220. <https://doi.org/10.1371/journal.ppat.1010220>

**Published:** January 5, 2022

**Copyright:** © 2022 Heide et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.



## Reference

1. Heide J, Schulte S, Kohsar M, Brehm TT, Herrmann M, Karsten H, et al. (2021) Broadly directed SARS-CoV-2-specific CD4+ T cell response includes frequently detected peptide specificities within the membrane and nucleoprotein in patients with acute and resolved COVID-19. *PLoS Pathog* 17(9): e1009842. <https://doi.org/10.1371/journal.ppat.1009842> PMID: 34529740