STUDY PROTOCOL



EVISED Factors that influence the implementation of health

and social care Standards: a systematic review and meta-

summary protocol [version 2; peer review: 2 approved]

Yvonne Kelly¹, Niamh O'Rourke¹, Rachel Flynn¹, Josephine Hegarty², Laura O'Connor¹


¹Health Information and Quality Authority, Unit 1301, Citygate, Mahon, Cork, T12 Y2XT, Ireland ²Catherine McAuley School of Nursing and Midwifery, Brookfield Health Sciences Complex, University College Cork, College Road Cork, T12 AK54, Ireland

V2 First published: 24 Feb 2021, 4:24 https://doi.org/10.12688/hrbopenres.13212.1 Latest published: 24 May 2021, 4:24 https://doi.org/10.12688/hrbopenres.13212.2

Abstract

Health and social care Standards are evidence-based statements that demonstrate a desired level of care. Setting Standards for health and social care is a mechanism by which quality improvements can be achieved. Limited evidence exists on appropriate implementation strategies to overcome challenges with implementing Standards. The aim of this protocol is to set out a comprehensive plan to undertake a systematic search, appraisal and mixed research synthesis of the international literature that examines factors that hinder and facilitate implementation of health and social care Standards in order to inform the design of implementation strategies.

A research question, "What are the enablers and barriers to implementing health and social care Standards in health and social care services?" was designed using the 'SPICE' (Setting, Perspectives, Interest phenomenon of, Comparison, Evaluation) framework. Electronic databases, grey literature and reference lists from included studies will be searched. Primary qualitative, quantitative descriptive and mixed methods studies reporting on enablers and barriers to implementing nationally endorsed Standards, will be included. The review will focus on experiences and perspectives from multi-level stakeholders including patient and public involvement. The quality of studies will be appraised using appropriate tools and findings used to weight interpretation of findings. Search outputs, data extraction and quality appraisal will be undertaken by two reviewers independently. Sandelowski meta-summary will be used to synthesise the data. Frequency and intensity effect sizes of enablers and barriers will be calculated to evaluate their prevalence across the studies. The Confidence in Evidence from Reviews of Qualitative research (CERQual) approach will be applied to assess confidence in the findings of the review.



- Harriet Boulding ^(D), King's College London, London, UK
- 2. **Faiza Anjum**, National Textile University, Faisalabad, Pakistan

Any reports and responses or comments on the article can be found at the end of the article.

Findings from this examination will inform influencing factors to implementation. Subsequently, this will contribute to pairing Standards with appropriate implementation strategies that will optimise the enabling factors and overcome challenges to implementation.

Keywords

Standards, Implementation, Enablers, Barriers, Healthcare, Social care, Systematic review, Meta-summary

Corresponding author: Laura O'Connor (loconnor@hiqa.ie)

Author roles: Kelly Y: Conceptualization, Formal Analysis, Investigation, Methodology, Project Administration, Validation, Writing – Original Draft Preparation; O'Rourke N: Data Curation, Project Administration, Resources, Supervision, Writing – Review & Editing; Flynn R: Data Curation, Funding Acquisition, Resources; Hegarty J: Conceptualization, Methodology, Project Administration, Supervision, Visualization, Writing – Review & Editing; O'Connor L: Conceptualization, Methodology, Project Administration, Supervision, Visualization, Writing – Review & Editing

Competing interests: YK is undertaking a PhD studentship in the Health Information and Quality Authority (HIQA) and NOR, RF, LOC, are currently employed by HIQA, the national body responsible for the development of national health and social care Standards in Ireland.

Grant information: Health Research Board Ireland [SPHeRE-2019-1] YK has conducted this work as part of a PhD studentship that is funded by the Health Information and Quality Authority (HIQA). It has also been conducted as part of the Structured Population and Health-services Research Education (SPHeRE) programme [SPHeRE-2019-1].

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Copyright: © 2021 Kelly Y *et al.* This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Kelly Y, O'Rourke N, Flynn R *et al.* Factors that influence the implementation of health and social care Standards: a systematic review and meta-summary protocol [version 2; peer review: 2 approved] HRB Open Research 2021, 4:24 https://doi.org/10.12688/hrbopenres.13212.2

First published: 24 Feb 2021, 4:24 https://doi.org/10.12688/hrbopenres.13212.1

REVISED Amendments from Version 1

Following feedback from the first peer reviewer, some amendments have been made to the main text.

The 'Methods' section has been amended to reflect more parity and clarity with descriptions and rationale for type of studies and interventions in the inclusion and exclusion criteria. Important points relating to this review have been highlighted, for example, the relevance of grey literature and the potential challenges with interpreting findings from countries with unique contextual factors such as low-to-middle income countries. In addition, some minor edits have been made to the study's objectives to offer a more consistent discussion throughout the relevant sections of the manuscript.

Any further responses from the reviewers can be found at the end of the article

Introduction and background

Health systems worldwide have led a continued quest to achieve patient safety in the delivery of care. International Standards-setting bodies develop and publish Standards for health and social care services as a quality improvement approach for patient safety. The World Health Organization (WHO) advocates setting Standards to act as leverages to improve the quality of care delivered in health and social care services¹. Standards comprise of statements describing a process or outcome of care. Key words used to define Standards by Standardssetting bodies include "evidence-based"², "high level outcomes"³ and "level of performance"⁴. Setting Standards is an important means for shaping the behaviour of health and social care providers, health and social care professionals and other key stakeholders. The many benefits of their implementation include promoting a consistent level of care, quality assurance, and sharing an understanding of what quality, safe practice looks like for people using healthcare services and service providers³. The Australian Commission on Safety and Quality in Healthcare reported significant improvements following implementation of the Preventing and Controlling Healthcare-Associated Infection Standard⁵. Implementation of the management strategies within the Standard have reduced cases of Staphylococcus aureus infections, central-line associated bloodstream infections and have increased activities in antimicrobial stewardship programmes⁵. The Standard-setting body in England, the National Institute for Health and Care Excellence (NICE) use shared learning case studies to show how implementing their quality standards have led to improvements in practice. One such case study describes how a care provider used five sets of NICE quality standards for social care to develop audit tools to assess and evaluate performances across 70 care homes6. Consequently, "supporting people to live well with dementia" was an area that had been identified as needing improvement^{6,7}. Findings from the National Audit of Intermediate Care in England reported that waiting times for service delivery in intermediate care and enablement services reached targets as recommended in NICE quality Standards, highlighting progress in the delivery of adult social care7.

Differences exist among countries worldwide in approaches to implementing and monitoring health and social care Standards. Some countries, for example England² and Northern Ireland⁸ develop Standards that describe optimum practices, and can be used as benchmarks to determine performance levels during inspections by their regulatory bodies. Inspection is a process where subject matter experts visit health and social care settings to assess or regulate a service's conformance with nationally endorsed Standards9. The Standard-setting body in Ireland, the Health Information and Quality Authority (HIQA) has a licensing regulatory framework for the monitoring, inspection and registration of residential care settings, against regulations and associated social care Standards³. Accreditation is another approach where healthcare organisations are accredited according to pre-determined Standards9. Accreditation in itself, can positively impact clinical performance, organisational culture and leadership¹⁰. The Australian and American healthcare systems use independent accreditation agencies to monitor adherence to healthcare Standards^{4,11}.

Standards are multi-faceted interventions including many evidencebased declarative statements relating to expected actions and behaviours that involve multiple stakeholders and multiple efforts across groups at all levels in health and social care services. As such, the complexity of Standards, in an already complex healthcare system adds to challenges with their implementation in health and social care services. Challenges associated with the implementation of complex interventions include variations in "supply side"¹² and "demand side"¹². Supply side represents the system and service delivering care. Demand side represents the people using the services and their needs¹². Studies that have examined the implementation of health and social care Standards have identified common factors influencing implementation outcomes. For example, an examination of the implementation of the Australian National Safety and Quality in Healthcare Standards (NSQHS) in 2015 identified easily accessible educative materials, stakeholder engagements and credibility as enabling factors to implementing the NSOHS Standards¹³. A study conducted by NICE in the UK in 2018 aimed at identifying the challenges with implementing the NICE guidance and quality Standards, reported that the main motivating factors to implementation were, improving patient outcomes and local practices¹⁴. Themes reflecting the challenges included guidance or Standards not having clear presentation e.g. lengthy documents using medically oriented language, support tools not widely communicated, and evidence not always reflecting 'real world' experiences¹⁴. Implementation strategies such as educative materials, stakeholder engagements and support tools, as identified in these reports are methods that can leverage enablers to overcome barriers and enhance implementation of an intervention¹⁵. Implementation strategies are strongly encouraged and have been described as having "unparalleled importance" in implementation science¹⁵. They can comprise single or multi-components. Their main goal is to overcome barriers, help users decipher the intervention and facilitate implementation¹⁵. However, limited guidance exists in the literature on appropriate strategies that can act effectively¹⁶.

In addition, there is a lack of clarity in pairing strategies with stakeholder groups to promote implementation¹⁶. This has identified a gap in the literature pertaining to the selection and tailoring of effective support tools that will optimise implementation specifically to health and social care Standards.

Current implementation research addresses components of implementation science in relation to enablers and barriers with specific healthcare interventions or activities including guidelines, evidence-based practices and quality improvement projects. However, while these specific interventions might share some attributes with health and social care Standards e.g. evidence based practice, they do not always demand the multi-level stakeholder buy-in and diverse services that are inherent in Standards. A realist informed review conducted by Dryden-Palmer et al. in 2020 investigated context, complexity and processes in the implementation of evidence-based practice¹⁷. A total of 67 studies were retrieved, findings relative to context, complexity and process were extracted and grouped into themes and then analysed using a comparative approach. An emergent pattern identified that unsuccessful implementation efforts were linked to a failure to address context. Culture, values and leadership featured under the theme of context and were reported as having positive and negative effects on implementation. In addition, complexity in implementation was strongly linked with a variation in stakeholder roles and accountabilities for the desired intervention change. The authors suggested a focus on improving communication, developing support tools and undergoing implementation on a phased basis as an approach to reduce complexities¹⁷. The first step in selecting and tailoring implementation strategies like support tools is to examine factors that will influence implementation¹⁶. Factors include characteristics of the intervention, the settings in which the intervention will be implemented and the stakeholders involved in implementation. In addition, such factors that act as enablers in one context may act as barriers in another.

There is a need to examine the literature pertaining to the implementation of health and social care Standards in a global context to capture the multiple stakeholders' experiences and perceptions and the various contextual aspects associated with the wider audience that Standards apply to. As such, a systematic review will be conducted that seeks to understand not just what factors are influential but why and how they are influential¹², thus facilitating a deeper exploration and understanding of the literature findings. A qualitative metasummary has been chosen to synthesise the available evidence. This mixed research synthesis is deemed an appropriate fit for this review in that it will facilitate collation of the findings from multiple empirical studies carried out in various settings. In addition, it will allow for the identification of viewpoints, be they contradictory or consistent, from a range of stakeholders from both the supply and demand side of health and social care, thus, identifying factors that act as barriers and/or enablers. A comprehensive interpretation of the findings will inform the gaps in current knowledge regarding factors effecting implementation of Standards which will be useful to those who develop health and social care Standards and can

be used to inform the design and tailoring of appropriate implementation strategies.

A preliminary search of Google Scholar, Cochrane, and EBSCO database did not yield any systematic reviews investigating the enablers and barriers to implementing health and social care Standards. Hence, this review will be the first to identify and describe the enablers and barriers using both qualitative and quantitative research in an integrative synthesis on the implementation of health and social care Standards internationally.

Protocol

Research question

What are the enablers and barriers to implementing health and social care Standards in health and social care services?

Aim

The aim of this protocol is to describe the methodological plan for conducting a systematic review and meta-summary that seeks to identify, describe and synthesise the enablers and barriers that influence implementation of health and social care Standards, from the international literature, in order to inform the development of tailored implementation strategies.

Methods

This protocol is not eligible for registration with PROSPERO as it is a protocol for a systematic review that seeks to examine aspects of implementation science and will not examine outcomes relevant to clinical or health status. This protocol is reported according to the Preferred Reporting Items for Systematic Reviews and Meta-Analysis Protocols (PRISMA-P) guidelines¹⁸ (see reporting guidelines).

Studies for inclusion in this review must fulfil the following criteria:

Phenomena of interest: The phenomena of interest from the selected studies will be the identified factors that influence and hinder the implementation of Standards. The term 'factor' is defined by the Collins Dictionary as "one of the things that effects an event, decision, or situation"¹⁹. For the purpose of this review, the event or decision or situation refers to the implementation of health and social care Standards. Factors will be categorised under enablers and barriers. The term enabler will be used to refer to any factor that helps to implement Standards more easily. The term barrier will be used to refer to any factor that prevents or hinders the implementation of Standards from happening.

Type of studies: Primary research studies that are qualitative, quantitative descriptive and mixed method study designs. There is a need to be methodologically inclusive as findings from included studies will be based on exposure to health and social are standards and therefore it is possible that they would be retrieved from any study type. Qualitative design studies that will be included are ethnography, phenomenology, grounded theory, case studies and qualitative description. Quantitative descriptive studies that will be included are randomised controlled trials, non-randomised controlled trials, cohort studies, case-control studies, cross-sectional studies, prevalence studies, surveys, case series and case reports. Mixed method studies will be included if they use the aforementioned study types and if it's possible to extract the qualitative and quantitative findings separately from those studies eligible for inclusion.

Type of participants: Stakeholders actively involved in health and social care services including patient and public involvement (PPI). Stakeholders will be defined as;

- A person who is employed by a health and/or social care organisation and actively involved in developing and/or implementing health and/or social care Standards. These stakeholders will be categorised according to hierarchical organisational structures from micro (frontline) level, meso (service) level to macro (system) level.
- A person who is a member of the public, which includes a person with "an interest in health and social care as a public service including potential users of services"²⁰.
- A person who uses health and social care services such as "patients, service users, clients or their carers"²⁰

Type of setting: All settings where health and social care Standards are implemented.

Type of interventions: Studies that examine the implementation of health and social care Standards. Standards refer to quality statements that describe best evidence to achieve quality, safe, and person-centred care. Health and social care Standards are those that are nationally or internationally endorsed. Nationally or internationally endorsed Standards are Standards developed and published by a professional and authoritative organisation and is supported by a local government body.

Timing and language: No database time restrictions will be applied. Given the international context of this review, no language limits will be applied. Google translate, university networks or contacting relevant study authors to obtain the English language version of studies are possible sources for language translation if required. The following will be excluded from this review;

Type of studies: Discussion papers, editorials, opinions, letters, dissertations and conference abstracts. Studies that report secondary data e.g. systematic reviews or scoping reviews. However, the reference lists of any relevant reviews will be screened for potential eligible studies.

Type of interventions: Studies that examine the implementation of guidelines, policies, protocols, pathways, strategies, guidance, standard operating procedures and Standards that are not nationally or internationally endorsed. These are deemed to have distinct interventional characteristics that distinguish them from nationally endorsed health and social care Standards. As such, they could potentially skew the review findings on reported enablers and barriers specific to implementing health and social care Standards. Studies that examine the implementation of educational Standards, technical Standards, professional Standards. These Standards are outside the scope of the review question in that the type of intervention is specifically health and social care Standards.

Search methods

The bibliographic databases selected for searches are Medline, CINAHL (Cumulative Index to Nursing and Allied Health Literature) and SocINDEX with full text. These databases have been selected to source articles from a broad range of health and social care sciences. The search strategy for this review was formulated using the 'SPICE' question framework²¹ (Table 1). The concepts of the SPICE framework capture context and stakeholder perspectives^{21,22} which are required for a research question seeking to identify enablers and barriers to implementation in health and social care services. Hence the SPICE framework is deemed an appropriate fit for the search strategy. Table 1 displays the SPICE concepts with keywords from the research question. The concept, Comparison (C) is not included, as this was deemed not relevant to the review question in that the aim is not to compare enablers and barriers to implementation of Standards but to extract them from the findings of included studies. In addition, Standards set at national level is an inclusion criteria and as such there is no comparison group. The following keywords were included; 'healthcare', 'social care', 'Standards', 'enabler', 'barriers', 'implementation.' Keywords were adapted for searching individual databases, for example using truncation, subject headings and synonyms where applicable. Search

Table 1. SPICE* framework applied to the research question²¹.

Setting	Perspectives	Interest, phenomenon of	Comparison (alternate action)	Evaluation
	Health and Social Care stakeholders, patient and public involvement (PPI)	Enablers and Barriers	Not relevant	Implementation of Standards

*Setting, Perspectives, Interest phenomenon of, Comparison, Evaluation

terms adapted from the keywords were combined using the Boolean operator 'OR.' The fields 'title' and 'abstract' were searched to identify articles relevant to the research question. The proximity indicator, near operator, 'N5' was placed between 'healthcare' and 'Standards' and also between 'social care' and 'Standards.' This retrieved studies where these concepts occurred within 5 words of each other. Preliminary searches returned Standards from non-health organisations imposing critical safety measures, for example the aviation industry and World Trade Organisation²³. Studies pertaining to Standards in these organisations were considered outside the scope of the research question. The proximity indicator was applied to limit the retrieval of such studies not relevant to health and social care settings that may appear from selected databases given their broad behavioural science inclusion criteria. The search terms from each concept were then connected using the Boolean operator 'AND.' Table 2 displays the searches and search returns using the Medline database, as an example.

In addition, a sensitivity analysis was conducted to ensure that key papers were not lost when using the proximity indicator. Two studies had been identified through preliminary hand searching of the literature and they both examined the implementation of healthcare Standards. As such, these papers were used to test the sensitivity of the final search returns which included the use of the proximity indicator, in which case both papers were retrieved from the search^{13,24}.

Two reviewers will independently screen titles and abstracts based on inclusion and exclusion criteria. Agreement on the studies for inclusion will be reached and any uncertainties will be discussed and resolved. If consensus cannot be reached on studies eligible for inclusion, a third independent reviewer will be invited to screen titles and abstracts. The full text of the studies that are identified in the screening of titles and abstracts will be read independently by two reviewers to confirm that they fulfil the inclusion criteria as defined in the methods section. Again, if agreement cannot be reached on studies fulfilling the inclusion criteria, a third independent reviewer will be asked to read the full text studies selected for inclusion and then decisions will be agreed based on consensus between the three reviewers.

Health and social care Standards are most commonly developed and published by Standards-setting bodies. Standards-setting bodies can be established under a country's legislation and hence can be government body representatives. These organisations typically use designated websites as platforms for publishing their work including implementation projects. As such, grey literature was considered as a potentially valuable resource in retrieving relevant studies for this review. Grey literature can be described as documents that are not formally published in sources such as academic journals or easily accessible databases²⁵. Rigorous systematic methods to conducting grey literature searches are scarce26. A search method used by Godin et al. (2015)²⁶ will be adopted to retrieve potential studies for inclusion from the grey literature. This method offers a systematic approach and begins with developing a grey literature search plan²⁶. The search plan will comprise two steps; 1. Grey literature databases and 2. Targeted website searches of Standards-setting bodies.

Step 1: Google Scholar, OpenGrey and GreyNet International are the grey literature databases that will be used in this review. Keywords from the review question will be adapted to fit these databases. Keywords will include; 'healthcare', 'social care', 'Standards' and 'implementation'. The titles of the search returns will be reviewed for eligibility and studies deemed potentially relevant to the review question will be highlighted for further review. For each database search, a record of keywords used, search returns and studies reviewed for eligibility will be recorded.

Search using EBSCO Interface and Medline database		Search Returns		
Search 1	Health OR healthcare OR health-care OR "health care" OR "social care" OR "social work" (Ti, AB)	1,997,905		
Search 2	Standards OR standard (Ti, AB)	1,003,114		
Search 3	Causes OR influences OR reasons OR determinants OR predictors OR barriers OR obstacles OR challenges OR difficulties OR issues OR problems OR facilitators OR motivators OR enablers OR promoters OR levers OR facilitat* OR enabl* (Ti, AB)	5,545,244		
Search 4	Implementation OR implementing OR adoption OR acceptance OR adherence OR compliance OR application OR adher* OR implement* OR "use of" OR quality improvement OR (MH "quality improvement") (Ti, AB)	4,396,731		
Search 5	S1 N5 S2	14,973		
Search 6	S5 AND S3 AND S4	2,859		
MH: Mesh Headings				

Table 2. Medline database search strings and returns.

MH: Mesh Headings.

Ti, AB: Titles, Abstracts.

Step 2: The second search method will be searching targeted websites of Standards-setting bodies relevant to health and social care. Godin et al. described this approach as being similar to a hand-searching method²⁶. The researcher will identify Standards-setting bodies from a review conducted by the Standard-setting body in Ireland, the Health Information and Quality Authority (HIQA)²⁷. This review examined how international Standards-setting bodies develop Standards and guidance for health and social care services and included 13 organisations from nine jurisdictions²⁷. The Google Chrome search engine and manual searches will be used to access the websites belonging to these Standards-setting bodies. Keywords used in step 1 ('healthcare', 'social care', 'Standards' and 'implementation') will be applied to the search bar function on the website's homepage. If the search functionality does not exist, hand searching the website's homepage will be conducted to retrieve documents relevant to the review question. Filters will not be applied to the searches.

Given the potential for high volumes of search returns in step one and step two, the research team will review the titles and abstracts of studies retrieved on the first 10 pages of the search or the first 100 hits. It is possible in grey literature that studies may not have abstracts and so, any study without an abstract that is deemed potentially relevant, from its title, will be read in full text to ascertain eligibility. A record of the searching process will be kept including date and time of searches, listing names of Standards-setting bodies and their website addresses (URLs).

An additional "good practice"²² approach will be taken as described by Booth in 2016. The context of references used within the included studies, along with their reference lists will be hand searched to check for eligible inclusion in this review²².

The results from the bibliographic database and grey literature search, screening and outcomes will be displayed using the flow diagram as recommended by the Preferred Reporting Items for Systematic Reviews (PRISMA)²⁸. Reasons for exclusion of studies at full text review will be recorded.

Data management

Selected articles will be stored and managed using EndNote[™] X8.2 Reference Manager Library. The search results will be imported into the online Covidence systematic management system. Covidence will also be used to facilitate the sharing and collaboration between reviewers during the screening of abstracts and titles, data extraction and quality appraisal stages.

Data extraction

A data extraction table will be populated to structure and categorise the findings (see extended data²⁹). Microsoft Excel and Covidence will be used to manage and store the extracted data. Data items from selected studies that are extracted will be populated using two tables. The first table will have two sections; 1. General Information - first author name, year of

publication, origin of study location, 2. Study Design (methods) - setting, intervention (title of Standards), aim of study, sample population, sample size, data collection method, and analytical approach. The second table will categorise the study outcomes from the primary studies under reported enablers and barriers to implementing health and social care Standards. This will comprise second order constructs. Second order constructs are described by Butler *et al.* (2016) as the researcher's descriptions, discussions, interpretations, statements and ideas³⁰.

Two reviewers will independently extract these data. The data extraction tables will be piloted on four studies before its application to the remainder of the studies. In addition, every effort to retain the original content and context of the selected studies will be made. Any disagreements or discrepancies with extracted data will be discussed and resolved. If consensus is not reached, a third reviewer will be asked to independently check these data for accuracy and resolution of any disagreements.

Quality assessment

This review will apply the following critical appraisal tools to assess the methodological quality of selected studies; Critical Appraisal Skills Programme (CASP) tools will be used for qualitative studies³¹, Joanna Briggs Institute Critical Appraisal Tools will be used for quantitative studies³², and The Mixed Methods Appraisal Tool (MMAT)³³ will be used for mixed method studies.

Two researchers will independently appraise the quality of the selected studies. Any discrepancies with study assessments will be discussed and resolved. If agreement cannot be reached, a third researcher will be asked to appraise the studies to come to a consensus. Studies will not be excluded based on quality of evidence.

Data synthesis

Qualitative meta-summary will be used to synthesise the descriptive findings from qualitative and quantitative studies. As such, it will be a mixed research method synthesis that will aggregate and integrate the findings from the included studies³⁴. This will facilitate a deeper understanding and evaluation of each theme identified as an enabler or barrier. Meta-summary was developed by Sandelowski and Barroso (2007) and comprises a five step technique that provides a quantitative element to represent the findings³⁵. The quantitative element is reflected in effect sizes that measure how often (frequency) the enablers and barriers are reported in the studies and how strong (intensity) the reported enablers and barriers are among the studies. The peeling of the onion metaphor³⁶ is used to conceptualise each step involved in a meta-summary. Each layer of the onion represents each step in which the data is carefully unpacked or peeled away to reach the core which is the effect sizes of each enabler and barrier (Figure 1).

One researcher will conduct the data analysis and will discuss findings with a senior researcher to ensure that the extracted




Figure 1. Five steps of meta-summary adapted from Sandelowski and Barroso (2007)³⁴.

data appropriately reflects the primary data. This will enhance transparency, replicability and trustworthiness of the findings³⁰.

Assessment of confidence in evidence

The GRADE-CERQual (Grades of Recommendation, Assessment, Development, and Evaluation-Confidence in Evidence from Reviews of Qualitative research) approach will be used to assess confidence in the qualitative evidence synthesis³⁷. The outcome of interest will be confidence in the evidence for the identified enablers and barriers to implementing health and social care Standards. The assessment will be based on four domains which are methodological limitations of primary studies used in the synthesis, the relevance of the primary studies with regard to the review question, the coherence of the findings from the primary studies and the adequacy of the data supporting the findings³⁷. This will be rated as high, moderate, low or very low and a reason will be provided for a given judgement. These assessments will be undertaken independently by two researchers and once agreement is reached, a summary of findings table will be prepared.

Ethics and dissemination

The research does not require ethical approval due to its retrospective nature and no involvement of persons in the study. The dissemination strategy will include presentations of the research findings at conferences and publishing in an open access peer reviewed journal.

Study status

The bibliographic database search was conducted in November 2020. Screening of titles and abstracts was completed in January 2021. Full-text screening has commenced. It is anticipated that the grey literature search will commence in February 2021.

Strengths and limitations

This review will be the first to systematically examine reported enablers and barriers to implementing health and social care Standards in a global context. A strength is that we plan to include literature from varied study designs, health and social care settings and stakeholders, to reflect the wide systemic nature of health and social care Standards in practice. The mixed research synthesis using the Sandelowki and Barroso meta-summary³⁴ will facilitate the synthesis of findings from different methodological approaches. This will result in a comprehensive examination of factors identified as enablers and barriers to implementing health and social care Standards and quantify their prevalence across the literature. In addition, the use of the validated tool, GRADE-CERQual to assess confidence in study findings will indicate quality and credibility in the identified enablers and barriers.

The inherent lack of structure and disparate sources associated with grey literature may hinder the retrieval of all relevant studies for this review. Conversely, the inclusion of a grey literature search and targeted website searches, will complement the search of academic publication databases and contribute to a comprehensive search of the literature.

Nationally endorsed Standards that are developed and implemented in practice are underpinned by a country's health system. As such, the global nature of this review may present challenges when interpreting enabling and hindering factors from some countries, for example, low-to-middle-income countries (LIMC), where unique contextual factors exist. However, an inductive approach will be applied to the analysis when conducting this review and any differences in enablers and barriers identified by factors such as country of origin of the Standards will be contextualised and explored, should they feature in the findings.

Conclusion

This protocol describes the methodological steps in conducting a systematic review to identify, describe and synthesise factors that influence or hinder implementation of health and social care Standards. The rigorous approach to searching the literature, appraising the selected studies, data extraction and a mixed research synthesis described herein, will enhance the interpretation and usability of the research findings. The use of meta-summary to calculate the effect sizes of identified enablers and barriers will facilitate evaluation of the magnitude and concentration of such factors across the literature, giving weight to their potential impact if included in implementation strategies. The findings from this review will be valuable to stakeholders who develop and implement health and social care Standards in health and social care services. In addition, the identification of enablers and barriers can be used to inform the development and tailoring of tools to support implementation of Standards in practice.

Data availability

Underlying data

No data are associated with this article.

Extended data

Figshare: Data Extraction Tables: Systematic Review and Metasummary YK 2020.docx. https://doi.org/10.6084/m9. figshare.13289201.v2²⁹

This protocol contains the following extended data:

- Data Extraction Tables SR Metasummary YK 2021.docx (Data extraction table)

Reporting guidelines

Repository: PRISMA-P checklist for Factors that influence the implementation of health and social care Standards: a systematic review and meta-summary protocol. https://doi.org/10.6084/m9.figshare.13289138.v2³⁸

Data are available under the terms of the Creative Commons Attribution 4.0 International license (CC-BY 4.0).

References

- OECD, WHO, World Bank Group: Delivering Quality Health Services: A Global Imperative. Geneva: WHO: 2018; Accessed 03/04/2020. Publisher Full Text
- National Institute for Health and Care Excellence: The NICE Quality Standards Programme. Manchester: 2016; Accessed 19/04/2020.
- Health Information and Quality Authority: National Standards for Safer Better Healthcare. Dublin: 2012; Accessed 06/04/2020. Reference Source
- Kohn LT, Corrigan JM, Donaldson MS, et al.: Setting performance Standards and expectations for patient safety. To Err is Human: Building a Safer Health System. National Academies Press (US); 2000; 132–152. Reference Source
- Australian Commission on Safety and Quality in Health Care: Creating Safer, Better Health Care, the impact of the National Safety and Quality Health Service Standards. Sydney: 2018; 1–11. Reference Source
- National Institute for Care and Excellence (NICE): Evidencing best practice against NICE Quality Standards across geographically dispersed care homes and using the standards to encourage iterative improvement. Shared learning database. 2018; Accessed 08/01/2021. Reference Source

- National Institute for Health and Care Excellence (NICE): Impact adult social care. London: 2019; Accessed 01/09/2020. Reference Source
- Department of Health, Social Services and Public Safety: The Quality Standards for Health and Social Care. Belfast: 2006; Accessed 01/09/2020. Reference Source
- Madden D, Organisational and Professional Regulatory Framework: Building a Culture of Patient Safety: Report of the Commission on Patient Safety and Assurance. Dublin: Department of Health: 2008; 105–20. Reference Source
- Braithwaite J, Greenfield D, Westbrook J, et al.: Health service accreditation as a predictor of clinical and organisational performance: a blinded, random, stratified study. Qual Saf Health Care. 2010; 19(1): 14–21. PubMed Abstract | Publisher Full Text
- Australian Commission on Safety and Quality in Health Care: National Safety and Quality Health Service Standards 2017. 2nd Edition. Sydney: 2017; 1–75. Reference Source
- Datta J, Petticrew M: Challenges to evaluating complex interventions: a content analysis of published papers. BMC Public Health. 2013; 13(1): 568. PubMed Abstract | Publisher Full Text | Free Full Text
- 13. Greenfield D, Hinchcliff R, Banks M, et al.: Analysing 'big picture' policy

reform mechanisms: the Australian health service safety and quality accreditation scheme. *Health Expect.* 2015; **18**(6): 3110–22. PubMed Abstract | Publisher Full Text | Free Full Text

- National Institute for Care and Excellence: Implementing NICE guidance and quality Standards: audience insight report and NICE response to findings. London; 2018. Accessed 22/07/2020. Reference Source
- Proctor EK, Powell BJ, McMillen JC: Implementation strategies: recommendations for specifying and reporting. *Implement Sci.* 2013; 8(1): 139.
 PubMed Abstract | Publisher Full Text | Free Full Text
- Powell BJ, Beidas RS, Lewis CC, et al.: Methods to Improve the Selection and Tailoring of Implementation Strategies. J Behav Health Serv Res. 2017; 44(2): 177–94.
 PubMed Abstract | Publisher Full Text | Free Full Text
- Dryden-Palmer KD, Parshuram CS, Berta WB: Context, complexity and process in the implementation of evidence-based innovation: a realist informed review. *BMC Health Serv Res.* 2020; 20(1): 81.
 PubMed Abstract | Publisher Full Text | Free Full Text
- Moher D, Shamseer L, Clarke M, et al.: Preferred reporting items for systematic review and meta-analysis protocols (PRISMA-P) 2015 statement. Syst Rev. 2015; 4(1): 1.
 PubMed Abstract | Publisher Full Text | Free Full Text
- 19. Collins Dictionary: **"Factor"**. 2020. Accessed 10/10/2020. Reference Source
- Health Research Board: Public and patient involvement in research. 2020. Accessed 10/10/2020. Reference Source
- Harris JL, Booth A, Cargo M, et al.: Cochrane Qualitative and Implementation Methods Group guidance series—paper 2: methods for question formulation, searching, and protocol development for qualitative evidence synthesis. J Clin Epidemiol. 2018; 97: 39–48.
 PubMed Abstract | Publisher Full Text
- 22. Booth A: Searching for qualitative research for inclusion in systematic reviews: a structured methodological review. *Syst Rev.* 2016; 5(1): 74. PubMed Abstract | Publisher Full Text | Free Full Text
- Leotsakos A, Zheng H, Croteau R, et al.: Standardization in patient safety: the WHO High 5s project. Int J Qual Health Care. 2014; 26(2): 109–16.
 PubMed Abstract | Publisher Full Text
- Knight A, Littlejohns P, Poole TL, et al.: The NICE alcohol misuse standard-evaluating its impact. Int J Health Care Qual Assur. 2017; 30(3): 260-273.
 - PubMed Abstract | Publisher Full Text
- 25. Cochrane Community: Glossary: grey literature. 2020. Accessed 10/10/2020.
- 26. Godin K, Stapleton J, Kirkpatrick SI, et al.: Applying systematic review search

methods to the grey literature: a case study examining guidelines for school-based breakfast programs in Canada. *Syst Rev.* 2015; **4**(1): 138. PubMed Abstract | Publisher Full Text | Free Full Text

- Health Information and Quality Authority: International review of the methodologies for developing national Standards and guidance for health and social care services. Dublin; 2018. Accessed 02/04/2020. Reference Source
- Moher D, Liberati A, Tetzlaff J, et al.: Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. PLoS Med. 2009; 6(7): e1000097.
 - PubMed Abstract | Publisher Full Text | Free Full Text
- Kelly Y, O'Rourke N, Flynn R, et al.: Data Extraction Tables: Systematic Review and Metasummary YK 2020.docx. figshare. Dataset. 2021. http://www.doi.org/10.6084/m9.figshare.13289201.v2
- Butler A, Hall H, Copnell B: A Guide to Writing a Qualitative Systematic Review Protocol to Enhance Evidence-Based Practice in Nursing and Health Care. Worldviews Evid Based Nurs. 2016; 13(3): 241–9. PubMed Abstract | Publisher Full Text
- 31. Critical Appraisal Skills Programme: CASP Checklists. 2018. Reference Source
- 32. Joanna Briggs Institute: Checklist for quantitative research. Adelaide: 2017. Reference Source
- Hong QN, Fàbregues S, Bartlett G, et al.: The Mixed Methods Appraisal Tool (MMAT) version 2018 for information professionals and researchers. Educ Inf. 2018; 34(4): 285–91.
 Publisher Full Text
- Sandelowski M, Barroso J, Voils CI: Using qualitative metasummary to synthesize qualitative and quantitative descriptive findings. *Res Nurs Health*. 2007; 30(1): 99–111.
 PubMed Abstract | Publisher Full Text | Free Full Text
- Sandelowski M, Barroso J: Handbook for synthesizing qualitative research. New York: Springer Pub. Co; 2007: 151–162. Reference Source
- Miles M, Chapman Y, Francis K: Peeling the onion: understanding others' lived experience. Contemp Nurse. 2015; 50(2–3): 286–95.
 PubMed Abstract | Publisher Full Text
- Noyes J, Booth A, Flemming K, et al.: Cochrane Qualitative and Implementation Methods Group guidance series—paper 3: methods for assessing methodological limitations, data extraction and synthesis, and confidence in synthesized qualitative findings. J Clin Epidemiol. 2018; 97: 49–58.

PubMed Abstract | Publisher Full Text

 Kelly Y, O'Rourke N, Flynn R, et al.: PRISMA-P checklist Systematic Review Metasummary YK 2021.docx. figshare. Dataset. 2021. http://www.doi.org/10.6084/m9.figshare.13289138.v2

Open Peer Review

Current Peer Review Status:

Version 2

Reviewer Report 13 July 2021

https://doi.org/10.21956/hrbopenres.14497.r29700

© **2021 Anjum F.** This is an open access peer review report distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Faiza Anjum

Sociology, National Textile University, Faisalabad, Pakistan

I am pleased to inform that this paper of a systematic review of factors influencing the implementation of health and social care standards and its meta-summary protocol is interesting. The authors have a deep insight into identifying a gap in the review of the literature. The study has a comprehensive analysis through addressing quantitative, qualitative, and mixed methods.

The rationale of the study and objectives of the study are clearly described, contributing a valuable addition to the existing literature. The references of the study are best suited to the nature of the study. The adopted methods/design are also appropriate for the study question.

However, the authors have not described the recommendation for further study in the future. In a comprehensive analysis, there is a need to add a theoretical background in a separate paragraph.

I confirm that I have reviewed the article and suggested that there is no extensive need for revision for indexing.

Is the rationale for, and objectives of, the study clearly described?

Yes

Is the study design appropriate for the research question?

Yes

Are sufficient details of the methods provided to allow replication by others?

Yes

Are the datasets clearly presented in a useable and accessible format?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Sociology, Medical Sociology, Social psychology, Environment and society, Women health issues

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Version 1

Reviewer Report 21 April 2021

https://doi.org/10.21956/hrbopenres.14364.r29212

© **2021 Boulding H.** This is an open access peer review report distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Harriet Boulding 匝

The Policy Institute, King's College London, London, UK

I was pleased to review this protocol for a systematic review of barriers and facilitators to implementing health and social care standards. The authors have identified a gap in the review literature and have put forward a comprehensive proposal to address this, which includes qualitative, quantitative and mixed methods studies, and, importantly, a search of grey literature. The authors propose to highlight the experiences and perspectives of a range of stakeholders, including health service employees at various levels, patients and the public. The findings are intended to inform the development and implementation of health and social care standards, and the development of tools to support implementation.

The rationale for the study is clearly described, and such work would be a timely addition to the literature. The authors have referenced appropriate standards for reporting, quality assessment, data management, and search methods. The study design is appropriate for the research question, though the authors will need to clearly explain their approach re the question framework in terms of comparison v identification. The focus on a range of stakeholder perspectives is particularly welcome. I am happy to recommend the protocol for indexing with the following advice to the authors:

- The review is global in nature, but there is no discussion of the very distinct contexts and implementation challenges in LMICs, or the relevance of this for search methods/sources. More is needed to highlight the benefits and challenges of extracting useful lessons for implementation from such disparate contexts.
- On a related note, I would welcome a clearer and more consistent discussion of the study strengths and objectives, as these appear to be a little different in the abstract, background and conclusion.
- More clarity on inclusion and exclusion criteria is needed in several areas. There should be

some parity between the types of qual and quant methods included, whereas we currently have a comprehensive list of the types of quant studies, and some examples of qual studies. The rationale for the inclusion and exclusion criteria should be stated clearly throughout.

- The inclusion of grey literature is of particular importance for work examining implementation in healthcare settings. The authors have acknowledged this indirectly via their study design, but I would welcome a discussion of this element in their background discussion given its relevance to this endeavour.
- I note that HMIC (health management information consortium) database has not been included; it may yield some pertinent results not captured elsewhere, particularly grey literature, if possible to examine at this stage.

Thank you for the opportunity to review this important work, and I look forward to seeing the protocol and the subsequent review in print.

Is the rationale for, and objectives of, the study clearly described?

Yes

Is the study design appropriate for the research question?

Yes

Are sufficient details of the methods provided to allow replication by others? $\ensuremath{\mathsf{Yes}}$

Are the datasets clearly presented in a useable and accessible format? $\ensuremath{\mathsf{Yes}}$

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Health systems, policy, implementation.

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Page 13 of 13