

CORRECTION

Open Access

# Correction: Global analysis of host response to induction of a latent bacteriophage

Robin E Osterhout\*, Israel A Figueroa, Jay D Keasling and Adam P Arkin

## Correction

After the publication of this work [1], we became aware that the legends for Figures 2, 3 and 4 were not in the correct order.

The legends should be as follows:

**Figure 2:** *Escherichia coli* lambda lysogen DNA and average transcript levels after treatment with 10 J/m<sup>2</sup> UV light. The x-axis is the position of genes on the *E. coli* chromosome. The *E. coli* origin is at the 0 position on the x-axis. The lambda integration site *attB* is indicated by the vertical line. The y-axis is the log ratio of treated to untreated cells. **A).** Average transcription (100 bins) along the *E. coli* chromosome at 20, 40, 60 minutes after exposure to UV light. **B).** Ratio of DNA 60 minutes after treatment with UV light relative to DNA of untreated cells.

**Figure 3:** Functional categorization of *E. coli* genes during lambda phage induction. Histograms count number of genes significantly up-regulated (black) or down-regulated (grey) at each time interval. Genes were grouped according to the NCBI COG classification scheme [49]. Categories with an (\*) were enriched in down-regulated genes (Fisher exact test, false discovery rate < 0.05): carbon catabolism, cell processes, cell structure, central metabolism energy metabolism, and transport.

**Figure 4:** **A)** Diagram of the linear (integrated) lambda phage genome, color-coded by lifecycle stage (blue = lysogenic, yellow = early lytic, red = late lytic). **B)** (wild type phage) and **C)** (Lambda-P27): gene expression ratios during prophage induction are shown relative to an untreated "mock induction" control and log<sub>2</sub> transformed. Genes arranged by order on the lambda genome.

Received: 5 August 2013 Accepted: 5 August 2013  
Published: 6 August 2013

\* Correspondence: reosterhout@berkeley.edu  
Department of Bioengineering and Howard Hughes Medical Institute,  
University of California at Berkeley, Berkeley, CA 94720, USA

## Reference

1. Osterhout RE, Figueroa IA, Keasling JD, Arkin AP: Global analysis of host response to induction of a latent bacteriophage. *BMC Microbiol* 2007, **7**:82.

doi:10.1186/1471-2180-13-183

**Cite this article as:** Osterhout et al.: Correction: Global analysis of host response to induction of a latent bacteriophage. *BMC Microbiology* 2013 **13**:183.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at  
[www.biomedcentral.com/submit](http://www.biomedcentral.com/submit)

BioMed Central