

Driving offences and risk of subsequent crash in novice drivers: the DRIVE cohort study 12-year follow-up

Holger Möller (1,2), Patricia Cullen, ^{1,2,3} Teresa Senserrick, ⁴ Kris Rogers, ¹ Soufiane Boufous, ⁵ Rebecca Q Ivers (1,2), ^{1,2}

► Additional supplemental material is published online only. To view, please visit the journal online (http://dx.doi. org/10.1136/injuryprev-2021-044482).

¹School of Population Health, UNSW, Sydney, New South Wales, Australia ²Injury Division, The George Institute for Global Health, Newtown, New South Wales, Australia ³Ngarruwan Ngadju, First Peoples Health and Wellbeing Research Centre, Australian Health Services Research Institute, University of Wollongong, Wollongong, New South Wales, Australia ⁴Centre for Accident Research and Road Safety - Queensland (CARRS-Q), Kelvin Grove, Queensland University of Technology (QUT), Brisbane, Queesnland, Australia ⁵School of Aviation, Transport and Road Safety (TARS) Research, Faculty of Science, UNSW, Sydney, New South Wales, Australia

Correspondence to

Dr Holger Möller, School of Population Health, UNSW, Sydney, New South Wales, Australia; h.moeller@unsw. edu.au

Received 10 November 2021 Accepted 26 February 2022 Published Online First 31 March 2022

Check for updates

© Author(s) (or their employer(s)) 2022. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

To cite: Möller H, Cullen P, Senserrick T, *et al. Inj Prev* 2022;**28**:396–404. **Background** Penalties are a key component to improve road user safety, but previous studies suggested that they might not be successful in reducing crashing in offending drivers. However, these studies were not able to consider important crash risk factors in the analysis that might confound the results. Using data from a large prospective cohort study of young drivers in New South Wales, Australia, we explored if novice drivers with driving offences have a higher rates of car crash and if these differences are explained by established crash risk factors.

Methods We used data from a 2003/2004 Australian survey of young drivers, linked to police reported offence and crash data, hospital data and deaths data up to 2016. We used Poisson regression models adjusted for confounders to estimate the association between driving offences during 2003–2006 with car crash during 2007–2016.

Results The study cohort comprised 20 781 young drivers of whom 7860 drivers (37.8%) had at least one driving offence and 2487 (12.0%) were involved in at least one crash. After adjusting for confounders in the regression model, drivers with three or more driving offences had 2.25 (95% CI 1.98 to 2.57), 2.87 (95% CI 1.60 to 5.17) and 3.28 (95% CI 2.28 to 4.72) times higher rates of any crash, crashes that resulted in hospital admission or death and single vehicle crashes compared with drivers with no driving offences. **Conclusion** Measures that successfully mitigate the underlying risk factors for both, crashes and offences, have the potential to improve road safety.

BACKGROUND

ABSTRACT

Road transport crashes are a leading cause of injury and deaths worldwide.¹ In Australia, 1195 people died and 39 330 were hospitalised due to road transport crashes in 2019.² Young drivers aged 17–25 years are disproportionally affected, attributing 25% of crashes resulting in serious injury even though they only make up around 15% of the Australian population of driving age.³

Reducing road transport crashes is an international policy priority⁴⁻⁷ and Australia, like many other countries, has adopted a safe systems approach comprising of four target areas: safe roads, safe speeds, safe vehicles and safe road users.^{4 5} Law enforcement and penalties combined with social marketing and education campaigns are key components to improve road user safety. Penalty systems are based on deterrence theory that assumes that crime is deterred by the threat of punishment.⁸ Studies on the effectiveness of penalty systems to increase road safety show that they can be successful in reducing dangerous driving behaviours, such as drink driving^{9 10} and associated road transport crashes.¹¹⁻¹⁴ However, individual-level studies show that drivers who incur offences are also at increased risk of car crash.^{15–23} It has therefore been suggested that driving offences are an indicator of risky driving behaviours^{15 16} that, in turn, are associated with an increased risk of crash.^{24–26}

Previous studies reported crash and traffic offence rates in novice drivers,^{27–29} but few studies have specifically looked at driving offences and subsequent risk of crash in young novice drivers. A cohort study of young drivers from Queensland, Australia, reported 31% and 41% higher rate of crash resulting in injury or deaths for drivers with at least one drink driving or speeding offence, respectively, compared with drivers with no such offence.²⁰ This is in line with findings from a study from Western Australia, which found that both infringements and convictions were predictive of first year drivers' involvement in a subsequent crash and that infringements alone were predictive of first year drivers' involvement in a subsequent serious injury crash.²¹ Similarly, another study from Western Australia showed an increased risk of drink driving related crashes in novice drivers who had a previous drink driving offence that resulted in a road crash²² and a study of young drivers from Michigan in the USA reported drivers with an offence in the previous year to have a 40% increased risk of crash compared with drivers with no offences.²³ Similar findings have been reported in cohort studies of drivers of all ages. A study from Queensland, Australia, showed that drivers had up to three times higher risk of crash in the month following an infringement, relative to a comparable driving period 12 months prior.¹⁷ The authors concluded that penalties might indicate periods of risky driving and might not have an immediate effect on reducing dangerous driving behaviours and the risk of crash.¹⁷ Similarly, cohort studies from Israel and Australia found that drivers with previous traffic offences were at increased risk of crash.^{15 16} However, these previous studies either did not consider confounders in the analysis^{20 21} or were limited in the amount of confounders considered.



The young driver cohort (DRIVE) study is a large prospective cohort study of more than 20 000 young drivers in New South Wales (NSW), Australia, which has recently been relinked with police reported crash and hospital data resulting in up to 13 years of follow-up.³⁰ The DRIVE study collected information on a large number of crash risk factors, allowing to explore the following research questions: do young novice drivers with driving offences during their first years of driving have a higher risk of car crash up to 13 years after they first started driving compared with drivers with no offences? Does this vary by type of driving offence and type of crash? Are differences in risk of crash between drivers with and without offences explained by established crash risk factors?

METHODS

Study design

The study was a prospective cohort study.

Setting

NSW is Australia's most populous state with 7.5 million residents³ and 4.28 million registered passenger vehicles, the most of any state in Australia.³¹

Data sources

We used data from the DRIVE study, a 2003/2004 survey of 20 822 young drivers in NSW Australia.³⁰ Drivers were eligible to participate if they were 17–24 years old and held their first-stage NSW provisional motor vehicle (car) driver's licence. The DRIVE study collected information on driver's demographics, driving exposure, driver's experience and training and known and hypothesised crash risk factors (table 1).^{24 30} Data collection and the study cohort have been described in detail elsewhere.³⁰

The survey data were linked with data from state and federal government authorities: offence data from Transport for NSW, police recorded crash data from the NSW Centre for Road Safety, hospital data from the NSW Admitted Patient Data Collection (APDC), death data from the NSW Registry of Births Deaths and Marriages (RBDM) and cause of death data from the Australian Bureau of Statistics (ABS). Police reported crashes, hospital and death data were available up to 2016 and offence and sanctioning data from study entry in 2003/2004 until 31 December 2006.

The offence data contain information on all recordable offences, by type of driving offence and driving sanctions issued. The NSW Centre for Road Safety CrashLink system provides information on all persons injured or killed due to road crashes that occur on NSW public roads. The data provide, among other, information on the severity and circumstances of the crash. The APDC includes records for all hospital separations (discharges, transfers and deaths) from all NSW public and private hospitals and day procedure centres, coded according to the Australian modification of the International Statistical Classification of Diseases and Related Problems, 10th revision.³² The NSW RBDM contains information on all deaths in NSW. The ABS cause of death data includes information derived from the death certificate or coronial report on the cause of deaths.

The NSW Centre for Health Record Linkage (www.cherel.org. au) performed probabilistic linkage of the data sets and supplied deidentified data sets for analysis. For the crash, offence, hospital and death data, a master linkage key of identifying fields was derived using probabilistic record linkage methods and Choice-Maker software,³³ which uses 'blocking' and 'scoring' to identify definite and possible matches. Mortality data were linked via deterministic linkage.

Variables in the analysis

The risk factors under investigation were any driving offence or a driving offence for reckless driving, speeding, low-level speeding (exceeding speed limit by not more than 15 km/hour) or any other driving offence while driving a car by participants from study entry during 2003/2004 until 31 December 2006.

The study outcome measures were total number of crashes (police recorded crash, crash-related hospitalisation or death of the driver), crash-related hospitalisations or deaths of the driver and single vehicle crashes during follow-up from 1 January 2007 to 31 December 2016. Drivers who were sanctioned from driving were followed up after the end of the sanctioning period. Only crashes related to vehicles that the study participants could legally drive with an NSW car licence and hospitalisations where the study participant was identified as the driver of a car in the hospital data (ICD10-AM V40-V59 .0 and .5) were included in the study. The total number of crashes was derived from linkage of the cohort data with the crash, hospital and death data. Crash-related hospital admissions on the same day or within 1 day of a record in the police reported crash data were considered the same crash.

Potential confounders were identified from the survey data. These were measures of driver demographic characteristics (age, gender, geographical remoteness and socioeconomic status of area of residence and country of birth), mental health and drug and alcohol use (self-harm, cannabis, other drug and alcohol use), driver training and experience (supervised driving hours, months on learner licence, number of attempts on learner licence, selfrated driving ability, months between independent (provisional) driver licence and study entry, involvement in crash before the start of follow-up not related to driving offences included in the study), driving behaviour and attitude (risk taking behaviour, risk perception and sensation seeking) and driving exposure (average weekly driving) (table 1, online supplemental table 1).³⁰ The selection of potential confounders for inclusion in the multivariable regression was based on evidence from previous analyses of the DRIVE data and the international literature,^{24 34-37} a detailed description of these variables and their data sources can be found in the online supplemental table 1.

We classified geographical remoteness of residence using the accessibility/remoteness index of Australia,³⁸ and derived socioeconomic status (SES) from the ABS 2001 area level index of education and occupation,³⁹ which was divided into NSW population quartile groups. We linked remoteness and SES information to the survey data by matching postal area.

Statistical analysis

Although completeness of recording of survey variables used in the multivariable regression analysis was high (93%–100%), the joint percentage of missing data across analysis variables was 15%. For the regression analysis, missing values in the survey data were imputed using chained equations in Stata with 30 imputation cycles.³⁴ The imputation model was assessed by plotting the imputed values against the non-missing data for each imputation cycle using the Stata user written package midiagplots³⁵ and through numerical checks using descriptive statistics comparing the imputed with the non-missing data. Recording of outcome and the exposure (driving offence) data was complete, because this was derived from population level registry data.

Table 1 Cohort characteristics	by number of driving related offences*						
			None (n=12 921) One (n=4644)	Two (n=1825)	Three or more (n=1391)	Total (n=20 871)
			Number (%)	Number (%)	Number (%)	Number (%)	Number
Demographics	Gender	Female	7976 (61.7)	2295 (49.4)	707 (38.7)	371 (26.7)	11 349
		Male	4945 (38.3)	2349 (50.6)	1118 (61.3)	1020 (73.3)	9432
	Age (years)	17	5997 (46.4)	2416 (52.0)	953 (52.2)	752 (54.1)	10 118
		18–19	4880 (37.8)	1684 (36.3)	671 (36.8)	493 (35.4)	7728
		20–25	2044 (15.8)	544 (11.7)	201 (11.0)	146 (10.5)	2935
	Country of birth	Australia/New Zealand	10 960 (86.5)	4049 (88.5)	1634 (90.8)	1218 (89.0)	17 861
		Other	1706 (13.5)	527 (11.5)	166 (9.2)	151 (11.0)	2550
	Area-level SES	Least disadvantaged	3448 (26.7)	1053 (22.7)	375 (20.5)	255 (18.3)	5131
		Second quartile	3198 (24.8)	1154 (24.8)	455 (24.9)	326 (23.4)	5133
		Third quartile	3247 (25.1)	1266 (27.3)	505 (27.7)	429 (30.8)	5447
		Most disadvantaged	3028 (23.4)	1171 (25.2)	490 (26.8)	381 (27.4)	5070
	Remoteness	Metro	9668 (74.8)	3414 (73.5)	1349 (73.9)	1021 (73.4)	15 452
		Inner regional	2672 (20.7)	1012 (21.8)	385 (21.1)	319 (22.9)	4388
		Outer regional/remote	581 (4.5)	218 (4.7)	91 (5.0)	51 (3.7)	941
Driving and experience and training	Attempts on driver test	-	8486 (65.9)	3011 (65.0)	1160 (63.6)	815 (58.8)	13 472
		2	3028 (23.5)	1123 (24.3)	441 (24.2)	364 (26.3)	4956
		3 or more	1360 (10.6)	496 (10.7)	222 (12.2)	207 (14.9)	2285
	Time on learners-licence	<1 year	4608 (35.8)	1880 (40.6)	786 (43.2)	652 (47.1)	7926
		1-1.5 years	4615 (35.9)	1659 (35.9)	657 (36.1)	473 (34.2)	7404
		>1.5 years	3646 (28.3)	1086 (23.5)	378 (20.8)	260 (18.8)	5370
	Crash before study	No	12 875 (99.6)	4352 (93.7)	1674 (91.7)	1266 (91.0)	20167
		Yes	46 (0.4)	292 (6.3)	151 (8.3)	125 (9.0)	614
	Self-rated driving ability compared with other drivers	Much better	2041 (16.3)	913 (20.4)	418 (23.8)	356 (27.1)	3728
		Better	5459 (43.6)	1975 (44.1)	755 (43.0)	569 (43.3)	8758
		Same	4788 (38.2)	1529 (34.2)	554 (31.6)	371 (28.2)	7242
		Worse or much worse	239 (1.9)	57 (1.3)	28 (1.6)	18 (1.4)	342
	Lessons with professional driving instructor (hours)	0	2096 (16.2)	817 (17.6)	401 (22.0)	340 (24.4)	3654
		1-4	3516 (27.2)	1396 (30.1)	563 (30.8)	434 (31.2)	5909
		5-8	2679 (20.7)	1011 (21.8)	359 (19.7)	242 (17.4)	4291
		9+	4630 (35.8)	1420 (30.6)	502 (27.5)	375 (27.0)	6927
							Continued

Table 1 Continued							
			None (n=12 921)	One (n=4644)	Two (n=1825)	Three or more (n=1391)	Total (n=20 871)
			Number (%)	Number (%)	Number (%)	Number (%)	Number
Drug and alcohol and mental health	Marijuana smoking in last 12 months	Never	11 123 (88.8)	3785 (84.8)	1404 (80.3)	951 (72.3)	17 263
		Once a month or less	1104 (8.8)	511 (11.4)	248 (14.2)	228 (17.3)	2091
		2-4 times a month	175 (1.4)	104 (2.3)	50 (2.9)	71 (5.4)	400
		2-3 or 4+ per week	119 (1.0)	66 (1.5)	46 (2.6)	66 (5.0)	297
	Use of other drugs in last 12 months	Never	11 830 (94.6)	4113 (92.3)	1579 (90.5)	1127 (86.1)	18 649
		Once a month or less	528 (4.2)	262 (5.9)	120 (6.9)	121 (9.2)	1031
		2-4 times a month	101 (0.8)	56 (1.3)	32 (1.8)	47 (3.6)	236
		2–3 or 4+ per week	40 (0.3)	27 (0.6)	14 (0.8)	14 (1.1)	95
	Alcohol audit summary score	0—6	11 243 (89.6)	3791 (84.7)	1392 (79.3)	1012 (76.7)	17 438
		>6	1300 (10.4)	686 (15.3)	363 (20.7)	307 (23.3)	2656
	Self-harm	No	11 386 (93.3)	3963 (91.0)	1513 (89.6)	1107 (87.3)	17 969
		Yes	812 (6.7)	391 (9.0)	176 (10.4)	161 (12.7)	1540
Risky driving	Risk taking score	Low	5123 (41.5)	1189 (27.0)	344 (20.0)	194 (15.1)	6850
		Medium	4088 (33.1)	1498 (34.0)	533 (30.9)	332 (25.8)	6451
		High	3126 (25.3)	1719 (39.0)	846 (49.1)	760 (59.1)	6451
	Risk perception score	Low	4275 (34.8)	1251 (28.6)	424 (24.7)	259 (20.4)	6209
		Medium	3954 (32.2)	1376 (31.5)	484 (28.2)	333 (26.2)	6147
		High	4058 (33.0)	1743 (39.9)	806 (47.0)	680 (53.5)	7287
	Sensation seeking score	Low	4521 (36.8)	1163 (26.6)	337 (19.7)	236 (18.5)	6257
		Medium	4048 (33.0)	1465 (33.5)	528 (30.9)	345 (27.1)	6386
		High	3710 (30.2)	1749 (40.0)	844 (49.4)	692 (54.4)	6995
Driving exposure	Average weekly driving (hours)	Mean (SD)	7.5 (12.7)	9.6 (13.2)	10.8 (11.6)	14.6 (24.7)	8.7 (13.9)
*Offences from joining DRIVE study in SES, socioeconomic status.	2003/2004 until end of 2006, missing values not shown.						

		Any crash			Hospitalised c	rash or deaths	Single vehicle	crash	
		None	One	Two or more	None	One or more	None	One or more	
		Number (%)	Number (%)	Number (%)	Number (%)	Number (%)	Number (%)	Number (%)	Total
Any offence	None	11 646 (63.7)	1166 (52.2)	109 (43.1)	12 860 (62.3)	61 (47.3)	12 809 (62.4)	112 (42.6)	12 921
	One	4021 (22.0)	556 (24.9)	67 (26.5)	4610 (22.3)	34 (26.4)	4576 (22.3)	68 (25.9)	4644
	Two	1547 (8.5)	247 (11.1)	31 (12.3)	1809 (8.8)	16 (12.4)	1788 (8.7)	37 (14.1)	1825
	Three or more	1080 (5.9)	265 (11.9)	46 (18.2)	1373 (6.7)	18 (14.0)	1345 (6.6)	46 (17.5)	1391
Reckless driving	None	17 418 (95.2)	2049 (91.7)	227 (89.7)	19 585 (94.8)	109 (84.5)	19 458 (94.8)	236 (89.7)	19 694
	One or more	876 (4.8)	185 (8.3)	26 (10.3)	1067 (5.2)	20 (15.5)	1060 (5.2)	27 (10.3)	1087
Speeding	None	14 005 (76.6)	1524 (68.2)	155 (61.3)	15 595 (75.5)	89 (69.0)	15 523 (75.7)	161 (61.2)	15 684
	One	3254 (17.8)	490 (21.9)	62 (24.5)	3779 (18.3)	27 (20.9)	3740 (18.2)	66 (25.1)	3806
	Two or more	1035 (5.7)	220 (9.9)	36 (14.2)	1278 (6.2)	13 (10.1)	1255 (6.1)	36 (13.7)	1291
Low speeding offence	None	16 201 (88.6)	1933 (86.5)	212 (83.8)	18 238 (88.3)	108 (83.7)	18 123 (88.3)	223 (84.8)	18 346
	One or more	2093 (11.4)	301 (13.5)	41 (16.2)	2414 (11.7)	21 (16.3)	2395 (11.7)	40 (15.2)	2435
Other offences	None	14 990 (81.9)	1654 (74.0)	178 (70.4)	16 732 (81.0)	90 (69.8)	16 649 (81.1)	173 (65.8)	16 822
	One or more	3304 (18.1)	580 (26.0)	75 (29.6)	3920 (19.0)	39 (30.2)	3869 (18.9)	90 (34.2)	3959
	Total	18 294 (100.0)	2234 (100.0)	253 (100.0)	20 652 (100.0)	129 (100.0)	20 518 (100.0)	263 (100.0)	20 781

 Table 2
 Number of crashes during follow-up (2007–2016) by driving offence type*

*Offences from joining DRIVE study in 2003/2004 until end of 2006.

We examined time to first crash during follow-up for different categories of driving offences using cumulative incidence curves. We analysed the association between the different crash outcomes and risk-taking behaviour in univariate and multivariable Poisson regression models with robust variance estimates.³⁶ Count of crash events was the numerator and number of study participants the denominator in the models.

We included time between start (1 January 2007 or the end of sanctioning period) and end of follow-up (31 December 2016) as an offset variable in the regression models to account for different lengths of exposure of drivers who were banned from driving. We censored participants who died during follow-up at the date of deaths. Participants were followed from 1 January 2007 to 31 December 2016. The influence of known crash risk factors on differences in crash between drivers with and without driving offences was investigated by adding measures of drug use and self-harm (model 2), risk taking behaviour (model 3), driver training and experience (model 4) seperately and all of these measures combined (model 5) to the regression model adjusted for driver demographics and driving exposure (model 1) (online supplemental table 2).

All statistical analyses were carried out using Stata V.15.

RESULTS

The final study cohort comprised 20 781 young drivers (54.6% women). Records of 25 participants who died before follow-up



Figure 1 Time to first crash (2007–2016) by prior driving offence[#]. #Offences from joining DRIVE study in 2003/2004 until end of 2006. *One or more/two or more for offences with less than three categories

iny crash, hospitalised crash	or death and single vehicl	cle crash during 2007–2016 by type of driving offence 2003–2006				
		M1 demographics and driving exposure	M5 fully adjusted			
		RR (95% CI)	RR (95% CI)			
Any offence	One	1.34 (1.22 to 1.48)	1.35 (1.22 to 1.49)			
	Two	1.48 (1.30 to 1.69)	1.50 (1.31 to 1.71)			
	Three or more	2.22 (1.96 to 2.52)	2.25 (1.98 to 2.57)			
Reckless driving†	One or more	1.35 (1.18 to 1.56)	1.35 (1.17 to 1.56)			
Speeding†	One	1.24 (1.12 to 1.36)	1.24 (1.13 to 1.37)			
	Two or more	1.57 (1.37 to 1.81)	1.59 (1.38 to 1.83)			
Low speeding offencet	One or more	1.06 (0.95 to 1.19)	1.07 (0.95 to 1.20)			
Other offences†	One or more	1.42 (1.27 to 1.60)	1.43 (1.28 to 1.61)			
Any offence	One	1.52 (0.99 to 2.34)	1.52 (0.97 to 2.36)			
	Two	1.75 (0.98 to 3.11)	1.76 (0.98 to 3.18)			
	Three or more	2.83 (1.58 to 5.05)	2.87 (1.60 to 5.17)			
Reckless driving†	One or more	3.00 (1.81 to 4.95)	3.00 (1.83 to 4.92)			
Speeding†	One	1.07 (0.67 to 1.72)	1.09 (0.68 to 1.74)			
	Two or more	1.43 (0.75 to 2.71)	1.47 (0.77 to 2.79)			
Low speeding offencet	One or more	1.34 (0.82 to 2.18)	1.33 (0.82 to 2.16)			
Other offences†	One or more	1.71 (1.01 to 2.89)	1.77 (1.06 to 2.96)			
Any offence	One	1.59 (1.17 to 2.17)	1.62 (1.18 to 2.23)			
	Two	1.94 (1.32 to 2.86)	2.03 (1.36 to 3.01)			
	Three or more	3.16 (2.22 to 4.52)	3.28 (2.28 to 4.72)			
Reckless driving†	One or more	1.32 (0.88 to 1.99)	1.32 (0.88 to 1.99)			
Speeding†	One	1.39 (1.03 to 1.86)	1.42 (1.05 to 1.92)			
	Two or more	1.86 (1.26 to 2.74)	1.92 (1.29 to 2.85)			
Low speeding offencet	One or more	1.04 (0.74 to 1.46)	1.05 (0.75 to 1.48)			
Other offences†	One or more	1.90 (1.37 to 2.64)	1.90 (1.36 to 2.66)			
	ny crash, hospitalised crash i Any offence Reckless driving† Speeding† Low speeding offence† Other offences† Any offence Reckless driving† Speeding† Low speeding offence† Other offences† Any offence Reckless driving† Speeding† Low speeding offence† Other offences† Any offence	ny crash, hospitalised crash or death and single vehicl Any offence One Two Three or more Reckless driving† One or more Speeding† One or more Low speeding offence† One or more Other offences† One or more Other offences† One or more Any offence One Any offence One Reckless driving† One or more Speeding † One or more Reckless driving† One or more Low speeding offence† One or more Any offence One Two or more Nor or more Any offence One Reckless driving† One or more Cone or more Cone or more Cone or more May offence One Cone or more Cone or more Any offence One Two or more Any offence May offence Cone or more Cone or more Any offence Cone or more May offence May offence Cone or more Cone	Iny crash, hospitalised crash or death and single vehicle crash during 2007–2016 by type of dr M1 demographics and driving exposure RR (95% CI) Any offence One 1.34 (1.22 to 1.48) Two 1.48 (1.30 to 1.69) 1.48 (1.30 to 1.69) Reckless driving† One or more 1.35 (1.18 to 1.56) Speeding t One or more 1.35 (1.18 to 1.56) Speeding offencet One or more 1.57 (1.37 to 1.81) Low speeding offencet One or more 1.66 (0.95 to 1.19) Other offencest One or more 1.62 (0.99 to 2.34) Any offence One or more 1.22 (0.91 to 2.34) Two 1.75 (0.98 to 3.11) Three or more 2.83 (1.58 to 5.05) Reckless driving† One or more 3.00 (1.81 to 4.95) Speeding offencet More or more 1.43 (0.75 to 2.71) Two Two 1.75 (0.98 to 3.11) Low speeding offencet One or more 1.34 (0.82 to 2.18) Othe or flencest One or more 1.43 (0.75 to 2.71) Low speeding offencet One or more 1.71 (1.01 to 2.89) Any offence			

M1: age, sex, socioeconomic status of area of residence (Socio-economic Indexes for Areas (SEIFA)), remoteness of area of residence and average driving per week. M5: age, sex, socioeconomic status of area of residence (SEIFA), remoteness of area of residence, average driving per week, cannabis smoking, alcohol consumption, drug use and self-harm, risk perception score, risky driving score, sensation seeking score, self-rated driving ability, number of attempts on driver test, crash before start of follow-up not related to driving offence, lessons with professional driving instructor and time on learner licence. *Model adjusted for.

†Adjusted for all other driving offences (calculated as number of any offence minus offence under investigation).

and 16 duplicate records were excluded. Most participants were 17–19 years old (85.9%) and lived in metropolitan areas (74.4%) at the time of joining the study.

A total of 7860 drivers (37.8%) sustained at least one driving offence (table 1). Speeding was the most common type of driving offence (n=5097, 24.5%), and 2435 drivers (11.7%) were recorded as having at least one low speeding offence. Reckless driving was the second most common offence type investigated in this study (n=1087, 5.2%), and not displaying mandatory provisional licence plates (n=2131, 90.2%) was the most common type of offence among other offences (n=2363, 11.4%) (online supplemental table 3-6).

Compared with drivers with no driving offences a higher proportion of drivers with one or more offences reported high risk taking and sensation seeking behaviours and more frequent cannabis smoking and alcohol consumption (table 1). During the study period 2487 (12.0%) participants were involved in at least one car crash, of these, 129 (0.6%) were hospitalised for crash related injuries, 5 died in a car crash and 263 (1.3%) had a single vehicle crash (table 2).

For all types of driving offences, a higher proportion of drivers with a registered offence crashed during follow-up (figure 1). For any offence, the rate of crash increased by number of driving offences, with 13.4%, 15.2% and 22.4% of drivers with one, two and three or more offences, respectively, having been involved in at least one crash by the end of follow-up. Of those

with one or more reckless driving offences, 19.4% had crashed at the end of follow-up, compared with 11.5% of drivers with no such offence.

After adjusting for confounding in the multivariable regression analysis (table 3), we observed an increased rate of crash for drivers with any driving offence for all crash outcomes. The rate of crash increased with the number of driving offences for all three crash outcomes investigated. Drivers with three or more driving offences had 2.25 (95% CI 1.98 to 2.57), 2.87 (95% CI 1.60 to 5.17) and 3.28 (95% CI 2.28 to 4.72) times higher rates of any crash, crashes that resulted in hospital admission or death and single vehicle crashes compared with drivers with no driving offences (figure 2). Drivers with one or more reckless driving offences had 1.35 (95% CI 1.17 to 1.56), 3.00 (95% CI 1.83 to 4.92) and 1.32 (95% CI 0.88 to 1.99) times higher rates of any crash, crashes that resulted in hospital admission or death and single vehicle crashes, respectively, compared with drivers with no reckless driving offences. Drivers with one or more low speeding offences had no increased rate of crash. Entering potential risk factors for crash separately to the model showed that these only had little effect on the differences in crash rates between drivers with and without driving offences (online supplemental table 7).

DISCUSSION

We showed that drivers with police reported offences during the first 3 years of driving had increased rates of crash up to 9



Figure 2 Rate ratios[#] of any crash, hospitalised crash or death and single vehicle crash during 2007–2016 by type of driving offence 2003–2006. #Model adjusted for: M1: age, sex, socioeconomic status of area of residence (SEIFA index), remoteness of area of residence and average driving per week. M5: age, sex, socioeconomic status of area of residence (SEIFA index), remoteness of area of residence, average driving per week, cannabis smoking, alcohol consumption, drug use and self-harm, risk perception score, risky driving score, sensation seeking score, self-rated driving ability, number of attempts on driver test, crash before start of follow up not related to driving offence, lessons with professional driving instructor and time on learner licence.

years later compared with those with no driving offences. The rate of crash increased with higher number of driving offences. Adjusting for established crash risk factors only had a small effect on the differences in crash between drivers with and without offences.

Our findings add to and expand on those of previous studies that also showed an increased risk of crash in drivers with previous driving offences.¹⁵ ¹⁶ Similar to our findings of an increased risk of crash in drivers with more driving offences. previous studies from Australia²⁰ and the USA²³ reported a 40% increased risk of crash in young drivers with driving offences and a cohort study from Israel showed a 65% increased risk of severe and fatal crash per driving ticket per year.¹⁶ In comparison, a study from Western Australia reported 3%-13% increased odds of traffic offence for drivers that required hospital admission for crash-related injuries.¹⁵ The comparably smaller risk reported in this study can at least in part be explained by differences in study design. The Western Australian study only included subjects hospitalised for crash and retrospectively assessed if these had prior driving offences. In comparison, our study prospectively measured if drivers with a driving offence were involved in a car crash.

Another study from Queensland, Australia, reported an increased risk of crash in the month after a driving-related offence relative to a comparable driving period 12 months prior.¹⁷ The risk of crash decreased with increasing time after the offence and the authors concluded that offences might indicate periods of risky driving that in turn might be associated with an increased risk of being involved in a crash. Our results are not directly comparable due to differences in study design. The Queensland study used a case cross-over design thereby comparing driving

periods and risk of crash in the same driver in the months after a driving offence compared with a similar time period 12 months prior. In comparison, we followed drivers for up to 9 years after a driving offence but could not ascertain the temporal relationship between further offence and crash as our offence data were limited up to 2006.

Although penalty systems have been shown to have a deterrent effect at population level,⁹⁻¹⁴ our results suggest that they might not be successful in reducing the risk of crash in some of the drivers who already offended, in particular in those with repeat offences. Previous studies suggested that the relationship between driving offences and crash might be explained by higher risk-taking behaviours in those with driving offences¹⁵¹⁶ In our study, drivers with offences reported higher levels of risky driving, sensation seeking behaviours and drug and alcohol use compared with those with no driving offences, but adjusting for these in the analysis did not explain differences in crash. Possible explanations could be that reported risky driving and sensation-seeking behaviours differ from actual driving behaviour; the instruments used to measure these behaviours do not accurately reflect these or that driving offences are an indicator for other driver characteristics that were not accounted for in the study. For example, a previous study investigating sensation-seeking behaviour and riding style in a moped simulator showed that high thrill and adventure seekers performed worse only if they also were bad decision makers.³⁷ To what extend decision making and other factors contribute to crash in those with driving offences needs further investigation. This could be explored in naturalistic driving studies that collect information on driver behaviour linked with offence and crash data.

Based on their findings that offences mark episodes of risky driving, the authors of the Queensland study suggested that a licence suspension version of 'flash incarceration' may yield safety benefits.¹⁷ Although such measures might have an immediate effect, our findings showed that measures targeting the underlying reason of repeat offending and identification of factors contributing to crash in this group of drivers are needed to achieve long-term benefits. Brief interventions focusing on personal psychological risk factors integrated into driver training programmes have been shown to be effective in reducing speedrelated traffic violations.⁴⁰ Moreover, evidence from the effectiveness of programmes targeting drink driving showed that holistic early intervention programmes combining deterrence and addressing the underlying problem behaviours might be successful in reducing offending and associated car crashes.⁴¹ In NSW, intervention programmes are currently only targeted at drivers with drink driving offences. Additional programmes aimed at drivers with other driving offences, in particular repeat driving offences, have the potential to further reduce repeat offences and crashes.

However, research on socioeconomic status and driving offences showed that drivers from low socioeconomic background are disproportionally affected.⁴² Similar findings have been reported for the relationship of socioeconomic status and crash.^{43 44} These findings suggest that road transport injury prevention also needs to address the underlying causes of social inequalities to reduce driving offences and crash.

Strength and limitations

The strengths of this study are its large sample size of over 20 000 participants, the rich information on potential confounders and the long follow-up.

Some of the limitations are inherent to the use of routinely collected data and survey data relying on self-report. Crash data were derived from NSW routinely collected police, hospital and deaths data. Crashes that were not reported to police, did not require hospital admission and did not result in deaths or occurred outside of NSW were not covered in the analysis. Participants in the DRIVE study were volunteers; as such, the cohort was not a representative sample of the general population. Like other large cohort studies, the DRIVE study can only provide generalisable estimates of the relative associations

What is already known on the subject

- ⇒ Young novice drivers are disproportionally affected by road transport crashes.
- \Rightarrow Penalties are key component to improve road user safety.
- \Rightarrow Drivers who incur offences are at increased risk of car crash.

What this study adds

- ⇒ Drivers with police reported offences are at increased risk of crash up to 9 years later.
- \Rightarrow The risk of crash increases with higher number of driving offences.
- ⇒ Divers with reckless driving offences have highest rates of hospitalised crashes.
- ⇒ Adjusting for established crash risk factors does not explain higher crash rates.

between risk factors and outcome,^{45 46} but not absolute numbers or incidence rates. Another limitation was potential bias in selfreported data, which could, for example, occur from recall bias or social desirable responding to interview questions.^{47 48}

Information on driving offences was only available for the first 3 years of driving as such we could not ascertain if drivers with subsequent crashes had further driving offences and if these were at the time of the crash. Moreover, measures of potential confounders were based on information from the baseline interview, and we were not able to adjust for changes during follow-up.

CONCLUSION

Repeat driving offenders have a substantially higher risk of crash compared with drivers with no offences. Measures that successfully mitigate the underlying risk factors for both, crashes and offences, have the potential to improve road-safety.

Contributors All authors contributed to the conceptualisation and design of the study. KR cleaned the linked data. HM led the analysis and wrote the draft of the manuscript. All authors contributed to the interpretation of the findings and revision of the manuscript. RI, SB and TS contributed to the design of the DRIVE cohort study, and PC and KR contributed to the relinkage of the DRIVE cohort. HM accepts full responsibility for the work and/or the conduct of the study, had access to the data, and controlled the decision to publish.

Competing interests None declared.

Patient and public involvement Patients and/or the public were not involved in the design, or conduct, or reporting, or dissemination plans of this research.

Patient consent for publication Not applicable.

Ethics approval This study involves human participants and was approved by Australian Health and Medical Research Council Ethics Committee ID:HREC/16/ CIPHS/9. Participants gave informed consent to participate in the study before taking part.

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement Data can be obtained upon request and ethics approval.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/.

ORCID iDs

Holger Möller http://orcid.org/0000-0003-0675-8712 Rebecca Q lvers http://orcid.org/0000-0003-3448-662X

REFERENCES

- 1 World Health Organisation. *Global status report on road safety*. Geneva: World Health Organisation, 2018. https://www.who.int/violence_injury_prevention/road_safety_ status/2018/en/
- 2 (BITRE) BolaTRE. Road safety statistics: Australian government department of infrastructure, transport, regional development and communications, 2021. Available: https://www.bitre.gov.au/statistics/safety
- 3 Australian Bureau of Statistics. 2016 census QuickStats, 2018. Available: https:// quickstats.censusdata.abs.gov.au/census_services/getproduct/census/2016/ quickstat/1
- 4 Transport and infrastructure council. National road safety action plan 2018-2020: department of infrastructure, regional development and cities, 2018. Available: https://www.roadsafety.gov.au/action-plan/2018-2020/

Original research

- 5 World Health Organisation, lives S, ed. A road safety technical package. Geneva, 2017.
- 6 United Nations General Assembly. Improving global road safety. A/72/271: United Nations 2018.
- 7 United Nations. Road Safety-Considerations in support of the 2030 agenda for sustainable development, 2017. Available: https://unctad.org/en/PublicationsLibrary/ dtltlb2017d4_en.pdf
- 8 Anderson AB, Harris AR, Miller J. Models of deterrence theory. Soc Sci Res 1983;12:236–62.
- 9 Terer K RB. Effective drink driving prevention and enforcement strategies: Approaches to improving practice. Trends & issues in crime and criminal justice. 472. Canberra: Australian Institute of Criminology, 2014. https://aic.gov.au/publications/tandi/ tandi472
- 10 Fell JC, Voas RB. The effectiveness of reducing illegal blood alcohol concentration (BAC) limits for driving: evidence for lowering the limit to .05 BAC. J Safety Res 2006;37:233–43.
- 11 Novoa AM, Pérez K, Santamariña-Rubio E, et al. Impact of the penalty points system on road traffic injuries in Spain: a time-series study. Am J Public Health 2010;100:2220–7.
- 12 Tavares AF, Mendes SM, Costa CS. The impact of Deterrence policies on reckless driving: the case of Portugal. *Eur J Crim Pol Res* 2008;14:417–29.
- 13 De Paola M, Scoppa V, Falcone M. The deterrent effects of penalty point system in driving licenses: a regression discontinuity approach. *IDEAS Working Paper Series from RePEc* 2010.
- 14 Meirambayeva A, Vingilis E, McLeod AI, *et al*. Road safety impact of Ontario street racing and stunt driving law. *Accid Anal Prev* 2014;71:72–81.
- 15 Ho KM, Rao S, Burrell M, et al. The journey from traffic offender to severe road trauma victim: destiny or preventive opportunity? PLoS One 2015;10:e0122652.
- 16 Factor R. The effect of traffic tickets on road traffic crashes. *Accident; analysis and prevention* 2013;64C:86–91.
- 17 Walter SJ, Studdert DM. Relationship between penalties for road traffic infringements and crash risk in Queensland, Australia: a case-crossover study. *Int J Epidemiol* 2015;44:1722–30.
- 18 Daigneault G, Joly P, Frigon J-Y. Previous convictions or accidents and the risk of subsequent accidents of older drivers. Accid Anal Prev 2002;34:257–61.
- 19 Diamantopoulou K, Cameron M D, Harrison W D. Relationship between Demerit points Accrual and crash involvement, 1997. Available: https://www.monash.edu/ muarc/archive/our-publications/reports/muarc116
- 20 Siskind V, Sheehan M. The serious traffic crashes of young drivers and their previous traffic offence histories. In: McLean J, Kloeden C, eds. *Research, policing and education*. Burnside, South Australia: Plevin and Associates Pty Ltd, 2002: 245–53.
- 21 Palamara P, Legge M, Stevenson M, eds. *The relationship between years of licensing, traffic offences, and crash involvement: implications for driver licensing in Western Australia.* Developing safer drivers and riders 2002; Brisbane: The Australian College of Road Safety and The Travelsafe Committee of Queensland Parliament, 2002.
- 22 Ferrante AM, Rosman DL, Marom Y. Novice drink drivers, recidivism and crash involvement. *Accident Analysis & Prevention* 2001;33:221–7.
- 23 Elliott MR, Waller PF, Raghunathan TE, et al. Predicting Offenses and Crashes from Young Drivers' Offense and Crash Histories. Journal of Crash Prevention and Injury Control 2001;2:167–78.
- 24 Ivers R, Senserrick T, Boufous S, *et al.* Novice drivers' risky driving behavior, risk perception, and crash risk: findings from the drive study. *Am J Public Health* 2009;99:1638–44.
- 25 Turner C, McClure R. Age and gender differences in risk-taking behaviour as an explanation for high incidence of motor vehicle crashes as a driver in young males. *Inj Control Saf Promot* 2003;10:123–30.
- 26 Fergusson D, Swain-Campbell N, Horwood J. Risky driving behaviour in young people: prevalence, personal characteristics and traffic accidents. *Aust N Z J Public Health* 2003;27:337–42.

- 27 Waller PF, Elliott MR, Shope JT. Changes in young adult offense and crash patterns over time. Accident Analysis & Prevention 2001;33:117–28.
- 28 Watson B, King M, Young HM. inexperienced and on the road : do novice drivers comply with road rules? *Transportation Research Record Journal of the Transportation Research Board* 2012;2318:98–106.
- 29 Chapman EA, Masten SV, Browning KK. Crash and traffic violation rates before and after licensure for novice California drivers subject to different driver licensing requirements. J Safety Res 2014;50:125–38.
- 30 Ivers RQ, Blows SJ, Stevenson MR, et al. A cohort study of 20,822 young drivers: the drive study methods and population. *Inj Prev* 2006;12:385–9.
- 31 Australian Bureau of statistics. motor vehicle census, Australia, 2018. Canberra: ABS 2018 http://www.abs.gov.au/ausstats/abs@.nsf/mf/9309.0
- 32 NCfCiH. The International StatisticalClassification of diseases and related health problems, 10th revision, Australian modification (ICD-10-AM), sixth edition. *National Centre for Classification in Health, Faculty of Health Sciences, The University of Sydney* 2008.
- 33 Borthwick A, Buechi M, Goldberg A. Key concepts of the ChoiceMaker 2 record matching system. Proceedings of the KDD-03 Workshop on Data Cleaning, Record Linkage, and Object Consolidation; 7 Dec, Washington, DC, 2003.
- 34 Royston P, White I. Multiple Imputation by Chained Equations (MICE): Implementation in Stata. J Stat Softw 2011;45.
- 35 Eddings W, Marchenko Y. Diagnostics for multiple imputation in Stata. Stata J 2012;12:353–67.
- 36 Zou G. A modified poisson regression approach to prospective studies with binary data. *Am J Epidemiol* 2004;159:702–6.
- 37 Gianfranchi E, Tagliabue M, Spoto A, et al. Sensation seeking, Non-contextual decision making, and driving abilities as measured through a Moped simulator. Front Psychol 2017;8:2126.
- 38 Trewin D. Australian standard geographical classification (ASGC): Australian Bureau of statistics, 2004. Available: https://www.ausstats.abs.gov.au/ausstats/subscriber.nsf/0/ 43A6987E6816CBA2CA256F1C007FEAAF/\$File/12160_jul%202004.pdf
- 39 Trewin D. Socio-Economic indexes for areas. census of population and housing. Canberra, act: Australian Bureau of statistics, 2001. Available: https://www.ausstats. abs.gov.au/ausstats/free.nsf/0/AFF5E8542B58B94ECA256DD5007A3DF8/\$File/ 20390_2001.pdf
- 40 Paaver M, Eensoo D, Kaasik K, et al. Preventing risky driving: a novel and efficient brief intervention focusing on acknowledgement of personal risk factors. Accid Anal Prev 2013;50:430–7.
- 41 Freiburger TL, Sheeran AM. Evaluation of safe streets treatment option to reduce recidivism among repeat drunk driving offenders. *Crim Justice Policy Rev* 2019;30:1368–84.
- 42 Impinen A, Mäkelä P, Karjalainen K, et al. The association between social determinants and drunken driving: a 15-year register-based study of 81,125 suspects. Alcohol Alcohol 2011;46:721–8.
- 43 Chen HY, Ivers RQ, Martiniuk ALC, et al. Socioeconomic status and risk of car crash injury, independent of place of residence and driving exposure: results from the drive study. J Epidemiol Community Health 2010;64:998–1003.
- 44 Mőller H, Rogers K, Cullen P, et al. Socioeconomic status during youth and risk of car crash during adulthood. findings from the drive cohort study. J Epidemiol Community Health 2021;75:755–63.
- 45 Mealing NM, Banks E, Jorm LR, et al. Investigation of relative risk estimates from studies of the same population with contrasting response rates and designs. BMC Med Res Methodol 2010;10:26.
- 46 Rothman KJ, Gallacher JEJ, Hatch EE. Why representativeness should be avoided. Int J Epidemiol 2013;42:1012–4.
- 47 Two-component models of socially desirable responding [press release]. US: American Psychological Association 1984.
- 48 Chapman P, Underwood G. Forgetting near-accidents: the roles of severity. *culpability and experience in the poor recall of dangerous driving situations* 2000;14:31–44.