

ADOPTED: 23 June 2021

doi: 10.2903/j.efsa.2021.6696

Assessment of the feed additive consisting of *Lentilactobacillus buchneri* (formerly *Lactobacillus buchneri*) DSM 16774 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG)

EFSA Panel on Additives and Products or Substances used in Animal Feed (FEEDAP), Vasileios Bampidis, Giovanna Azimonti, Maria de Lourdes Bastos, Henrik Christensen, Birgit Dusemund, Mojca Fašmon Durjava, Maryline Kouba, Marta López-Alonso, Secundino López Puente, Francesca Marcon, Baltasar Mayo, Alena Pechová, Mariana Petkova, Fernando Ramos, Yolanda Sanz, Roberto Edoardo Villa, Ruud Woutersen, Maria Saarela, Rosella Brozzi, Jaume Galobart, Joana Revez and Lucilla Gregoretti

Abstract

Following a request from the European Commission, the Panel on Additives and Products or Substances used in Animal Feed (FEEDAP) was asked to deliver a scientific opinion on the assessment of the application for renewal of authorisation of *Lentilactobacillus buchneri* (formerly *Lactobacillus buchneri*) DSM 16774 as a technological additive to improve ensiling of forage for all animal species. The applicant has provided evidence that the additive currently on the market complies with the existing conditions of authorisation. There is no evidence that would lead the FEEDAP Panel to reconsider its previous conclusions. Thus, the Panel concludes that the additive remains safe for all animal species, consumer and the environment under the authorised conditions of use. Regarding user safety *Lentilactobacillus buchneri* DSM 16774 is not irritant to skin and eyes but is considered a skin and respiratory sensitiser. There is no need for assessing the efficacy of the additive in the context of the renewal of the authorisation.

© 2021 European Food Safety Authority. *EFSA Journal* published by John Wiley and Sons Ltd on behalf of European Food Safety Authority.

Keywords: technological additive, silage additive, *Lentilactobacillus buchneri* DSM 16774, safety, efficacy, QPS, renewal

Requestor: European Commission

Question number: EFSA-Q-2020-00654

Correspondence: feedap@efsa.europa.eu

Panel members: Giovanna Azimonti, Vasileios Bampidis, Maria de Lourdes Bastos, Henrik Christensen, Birgit Dusemund, Maryline Kouba, Mojca Fašmon Durjava, Marta López-Alonso, Secundino López Puente, Francesca Marcon, Baltasar Mayo, Alena Pechová, Mariana Petkova, Fernando Ramos, Yolanda Sanz, Roberto Edoardo Villa and Ruud Woutersen.

Legal notice: Relevant information or parts of this scientific output have been blackened in accordance with the confidentiality requests formulated by the applicant pending a decision thereon by the European Commission. The full output has been shared with the European Commission, EU Member States and the applicant. The blackening will be subject to review once the decision on the confidentiality requests is adopted by the European Commission.

Declarations of interest: The declarations of interest of all scientific experts active in EFSA's work are available at <https://ess.efsa.europa.eu/doi/doiweb/doisearch>.

Suggested citation: EFSA FEEDAP Panel (EFSA Panel on Additives and Products or Substances used in Animal Feed), Bampidis V, Azimonti G, Bastos ML, Christensen H, Dusemund B, Fašmon Durjava M, Kouba M, López-Alonso M, López Puente S, Marcon F, Mayo B, Pechová A, Petkova M, Ramos F, Sanz Y, Villa RE, Woutersen R, Saarela M, Brozzi R, Galobart J, Revez J and Gregoretto L, 2021. Scientific Opinion on the assessment of the feed additive consisting of *Lentilactobacillus buchneri* (formerly *Lactobacillus buchneri*) DSM 16774 for all animal species for the renewal of its authorisation (Lactosan GmbH & Co.KG). EFSA Journal 2021;19(7):6696, 7 pp. <https://doi.org/10.2903/j.efsa.2021.6696>

ISSN: 1831-4732

© 2021 European Food Safety Authority. *EFSA Journal* published by John Wiley and Sons Ltd on behalf of European Food Safety Authority.

This is an open access article under the terms of the [Creative Commons Attribution-NoDerivs](https://creativecommons.org/licenses/by/4.0/) License, which permits use and distribution in any medium, provided the original work is properly cited and no modifications or adaptations are made.



The EFSA Journal is a publication of the European Food Safety Authority, a European agency funded by the European Union.



Table of contents

Abstract.....	1
1. Introduction.....	4
1.1. Background and Terms of Reference as provided by the requestor.....	4
1.2. Additional information.....	4
2. Data and methodologies.....	4
2.1. Data.....	4
2.2. Methodologies.....	4
3. Assessment.....	5
3.1. Characterisation.....	5
3.1.1. Characterisation of the additive.....	5
3.1.2. Characterisation of the active agent.....	5
3.1.3. Conditions of use.....	6
3.2. Safety.....	6
3.3. Efficacy.....	6
4. Conclusions.....	7
5. Documentation as provided to EFSA/Chronology.....	7
References.....	7
Abbreviations.....	7

1. Introduction

1.1. Background and Terms of Reference as provided by the requestor

Regulation (EC) No 1831/2003¹ establishes the rules governing the Community authorisation of additives for use in animal nutrition. In particular, Article 14(1) of that Regulation lays down that an application for renewal shall be sent to the Commission at the latest one year before the expiry date of the authorisation.

The European Commission received a request from Lactosan GmbH & Co.KG² for the renewal of the authorisation of the product *Lentilactobacillus buchneri* (formerly *Lactobacillus buchneri*) DSM 16774, when used as a feed additive for all animal species (category: technological additives; functional group: silage additives).

According to Article 7(1) of Regulation (EC) No 1831/2003, the Commission forwarded the application to the European Food Safety Authority (EFSA) as an application under Article 14(1) (renewal of the authorisation). The particulars and documents in support of the application were considered valid by EFSA as of 16 November 2020.

According to Article 8 of Regulation (EC) No 1831/2003, EFSA, after verifying the particulars and documents submitted by the applicant, shall undertake an assessment in order to determine whether the feed additive complies with the conditions laid down in Article 5. EFSA shall deliver an opinion on the safety for the target animals, consumer, user and the environment and on the efficacy of the product *Lentilactobacillus buchneri* DSM 16774, when used under the proposed conditions of use (see Section 3.1.3).

1.2. Additional information

The additive consists of viable cells of *Lentilactobacillus buchneri* DSM 16774. It is currently authorised as a feed additive in the European Union (1k2074).³

EFSA has adopted one opinion on the safety and efficacy of this product for all animal species (EFSA FEEDAP Panel, 2011).

2. Data and methodologies

2.1. Data

The present assessment is based on data submitted by the applicant in the form of a technical dossier⁴ in support of the authorisation request for the use of *Lentilactobacillus buchneri* DSM 16774 as a feed additive.

The European Union Reference Laboratory (EURL) considered that the conclusions and recommendations reached in the previous assessment are valid and applicable for the current application.⁵

2.2. Methodologies

The approach followed by the FEEDAP Panel to assess the safety and the efficacy of *Lentilactobacillus buchneri* DSM 16774 is in line with the principles laid down in Regulation (EC) No 429/2008⁶ and the relevant guidance documents: Guidance on the characterisation of microorganisms

¹ Regulation (EC) No 1831/2003 of the European Parliament and of the Council of 22 September 2003 on additives for use in animal nutrition. OJ L 268, 18.10.2003, p. 29.

² Lactosan GmbH & Co.KG, Industriestraße West 5, 8605 Kapfenberg, Austria.

³ Commission Implementing Regulation (EU) No 1263/2011 of 5 December 2011 concerning the authorisation of *Lactobacillus buchneri* (DSM 16774), *Lactobacillus buchneri* (DSM 12856), *Lactobacillus paracasei* (DSM 16245), *Lactobacillus paracasei* (DSM 16773), *Lactobacillus plantarum* (DSM 12836), *Lactobacillus plantarum* (DSM 12837), *Lactobacillus brevis* (DSM 12835), *Lactobacillus rhamnosus* (NCIMB 30121), *Lactococcus lactis* (DSM 11037), *Lactococcus lactis* (NCIMB 30160), *Pediococcus acidilactici* (DSM 16243) and *Pediococcus pentosaceus* (DSM 12834) as feed additives for all animal species OJ L 322, 6.12.2011, p. 3–8.

⁴ FEED dossier reference: FAD-2020-0068.

⁵ The full report is available on the EURL website: <https://ec.europa.eu/jrc/sites/jrcsh/files/FinRep-uorg-silage-group1.pdf>

⁶ Commission Regulation (EC) No 429/2008 of 25 April 2008 on detailed rules for the implementation of Regulation (EC) No 1831/2003 of the European Parliament and of the Council as regards the preparation and the presentation of applications and the assessment and the authorisation of feed additives. OJ L 133, 22.5.2008, p. 1.

used as feed additives or as production organisms (EFSA FEEDAP Panel, 2018) and Guidance on the renewal of the authorisation of feed additives (EFSA FEEDAP Panel, 2013).

3. Assessment

The product consisting of viable cells of *L. buchneri* DSM 16774 is authorised for use as a technological additive (functional group: silage additives) for use in forages for all animal species. This assessment regards the renewal of the authorisation of *L. buchneri* DSM 16774 for the above-mentioned species.

3.1. Characterisation

3.1.1. Characterisation of the additive

The product currently authorised consists of ~ 35–60% bacterial cells and 50–65% carriers ([REDACTED]) and cryoprotectants ([REDACTED]). The minimum concentration of the active agent (*L. buchneri* DSM 16774) is 5×10^{11} colony forming units (CFU) per gram of additive.

The information submitted regarding the manufacturing process lists some modifications applied to the fermentation process and composition of the additive which have been developed since the first authorisation was granted. The modifications regard the composition of the fermentation medium ([REDACTED]). Regarding the composition of the additive, [REDACTED] are also used as cryoprotectants, and [REDACTED].

Analysis of three recent batches showed compliance with the authorisation with a mean value of 6.6×10^{11} CFU/g additive (range $5.8\text{--}7.0 \times 10^{11}$ CFU/g additive).⁷

Specifications are set for Enterobacteriaceae (1,000 CFU/g), *Salmonella* spp. (no detection in 25 g), yeasts and filamentous fungi (1,000 CFU/g). Analysis of the above referred batches of the additive showed compliance with these limits.⁸ Three batches of the additive were tested for aflatoxins (B1, B2, G1, and G2), deoxynivalenol, zearalenone, lead, mercury, cadmium and arsenic; results showed levels below the respective limits of detection/quantification.^{9,10}

No new data have been provided regarding the physico-chemical properties or stability of the additive. Since the changes introduced in the additive and its manufacturing process are not expected to have a significant impact on these characteristics, the data described in the previous opinion still apply (EFSA FEEDAP Panel, 2011).

3.1.2. Characterisation of the active agent

The active agent was isolated from silage. It is deposited in the Deutsche Sammlung von Mikroorganismen und Zellkulturen (DSMZ) with the accession number DSM 16774.¹¹ It has not been genetically modified.

The taxonomic identification was confirmed with [REDACTED] based on the whole genome sequence (WGS).¹² [REDACTED]

The bacterial strain was tested for antibiotic susceptibility using a broth microdilution method.¹³ The battery of antibiotics used included those recommended by EFSA for lactobacilli (EFSA FEEDAP Panel, 2018). All the minimum inhibitory concentration values were below the corresponding EFSA cut-off values for obligate heterofermentative lactobacilli. Therefore, the strain is considered to be susceptible to all the relevant antibiotics.

⁷ Technical dossier/Section II/Annex II.1.2.

⁸ Technical dossier/Section II/Annex II.1.3.

⁹ Technical dossier/Section II/Annex II.1.4 with the limit of detection: Pb (0.1 mg/kg), Hg (0.1 mg/kg), Cd (0.03 mg/kg) and As (0.1 mg/kg).

¹⁰ Technical dossier/Section II/Annex II.1.5 with the limit of detection: aflatoxins (B1, B2, G1, and G2): 0.03 µg/kg, deoxynivalenol 10 µg/kg, zearalenone (5 µg/kg).

¹¹ Technical dossier/Section II/Supplementary information April 2021/Annex_16774_Safe Deposit.pdf.

¹² Technical dossier/Section II/Supplementary information April 2021/Annex_16774_WGS.pdf.

¹³ Technical dossier/Section II/Annex II_2_5_Antibio.pdf.

The WGS of the strain, including [REDACTED], was searched for antibiotic resistance genes [REDACTED].

[REDACTED].¹⁴ No hits of concern were identified.

3.1.3. Conditions of use

The additive is currently authorised for use in forages for all animal species. Under other provisions of the authorisation, it is specified that:

- In the directions for use of the additive and premixture, indicate the storage temperature and storage life.
- Minimum dose of the additive when used without combination with other microorganisms as silage additives: 1×10^8 CFU/kg fresh material.
- For safety: it is recommended to use breathing protection and gloves during handling.

The applicant has requested to maintain the same conditions of use.

3.2. Safety

In the previous opinion, the Panel concluded that, following the qualified presumption of safety (QPS) approach, the use of this strain in the production of silage was considered safe for target species, consumers and the environment (EFSA FEEDAP Panel, 2011). In the context of the current application, the identity of the strain as *L. buchneri* was confirmed and evidence that the strain does not show acquired antimicrobial determinants for antibiotics of human and veterinary importance was provided. Consequently, the conclusions already reached are still valid and *Lentilactobacillus buchneri* DSM 16774 is considered safe for the target species, consumers and the environment.

In the previous assessment (EFSA FEEDAP Panel, 2011), the Panel concluded regarding user safety: 'Evidence of a lack of irritancy was provided for one formulation of the additive. It is unlikely that considering the nature of the alternative food grade excipients, different results would be obtained for other formulations containing *L. buchneri* DSM 16774. Given the lack of specific information and its proteinaceous nature, the active agent should be considered to have the potential to be a skin/respiratory sensitizer'.

The applicant declares that no adverse effects on the health of workers have been observed in the production plant or during usage of the additive.¹⁵

The applicant performed a literature search in order to provide evidence that the additive remains safe under the approved conditions for target species, consumers, users and the environment. The literature search was conducted in August 2020 and without restrictions.¹⁶ The search term used was '*Lactobacillus buchneri* DSM 16774' and the strategy followed was reported. The applicant searched in a total of seven relevant databases: Agricola, Agris, Google scholar, Ingenta, PubMed, Science Direct and World Cat Library. The literature search retrieved a total of 17 publications. However, none was considered relevant because they referred either to another product (one publication), to the previous EFSA opinion (seven hits), to the authorisation of the additive (eight publications), or to efficacy (one publication).

Therefore, the FEEDAP Panel concludes that there is no evidence that would lead it to reconsider the previous conclusions that *Lentilactobacillus buchneri* DSM 16774 is safe for the target species, consumers and the environment under the authorised conditions of use. Regarding user safety *L. buchneri* DSM 16774 is not irritant to skin and eyes but is considered a skin and respiratory sensitiser.

3.3. Efficacy

The present application for renewal of the authorisation does not include a proposal for amending or supplementing the conditions of the original authorisation that would have an impact on the efficacy of the additive. Therefore, there is no need for assessing the efficacy of the additive in the context of the renewal of the authorisation.

¹⁴ Technical dossier/Section II/Annex_II_2_6_AMR.

¹⁵ Technical dossier/Section III.

¹⁶ Technical dossier/Section III/Annex 3 Literature.

4. Conclusions

The applicant has provided evidence that the additive currently on the market complies with the existing conditions of authorisation.

There is no evidence that would lead the FEEDAP Panel to reconsider its previous conclusions. Thus, the Panel concludes that the additive remains safe for all animal species, consumer and the environment under the authorised conditions of use. Regarding user safety *Lentilactobacillus buchneri* DSM 16774 is not irritant to skin and eyes but is considered a skin and respiratory sensitiser.

There is no need for assessing the efficacy of the additive in the context of the renewal of the authorisation.

5. Documentation as provided to EFSA/Chronology

Date	Event
24/09/2020	Dossier received by EFSA. <i>Lactobacillus buchneri</i> DSM 16774 Submitted by Lactosan GmbH & Co.KG
06/10/2020	Reception mandate from the European Commission
16/12/2020	Application validated by EFSA – Start of the scientific assessment
19/04/2021	Request of supplementary information to the applicant in line with Article 8(1)(2) of Regulation (EC) No 1831/2003 – Scientific assessment suspended. <i>Issues: characterisation</i>
30/04/2021	Reception of supplementary information from the applicant - Scientific assessment re-started
22/03/2021	Comments received from Member States
23/06/2021	Opinion adopted by the FEEDAP Panel. End of the Scientific assessment

References

- EFSA FEEDAP Panel (EFSA Panel on Additives and Products or Substances used in Animal Feed), 2011. Scientific Opinion on the safety and efficacy of *Lactobacillus buchneri* (DSM 16774) as a silage additive for all species. EFSA Journal 2011;9(9):2359, 11 pp. <https://doi.org/10.2903/j.efsa.2011.2359>
- EFSA FEEDAP Panel (EFSA Panel on Additives and Products or Substances used in Animal Feed), 2013. Guidance on the renewal of the authorisation of feed additives. EFSA Journal 2013;11(10):3431, 8 pp. <https://doi.org/10.2903/j.efsa.2013.3431>
- EFSA FEEDAP Panel (EFSA Panel on Additives and Products or Substances used in Animal Feed), Rychen G, Aquilina G, Azimonti G, Bampidis V, Bastos ML, Bories G, Chesson A, Cocconcelli PS, Flachowsky G, Gropp J, Kolar B, Kouba M, López-Alonso M, López Puente S, Mantovani A, Mayo B, Ramos F, Saarela M, Villa RE, Wallace RJ, Wester P, Glandorf B, Herman L, Kärenlampi S, Aguilera J, Anguita M, Brozzi R and Galobart J, 2018. Guidance on the characterisation of microorganisms used as feed additives or as production organisms. EFSA Journal 2018;16(3):5206, 24 pp. <https://doi.org/10.2903/j.efsa.2018.5206>

Abbreviations

CFU	colony forming unit
CV	coefficient of variation
DSMZ	Deutsche Sammlung von Mikroorganismen und Zellkulturen
EURL	European Union Reference Laboratory
FEEDAP	EFSA Panel on Additives and Products or Substances used in Animal Feed
MIC	minimum inhibitory concentration
QPS	qualified presumption of safety
WGS	whole genome sequence