

CORRECTION

Correction: Type 2 Endoleaks: The Diagnostic Performance of Non-Specialized Readers on Arterial and Venous Phase Multi-Slice CT Angiography

Richard Nolz, Ulrika Asenbaum, Julia Furtner, Ramona Woitek, Sylvia Unterhumer, Andreas Wibmer, Alexander Prusa, Christian Loewe, Maria Schoder

The second author's name is incorrectly reversed. The correct name is Ulrika Asenbaum. The correct citation is: Nolz R, Asenbaum U, Furtner J, Woitek R, Unterhumer S, Wibmer A, et al. (2016) Type 2 Endoleaks: The Diagnostic Performance of Non-Specialized Readers on Arterial and Venous Phase Multi-Slice CT Angiography. PLoS ONE 11(3): e0149725. doi:[10.1371/journal.pone.0149725](https://doi.org/10.1371/journal.pone.0149725)

Reference

1. Nolz R, Ulrika A, Furtner J, Woitek R, Unterhumer S, Wibmer A, et al. (2016) Type 2 Endoleaks: The Diagnostic Performance of Non-Specialized Readers on Arterial and Venous Phase Multi-Slice CT Angiography. PLoS ONE 11(3): e0149725. doi: [10.1371/journal.pone.0149725](https://doi.org/10.1371/journal.pone.0149725) PMID: [26930490](https://pubmed.ncbi.nlm.nih.gov/26930490/)



OPEN ACCESS

Citation: Nolz R, Asenbaum U, Furtner J, Woitek R, Unterhumer S, Wibmer A, et al. (2016) Correction: Type 2 Endoleaks: The Diagnostic Performance of Non-Specialized Readers on Arterial and Venous Phase Multi-Slice CT Angiography. PLoS ONE 11(9): e0162431. doi:10.1371/journal.pone.0162431

Published: September 1, 2016

Copyright: © 2016 Nolz et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.