

Errata

Sharlene A. Greenwood, Ellen Castle, Herolin Lindup, Juliet Mayes, Iain Waite, Denise Grant, Emmanuel Mangahis, Olivia Crabb, Kamer Shevket, Iain C. Macdougall, and Helen L. MacLaughlin

Mortality and morbidity following exercise-based renal rehabilitation in patients with chronic kidney disease: the effect of programme completion and change in exercise capacity, *Nephrol Dial Transplant* 2018; gfy351. doi: 10.1093/ndt/gfy351

In Table 3 of the above article “Completion of RR” has been corrected to “Non-completion of RR”.

doi: 10.1093/ndt/gfz032
Advance Access publication 15 February 2019

Pantelis Sarafidis, Charles J. Ferro, Enrique Morales, Alberto Ortiz, Jolanta Malyszko, Radovan Hojs, Khaled Khazim, Robert Ekart, Jose Valdivielso, Denis Fouque, Gérard M London, Ziad Massy, Petro Ruggenti, Esteban Porrini, Andrzej Wiecek, Carmine Zoccali, Francesca Mallamaci and Mads Hornum

SGLT-2 inhibitors and GLP-1 receptor agonists for nephroprotection and cardioprotection in patients with diabetes mellitus and chronic kidney disease. A consensus statement by the EURECA-m and the DIABESITY working groups of the ERA-EDTA, *Nephrology Dialysis Transplantation*, Volume 34, Issue 2, 1 February 2019, Pages 208–230, <https://doi.org/10.1093/ndt/gfy407>

In the above article the first name of author Andrzej Wiecek was misspelled. The error has been corrected online.

doi: 10.1093/ndt/gfz047
Advance Access publication 28 February 2019