

History and Trends of "Personal Health Record" Research in PubMed

Jeongeun Kim, RN, PhD^{1,2,3}, Hongju Jung^{1,4}, David W. Bates, MD, MSc^{3,5,6}

¹College of Nursing, ²Research Institute of Nursing Science, Seoul National University, Seoul, Korea; ³Brigham and Women's Hospital, Boston, MA, USA;

⁴Medical Information Management Team, Seoul National University Hospital, Seoul, Korea; ⁵Harvard Medical School; ⁶Partners Information Systems, Partners HealthCare, Boston, MA, USA

Objectives: The purpose of this study was to review history and trends of personal health record research in PubMed and to provide accurate understanding and categorical analysis of expert opinions. **Methods:** For the search strategy, PubMed was queried for 'personal health record, personal record, and PHR' in the title and abstract fields. Those containing different definitions of the word were removed by one-by-one analysis from the results, 695 articles. In the end, total of 229 articles were analyzed in this research. **Results:** The results show that the changes in terms over the years and the shift to patient centeredness and mixed usage. And we identified history and trend of PHR research in some category that the number of publications by year, topic, methodologies and target diseases. Also from analysis of MeSH terms, we can show the focal interest in regards the PHR boundaries and related subjects. **Conclusions:** For PHRs to be efficiently used by general public, initial understanding of the history and trends of PHR research may be helpful. Simultaneously, accurate understanding and categorical analysis of expert opinions that can lead to the development and growth of PHRs will be valuable to their adoption and expansion.

Keywords: Personal Health Record, Electronic Health Records, Electronic Medical Records, PubMed, Medical Subject Headings, Review

I. Introduction

Within a relatively short period of time, the Internet has allowed consumers to obtain expert medical/health information and thus the potential to make more informed decisions. As the saying goes, knowledge is power, and con-

sumers are therefore becoming more powerful using health information technology in the form of computers and smart phones that can access the Internet. In today's society, a paradigm shift is gradually occurring from the medical service system and healthcare providers as the holders of medical knowledge to consumers becoming the primary authorities of their own health management. Of course, this situation clearly has its limitations and patients sometimes struggle to interpret the vast quantity of information available, some of which is inaccurate. With this comes increasing responsibility as consumers become more engaged in activities related to healthcare. Personal health records (PHRs), which are driven in part by this paradigm, have the potential to be a critical technological catalyst for healthcare consumers in the 21st century, which may in turn result in improved health.

The history of PHR implementation and application is relatively short, but many efforts to date have focused on recording protocols of disease treatment and health management. In this context, PHRs are older in origin, but its

Received for review: February 20, 2011

Accepted for publication: February 22, 2011

Corresponding Author

Hongju Jung

Seoul National University Hospital, 28 Yongon-dong, Jongno-gu, Seoul 110-744, Korea. Tel: +82-2-740-8473, E-mail: jhongju@gmail.com

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (<http://creativecommons.org/licenses/by-nc/3.0/>) which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

© 2011 The Korean Society of Medical Informatics

realistic application has been relatively recent. PHRs are often linked with electronic medical records (EMRs) and electronic health records (EHRs), which are increasingly widely used, and the increasing use of PHRs has also been driven by the growing digitization of health/medical information. Especially in the American healthcare market, where various different medical information systems are becoming more interconnected, the application of PHRs has grown with concomitant increases in health improvement and disease prevention.

However, active research efforts regarding PHRs are in their infancy, in part due to the lack of consensus about the standard definition of a PHR. The direction of PHR research will become an integral part in making the Lifetime Electronic Health Record a solution for aging societies, which have the large burden of chronic illnesses. To assess these research efforts to date, we searched the literature for research involving PHRs and summarized the results. We also describe how the topics assessed have evolved over time.

II. Methods

In this study, the following methods were used for literature survey. For the search strategy, PubMed, the world's largest biomedical research database managed by the National Library of Medicine (NLM), was queried for 'personal health record, personal electronic health record, electronic personal health record, personal record, and PHR' in the title and abstract fields. Our search returned 695 results, and those containing different definitions of the word 'PHR' were removed by one-by-one analysis. The majority of the removed articles were published in scientific journals in the fields of biology (cell biology, molecular biology), chemistry, bioinformatics, biochemistry, genetics, physiology, nanotechnology, neuroscience, etc., and the acronym PHR often meant something different. For example, reports regarding the 10-year project, "physicians for human rights (PHR)" published in "health human rights" frequently showed up in the search results. In addition to this, definitions regarding consumer-centric trends that reflect the current paradigm shift in the medical field, such as 'participatory health research' and 'partnership for health reform,' were also included in the PHR search results. Further, 'public health research, public health recommendations, public health risk, periodic health review, preventable hospitalization rates, proportionate hospitalization ratios, and physical rehabilitation (PhR)' use the same PHR acronym. In the end, a total of 229 articles were analyzed in this research.

III. Results

1. Changes in Terms Over the Years: Before the Year 2000

The first appearance of PHR in an academic journal was in Germany in 1969 – 'personal record linkage' in *Methods of Information in Medicine Supplement* among the categories of 'computers, humans, medical history taking, medical record linkage, medical records, and research'. However, earlier papers were not all computerized or in electronic format, and they started out by referring to personal records in the most basic sense. In other words, PHR in a historical context represents a simple form of notes that contains information one needs in order to be informed about one's health, and early studies on PHRs focused on such paper records. Further, from the perspective of community health, health records of certain groups may possess significant meanings. Therefore, even though not digitized, the importance of such records has been recognized. Thus, the 1973 papers on 'Personal health records for young female students' in Japan, and a series of four papers published in March of 1974 under 'Saskatchewan adventure: a personal record,' were the starting points of research fueled by social interest. This conclusion was reflected by 'maternal and child health in the third world. Problems of data collection' (1982), which pointed out the importance of personal records, along with another paper published in the same year called 'pocket-size personal health record.' Additionally, 'personal record of the government-operated public health nursing activities' published in 1983 in Japan was of a similar vein. The papers titled 'personal health record' and 'card file for personal record keeping' published in June of 1983 frequently contained the German words for 'personal record' and 'personal health record.'

1) Shift to patient centeredness

The 'P' for personal in PHR is frequently used as an acronym for 'patient,' with 'patient-held health records' in 1993 marking the start of such usage. In other words, the term 'patient held health record' was first used in 1993, whereas 'patient-held record' was used in 1996, 1998, 1999, 2002, and 2009. Further, the term 'personally controlled health records (PCHRs)' strongly expresses the rights to have control over one's personal records. A similar but not identical example of the use of 'P' as an acronym for 'parent' was published in 1993 in the form of 'parent held record.'

2) Mixed usage

The specific area that PHR refers to has become conflated by continued mixed usage with phrases such as EMR/EHR. In other words, the term PHR started to be accepted as a sepa-

Table 1. Variable usage of terms about personal health (PHR)

Usages	
'P'	Personal, patient, parent, protected
Combination of terms to form PHR	Personal record
	Personal health record
	Patient-held record
	Patient-held health record
	Personal medical record
	Patient-held medical record
	Personally controlled health records
	Personal electronic health record
Other terms	Electronic personal health record
	Personal health application (PHA), personal health information (PHI), personal health folder, personal health record books, protected health records

rate concept from EMR with the use of phrases like personal medical record (1995) and computer-generated patient-held medical record (1996). This separation from digitized and paper records occurred when computerized records became the standard, and the word 'electronic' was added to PHR in order to distinguish it from past paper records. This is also indicated by terms such as personal electronic health record and electronic personal health record. In the middle of the 20th century, as the discussion of EHRs became increasingly common, the term 'personal' was added to EHR. This was also the period where the phrases personal health application (PHA), personal health information (PHI), personal health folder, and personal health record books came into use. As privacy and security have become more important recently, PHR sometimes refers to protected health records. The various uses of PHR are summarized in Table 1.

2. Trends in PHR Research

1) Number of publications per year

As discussed in the previous section, the beginning of PHR research goes as far back as the 1960s but was followed by a period of little endeavor. As the 21st century began the era of widely available information, record formats have changed as well as the level of interest in individuals regarding their health records, resulting in increased interest in the PHR field. Figure 1 shows the number of publications containing PHR per year starting in 1960. In the 1960s, several studies on PHRs per year were published, and this trend remained consistent until the early 2000s, where the number rapidly increased. This trend is the result of the emergence of a




Figure 1. Number of personal health record publications by year.

patient-centered care paradigm and the acknowledgment of PHR as an important means of patient safety and u-Health. Additionally, the advent of the Internet and information technology has allowed various enhancements in PHR functionality and applications.

2) Major publications

For the 229 articles investigated in this study, the journal with the most publications is the Proceedings of American Medical Informatics Association (AMIA) with 23 articles, followed by 22 articles in Studies in Health Technology and Informatics. The five journals with the most number of PHR publications consisted 36.6% of the total number of journals and they are shown in Table 2.

3) PHR research topics

Among the 229 articles, 53 articles did not have abstracts

Table 2 . Top 5 journals publishing personal health record manuscripts

Rank	Full title	Papers with full text only	Papers including abstracts
1	AMIA Annual Symposium proceedings (AMIA Annu Symp Proc)	23	23
2	Studies in Health Technology and Informatics (Stud Health Technol Inform)	22	22
3	Journal of American Health Information Management Association (J AHIMA)	1	16
4	Journal of the American Medical Informatics Association : JAMIA (J Am Med Inform Assoc)	13	13
5	Journal of Healthcare Information Management: JHIM (J Healthc Inf Manag)	9	10




Figure 2. Topic categories of personal health record (PHR) researches.

or the bodies of work available and 4 articles were review papers. The rest of the 172 articles were investigated for their research subjects, methodology, and target diseases. The distribution of research subject/topics are shown in Figure 2, with the effect of PHR in disease and health management being the most frequent, followed by the required features of PHR. Additionally, a number of studies dealt with application analysis in public health, which was initially deemed a crucial function of PHR, and as the history of PHR is relatively short, predictions regarding the future direction and implications of PHR were studied in a number of articles. This can be regarded as having similar characteristics and approaches as the articles dealing with the current status of PHR. Naturally, the PHR literature overlaps at time with that of EHR and EMR, and there are a few articles that clearly distinguish their differences. Additionally, due to the onset of personal health records, privacy and security issues were




Figure 3. Methodologies of personal health record (PHR) researches.

more frequently included.

4) Methodologies of PHR researches

The most frequently used methodology in the articles studied is the survey method. The second most frequently used methodology is to analyze and test the PHR, where the focus of the studies is to investigate the various perspectives of PHR users through interviews and focus groups. In terms of PHR being a newly developed record of health management, there were studies on recommending the initial developmental directions. A large portion fell under the ‘others’ category because of there exists a large number of varied approaches in studying PHR, which reflects the absence of unified approach (Figure 3).

5) Application of PHR: health management vs. disease management

In the articles that address disease/health management functionality of PHRs, 7 articles reported on cancer, 6 on diabetes, and 4 on heart disease. In other words, PHR research is less focused on its use for patients with specific illnesses but rather its role as a health management and promotion tool.

This reflects the difference between US and Korea. In Korea, device development geared towards heart disease, diabetes and other diseases is gaining popularity along with u-Health, whereas in the US, individuals are more active in finding and pursuing solutions for their own health management. Thus, this difference reflects the medicine market trend of PHRs




Figure 4. Target diseases of personal health record (PHR) research.

facilitating personal health management systems. Further, as personal management of health information by individuals is a unique feature of PHR, its wider use must involve collection, storage, analysis, feedback, and self-motivation through everyday use, rather than the health professional being the intermediate manager of information (Figure 4).

3. PHR Research Trend Observed in Medical Subject Headings (MeSH) Analysis

The PubMed database provided by NLM uses MeSH to briefly introduce each article's findings. Therefore, the main focus of each article can be inferred by studying its MeSH terms, which is one of the approaches used in this study to categorize the findings of the large number of PHR articles. However, some of the older articles were published before MeSH format became the standard, such that only 42 articles out of the 229 studied contained MeSH terms. The frequency distribution of the 1,812 MeSH terms collected from these articles is shown in Table 3. The figure shows the focal interest in regards to the PHR boundaries and related subjects. The most frequently used term was 'computerized medical

Table 3. MeSH terms most frequently used in personal health record (PHR) manuscripts

MeSH terms	No. of publications
Computerized medical records systems	179
Patient access to records 32 + access to information 14	46
Confidentiality 23 + computer security 18 + privacy 1	42
Internet	39
Patient participation 26 + consumer participation 7	33
Medical record linkage 16 + medical records 8	24
Personal health records (PHR)	21
Diffusion of innovation	20
Questionnaires	18
Physician-patient relations 11 + professional-patient relations 3 + nurse-patient relations 1 + interprofessional relations 1	16
User-computer interface	13
Attitude to health, medical informatics, patient satisfaction	Each 12
Attitude of health personnel, communication, electronic health records (EHR), organization and administration, patient-centered care	Each 11
Family practice, software	Each 10
Continuity of patient care, data collection, patient education as topic, self care	Each 9
Delivery of health care, education, forms and records control, information dissemination, quality of health care	Each 8
Attitude to computers, health services, immunization, information storage and retrieval, interviews as topic, measles vaccine, telemedicine	Each 7
Ambulatory care, decision support systems, clinical, health knowledge/attitudes/practice, health plan implementation, health status, patient advocacy, population, public health, systems integration	Each 6

Table 4. Subjects groups of personal health record (PHR) utilization

Subjects groups	No. of publications
Female 38 + women 1	39
Male	35
Middle aged	25
Adult	20
Aged 20 + geriatrics +2, geriatric nursing +2	24
Child 12 + child, preschool 11	23
Infant	15
Adolescent 9 + young adult 1	10
Parents	7
Physicians	7
Disabled persons	6
Military personnel	2
Minority groups/education	1

records system (179)' and the subject phrase itself 'personal health record' only appeared 21 times. This, along with the 24 appearances of 'medical record linkage, medical records' indicates that personal health record was not debated over its characteristics but rather as a part of medical records. The next most frequently used term was 'patient access to records, access to information,' indicating an important function of PHRs: giving patients access and rights to their own records and information. An equally important issue is the confidentiality, security, and privacy of information, in anticipation of sensitive and problematic situations that can arise from breach of such issues. 'Patient participation, consumer participation' is also an important PHR characteristic that occurred with sufficient frequency. The fact that one of the applications of PHR has high relevance to public health requires some attention. In actuality, early articles in which PHR started to appear stressed the importance of personal health information in public and school health. This is more evident in the fact that 'primary healthcare, immunization, population, public health, and vaccine' are frequently discussed in these articles.

The subject groups of PHR utilization show that the 'female' group was the most frequent, followed by 'male,' 'middle aged,' 'adult,' 'aged,' and 'child.' This can be interpreted as the notion that women are responsible her family's health and thus are the most active users of PHRs. Recently, u-Health is gaining consideration in servicing the elderly population as they become more comfortable with cutting-edge technol-

Table 5. Number of personal health record (PHR) publications by countries

Country	No. of publications
United States	66
Australia (South Australia 4 + New South Wales 3 + Australia 1)	8
UK (Great Britain 2 + London 2 + England 1 + Scotland 1)	6
Canada (Saskatchewan 4 + British Columbia 1 + Canada 1)	6
Germany	5
Europe (Didn't specify countries)	3
France, Japan, Netherlands	Each 2
Asia, Austria, India, Iran, Luxembourg, Mexico, New Zealand, Spain	Each 1

ogy, thereby expanding the utility of PHRs. Another interesting fact is that the parents group used PHRs initially in regards to school health, leading to the acronym PHR referring to 'parent held record' (Table 4).

The US clearly leads in the number of publications on PHRs, followed by Australia, UK, Canada, Germany, and other European countries (Table 5). In Korea, only a few recent articles have been published in domestic journals, and thus no records of them appear in PubMed.

The appearances of diseases in the articles using the MeSH term search were as follows: 7 neoplasm, 4 disease management, 4 emergency service, 3 influenza, 3 stroke, 2 diabetes mellitus (DM), 2 infertility, 2 dentistry, 1 depression, 1 HIV infections, 1 hypertension, and 1 stress. This differs slightly from the interest in the Korean medical field in which DM and hypertension take higher priority, which is a rather new trend in Korea. Further, a small difference in numbers was observed when searched in the actual bodies of the articles, because even though the article deals with DM, they used 'disease management' in the MeSH term.

4. Current Adoption Status of PHR

During our survey of the literature, a 2010 article by Jones et al. on the current status of PHRs was found, and their findings are discussed here. This section is an excerpt from the Medical Library Association (MLA)/NLM study by Jones et al. [1]. The MLA/NLM Joint Electronic Personal Health Record Task Force examined the current state of PHRs. A working definition of PHRs was formulated, and a database was built with fields for specified PHR characteristics.

After examining various existing definitions, they provided the following working definition: "Electronic personal health

record (PHR): a private, secure application through which an individual may access, manage, and share his or her health information. The PHR can include information that is entered by the consumer and/or data from other sources such as pharmacies, labs, and health care providers. The PHR may or may not include information from the electronic health record (EHR) that is maintained by the health care provider and is not synonymous with the EHR. PHR sponsors include vendors who may or may not charge a fee, health care organizations such as hospitals, health insurance companies, or employers.”

Data elements they found as common characteristics of PHRs are as follows:

- Name of PHR product
- Name of PHR provider
- Contact information for PHR provider
- Category of provider (independent, health insurer, employer, health care provider)
- Enrollment (open to all, open only to provider’s participants)
- Web location
- Standalone or integrated
- Sample available for viewing (yes or no)
- Software (open source, freeware, or not available)
- Consumer health information or links to consumer health information (yes or no)
- Information from electronic health record included (yes or no)
- Information downloadable to mobile device (yes or no)
- Marketplace penetration (number of installations, sales, or downloads)
- Platform (Web, Mac, PC)
- Privacy and security features
- Standard support
- Notes

Of the 117 PHRs they identified, they categorized 91 as viable with almost half were standalone products. A number of the PHRs used national standards for nomenclature and/or record structure. Less than half were mobile device-enabled. Some were publicly available, and others were offered only to enrollees of particular health plans or health care organizations or employees at particular institutions. Further, a few were targeted to special health conditions. The PHR field is very dynamic and while most PHR products have some common elements, their features can vary [1].

IV. Conclusions

PHRs, with its increased focus on the medical and IT industries, are rapidly being developed and will soon be at the stage of selection by clinical consumers. For PHRs to be efficiently used by the general public, initial understanding of the history and trends of PHR research may be helpful. Simultaneously, accurate understanding and categorical analysis of expert opinions that can lead to the development and growth of PHRs will be valuable to their adoption and expansion.

Certification of PHRs is necessary for their future adoption and usage and to guarantee their quality. The certification commission for health information technology has recommended certification of the following PHR attributes: privacy, security, interoperability, and functionality [2]. Adoption of national standards will be necessary as they will soon be crucial for interoperability, transportability, and security.

Applications of Health Information Technology to various health problems in modern society are difficult to accurately predict due to their rapid evolution. Nonetheless, PHRs appear to have a key place at the table since they will allow individuals to increase the quality of their lives by managing their own health information. Thus, it is increasingly important for researchers in the healthcare industry to consider development, implementation, and expansion of PHRs and endeavor to accelerate the realization of their full potential for health consumers, especially those with chronic conditions.

Conflict of Interest

No potential conflict of interest relevant to this article was reported.

Acknowledgements

This study was supported by a 2010 Seoul National University Research Grant (for Humanities and Social Sciences).

References

1. Jones DA, Shipman JP, Plaut DA, Selden CR. Characteristics of personal health records: findings of the medical library association/national library of medicine joint electronic personal health record task force. *J Med Libr Assoc* 2010; 98: 243-249.
2. Certification Commission for Healthcare Information Technology. Recommendations of the PHR advisory

task force: certification of PHRs. Chicago: Certification Commission for Healthcare Information Technology; c2008 [cited at 27 Aug 2009]. Available from: <http://hitanalyst.files.wordpress.com/2008/07/cchitphratf.pdf>.

The list of 229 articles used in this study

1. OptumHealth creates lifetime PHR. *Dis Manag Advis* 2008; 14: 5-6, 1.
2. Readers' perspective. The government-initiated program to reach consensus on the definition and use of the terms EMR, EHR, PHR, RHIO and HIE is a waste of time and resources. *Health Data Manag* 2008; 16(2): 12.
3. New-age PHR comes with decision-support, multiple opportunities for DM. *Dis Manag Advis* 2006; 12: 140-142, 133.
4. VA's web-based personal health record can be a model for others. *Internet Healthc Strateg* 2005; 7(4): 8-10.
5. The SWACH Foundation of India. *Safe Mother* 1994; (14):9.
6. AHIMA e-HIM Personal Health Record Work Group. Practice brief: the role of the personal health record in the EHR. *J AHIMA* 2005; 76: 64A-64D.
7. Acheson ED. Personal record linkage. *Methods Inf Med Suppl* 1969; 4: 233-244.
8. Ackerman MJ. The EMR, PHR, and you. *J Med Pract Manage* 2008; 23: 348-349.
9. Ackerman MJ. The personal health record. *J Med Pract Manage* 2007; 23: 84-85.
10. Adida B, Kohane IS. GenePING: secure, scalable management of personal genomic data. *BMC Genomics* 2006; 7: 93.
11. Ahmadi M, Jeddi FR, Gohari MR, Sadoughi F. A review of the personal health records in selected countries and Iran. *J Med Syst* 2010 May 29 [Epub]. DOI: 10.1007/s10916-010-9482-3.
12. Allaert FA, Quantin C. Patients' empowerment of their personal health record requires strong traceability to guarantee patients health care security. *Stud Health Technol Inform* 2010; 155: 43-47.
13. Anderson HJ. Testing the PHR options. *Health Data Manag* 2008; 16(9): 59-60.
14. Angst W. Privacy safeguards in PHR adoption. *Health Manag Technol* 2008; 29: 39-40.
15. Ayana M, Pound P, Lampe F, Ebrahim S. Improving stroke patients' care: a patient held record is not enough. *BMC Health Serv Res* 2001; 1: 1.
16. Ayana M, Pound P, Ebrahim S. The views of therapists on the use of a patient-held record in the care of stroke patients. *Clin Rehabil* 1998; 12: 328-337.
17. Ball MJ, Costin MY, Lehmann C. The personal health record: consumers banking on their health. *Stud Health Technol Inform* 2008; 134: 35-46.
18. Ball MJ, Smith C, Bakalar RS. Personal health records: empowering consumers. *J Healthc Inf Manag* 2007; 21: 76-86.
19. Ball MJ, Gold J. Banking on health: personal records and information exchange. *J Healthc Inf Manag* 2006; 20: 71-83.
20. Barber H. Self screening by the elderly using a new personal health record. *Health Visit* 1988; 61: 73-74.
21. Billault B, Degoulet P, Devries C, Plouin PF, Chatellier G, Menard J. Use of a standardized personal medical record by patients with hypertension: a randomized controlled prospective trial. *MD Comput* 1995; 12: 31-35.
22. Blair A, Davies E, Nebauer M, Pirozzo S, Saba S, Turner C. Why immunise. Care giver understanding of childhood immunisation. *Collegian* 1997; 4: 10-17.
23. Bodily NJ, Carlston DA, Rocha RA. Personal health records: key features within existing applications. *AMIA Annu Symp Proc* 2007: 875.
24. Bonacina S, Pinciroli F. An ontology-based tool for the correspondences between specialist and consumer medical lexicons for the geriatrics domain. *Stud Health Technol Inform* 2010; 156: 128-137.
25. Bonander J, Gates S. Public health in an era of personal health records: opportunities for innovation and new partnerships. *J Med Internet Res* 2010; 12: e33.
26. Botts NE, Horan TA. Electronic personal health records and systems to improve care for vulnerable populations. *AMIA Annu Symp Proc* 2007: 880.
27. Brennan PF, Casper G, Downs S, Aulakh V. Project HealthDesign: enhancing action through information. *Stud Health Technol Inform* 2009; 146: 214-218.
28. Brennan PF, Downs S, Casper G, Kenron D. Project Health Design: stimulating the next generation of personal health records. *AMIA Annu Symp Proc* 2007: 70-74.
29. Burrington-Brown J. Defining the personal health record. AHIMA releases definition, attributes of consumer health record. *J AHIMA* 2005; 76: 24-25.
30. Buettner K, Fadem SZ. The internet as a tool for the renal community. *Adv Chronic Kidney Dis* 2008; 15: 73-82.
31. Burrington-Brown J. The PHR effect. *J AHIMA* 2005; 76: 58-59.
32. Butcher L. Introducing the CHR, more like a PHR than an EMR. *Manag Care* 2007; 16: 58-59.

33. Cerda-Calafat I, Continente-Gonzalo M, Garcia-Lopez C, Guanyabens-Calvet J. Personal health folder. *Med Clin (Barc)* 2010; 134 Suppl 1: 63-66.
34. Charters K. Challenges of electronic medical record extracts for a personal health record. *Stud Health Technol Inform* 2009; 146: 197-201.
35. Charters KG, Nazi K. Personal health record evaluation: my HealthVet and RE-AIM. *AMIA Annu Symp Proc* 2007: 899.
36. Chira P, Nugent L, Miller K, Park T, Donahue S, Soni A, Nugent D, Sandborg C. Living profiles: design of a health media platform for teens with special healthcare needs. *J Biomed Inform* 2010; 43(5 Suppl): S9-S12.
37. Chumbler NR, Haggstrom DA, Saleem J. Implementation of health information technology in veterans health administration to support transformational change: telehealth and personal health records. *Med Care* 2010 Apr 23 [Epub]. DOI: 10.1097/MLR.0b013e3181d558f9.
38. Chung J, Pankey E, Norris RJ. Agile informatics: application of agile project management to the development of a personal health application. *AMIA Annu Symp Proc* 2007: 914.
39. Conn J. Breach umbrella. Rule would require PHR vendors to notify customers. *Mod Healthc* 2009; 39(16): 10.
40. Conn J. PHR framework moves ahead. Markle Foundation collaboration offers guidelines. *Mod Healthc* 2008; 38(26): 14.
41. Conn J, DerGurahian J. Big names, numbers for HIMSS. Google also announces major PHR collaboration. *Mod Healthc* 2008; 38(9): 18.
42. Conn J. McKesson deal gives docs new PHR purveyor. Even with acquisition, RelayHealth exec vows vendor neutrality: others dubious. *Mod Healthc* 2006; 36(25): 54.
43. Cornbleet MA, Campbell P, Murray S, Stevenson M, Bond S; Joint Working Party of the Scottish Partnership Agency for Palliative and Cancer Care and National Council for Hospice and Specialist Palliative Care Services. Patient-held records in cancer and palliative care: a randomized, prospective trial. *Palliat Med* 2002; 16: 205-212.
44. Council on clinical information technology. Policy statement: using personal health records to improve the quality of health care for children. *Pediatrics* 2009; 124: 403-409.
45. Cudney S, Weinert C, Kinion E. Forging partnerships between rural women with chronic conditions and their health care providers. *J Holist Nurs* 2011; 29: 53-60.
46. Cushman R, Froomkin AM, Cava A, Abril P, Goodman KW. Ethical, legal and social issues for personal health records and applications. *J Biomed Inform* 2010; 43(5 Suppl): S51-S55.
47. Dawson JR. Employer sponsored personal health record (PHR) systems. *AMIA Annu Symp Proc* 2007: 925.
48. Denton IC. Will patients use electronic personal health records? Responses from a real-life experience. *J Healthc Inf Manag* 2001; 15: 251-259.
49. Detmer D, Bloomrosen M, Raymond B, Tang P. Integrated personal health records: transformative tools for consumer-centric care. *BMC Med Inform Decis Mak* 2008; 8: 45.
50. Dixon BE, Miller T, Overhage JM. Assessing HIE stakeholder readiness for consumer access: lessons learned from the NHIN trial implementations. *J Healthc Inf Manag* 2009; 23: 20-25.
51. Dullabh P, Burke-Bebee S. Emerging approaches to PHR design, development and use. *AMIA Annu Symp Proc* 2008: 937.
52. Ertmer A, Uckert F. User acceptance of and satisfaction with a personal electronic health record. *Stud Health Technol Inform* 2005; 116: 861-866.
53. Eveillard P. The electronic personal health record: the spirit of the law of March 4, 2002. *Rev Prat* 2004; 54: 1861-1864.
54. Feather J, Misselbrook CA, Zipchen P, Matthews VL. Evaluation of a personal health record given to newborns in Saskatoon. *Can J Public Health* 1987; 78: 350-351.
55. Ferson MJ. Immunisation state and its documentation in hospital patients. *Arch Dis Child* 1990; 65: 763-767.
56. Fonda SJ, Kedziora RJ, Vigersky RA, Bursell SE. Evolution of a web-based, prototype personal health application for diabetes self-management. *J Biomed Inform* 2010; 43(5 Suppl): S17-S21.
57. Fonda SJ, Kedziora RJ, Vigersky RA, Bursell SE. Combining iGoogle and personal health records to create a prototype personal health application for diabetes self-management. *Telemed J E Health* 2010; 16: 480-489.
58. Fuji KT, Galt KA, Serocca AB. Personal health record use by patients as perceived by ambulatory care physicians in Nebraska and South Dakota: a cross-sectional study. *Perspect Health Inf Manag* 2008; 5: 15.
59. Galloway G. Getting personal. The personal health record is a key element in attaining the complete patient medical record. *Healthc Inform* 2006; 23: 45-46.
60. Gawthorn EC. Personal health records (PHR). *Aust Fam Physician* 1983; 12: 466-468.
61. Gerard MN, Cohen M, Greer-Smith R. Personal touch:

- personal health records for consumers of healthcare. *J Healthc Inf Manag* 2009; 23: 26-30.
62. Glaser J. Tipping point. The arrival of connected health. *J Healthc Inf Manag* 2008; 22: 21-23.
 63. Goth G. A game changer? As Google and microsoft put their PHR plays into action, CIOs formulate their next moves. *Healthc Inform* 2008; 25: 52-54.
 64. Grant RW, Wald JS, Schnipper JL, Gandhi TK, Poon EG, Orav EJ, Williams DH, Volk LA, Middleton B. Practice-linked online personal health records for type 2 diabetes mellitus: a randomized controlled trial. *Arch Intern Med* 2008; 168: 1776-1782.
 65. Greene J. The personal health record: a key to improving health care for seniors. *AHIP Cover* 2007; 48: 46-55.
 66. Greenhalgh T, Hinder S, Stramer K, Bratan T, Russell J. Adoption, non-adoption, and abandonment of a personal electronic health record: case study of HealthSpace. *BMJ* 2010; 341: c5814.
 67. Grossman JM, Zayas-Caban T, Kemper N. Information gap: can health insurer personal health records meet patients' and physicians' needs? *Health Aff (Millwood)* 2009; 28: 377-389.
 68. Gysels M, Richardson A, Higginson IJ. Does the patient-held record improve continuity and related outcomes in cancer care: a systematic review. *Health Expect* 2007; 10: 75-91.
 69. Halamka JD, Mandl KD, Tang PC. Early experiences with personal health records. *J Am Med Inform Assoc* 2008; 15: 1-7.
 70. Hammond WE. The making and adoption of health data standards. *Health Aff (Millwood)* 2005; 24: 1205-1213.
 71. Heinze O, Brandner A, Bergh B. Establishing a personal electronic health record in the Rhine-Neckar region. *Stud Health Technol Inform* 2009; 150: 119.
 72. Henson JW, Jung LK. Neurology on the internet. *Neurol Clin* 2010; 28: 385-393.
 73. Hess R, Bryce CL, Paone S, Fischer G, McTigue KM, Olshansky E, Zickmund S, Fitzgerald K, Siminerio L. Exploring challenges and potentials of personal health records in diabetes self-management: implementation and initial assessment. *Telemed J E Health* 2007; 13: 509-517.
 74. Heibusch K. IT standards for PHRs. Are PHRs ready for standards? Are standards ready for PHRs? *J AHIMA* 2008; 79: 31-36.
 75. Heibusch K. Piecing together the PHR. *J AHIMA* 2007; 78: 28-32.
 76. Hicks J. Advocating for the PHR: educator's work sets stage for the future. *J AHIMA* 2005; 76: 88.
 77. Hicks JE. A personal view of the personal health record. HIM professional sees the personal and professional benefits of PHRs. *J AHIMA* 2009; 80: 80.
 78. Hoerbst A, Kohl CD, Knaup P, Ammenwerth E. Attitudes and behaviors related to the introduction of electronic health records among Austrian and German citizens. *Int J Med Inform* 2010; 79: 81-89.
 79. Horan TA, Botts NE, Burkhard RJ. A multidimensional view of personal health systems for underserved populations. *J Med Internet Res* 2010; 12: e32.
 80. Hufnagel SP. Interoperability. *Mil Med* 2009; 174(5 Suppl): 43-50.
 81. Iakovidis I. Towards personal health record: current situation, obstacles and trends in implementation of electronic healthcare record in Europe. *Int J Med Inform* 1998; 52: 105-115.
 82. Iakovidis I. From electronic medical record to personal health record. *Stud Health Technol Inform* 1997; 43 Pt B: 915-922.
 83. Jacobs EB. The HIM role in the PHR. Patient-centered care through patient-centered information. *J AHIMA* 2007; 78: 38.
 84. Jeffs D, Nossar V, Bailey F, Smith W, Chey T. Retention and use of personal health records: a population-based study. *J Paediatr Child Health* 1994; 30: 248-252.
 85. Jeffs D, Harris M. The personal health record. Making it work better for general practitioners. *Aust Fam Physician* 1993; 22: 1417-1427.
 86. Johnson F. Personal health record. *Med J Aust* 1988; 148: 544.
 87. Johnston D, Kaelber D, Pan EC, Bu D, Shah S, Hook JM, Middleton B. A framework and approach for assessing the value of personal health records (PHRs). *AMIA Annu Symp Proc* 2007: 374-378.
 88. Jones DA, Shipman JP, Plaut DA, Selden CR. Characteristics of personal health records: findings of the Medical Library Association/National Library of Medicine Joint Electronic Personal Health Record Task Force. *J Med Libr Assoc* 2010; 98: 243-249.
 89. Jones R, McConville J, Mason D, Macpherson L, Naven L, McEwen J. Attitudes towards, and utility of, an integrated medical-dental patient-held record in primary care. *Br J Gen Pract* 1999; 49: 368-373.
 90. Kaelber D, Pan EC. The value of personal health record (PHR) systems. *AMIA Annu Symp Proc* 2008: 343-347.
 91. Kaelber DC, Jha AK, Johnston D, Middleton B, Bates DW. A research agenda for personal health records (PHRs). *J Am Med Inform Assoc* 2008; 15: 729-736.

92. Kahn JS, Hilton JF, Van Nunnery T, Leasure S, Bryant KM, Hare CB, Thom DH. Personal health records in a public hospital: experience at the HIV/AIDS clinic at San Francisco general hospital. *J Am Med Inform Assoc* 2010; 17: 224-228.
93. Kahn JS, Aulakh V, Bosworth A. What it takes: characteristics of the ideal personal health record. *Health Aff (Millwood)* 2009; 28: 369-376.
94. Kalik IV, Markevich SS. Card file for personal record keeping. *Vrach Delo* 1983; 11: 121-122.
95. Karp R. Dilemma faced by every admissions committee when considering the application of a reasonably acceptable minority candidate who has no personal record of deprivation. *Clin Pediatr (Phila)* 2000; 39: 315-316.
96. Kim E, Mayani A, Modi S, Kim Y, Soh C. Evaluation of patient-centered electronic health record to overcome digital divide. *Conf Proc IEEE Eng Med Biol Soc* 2005; 2: 1091-1094.
97. Kim EH, Stolyar A, Lober WB, Herbaugh AL, Shinstrom SE, Zierler BK, Soh CB, Kim Y. Challenges to using an electronic personal health record by a low-income elderly population. *J Med Internet Res* 2009; 11: e44.
98. Kim EH, Stolyar A, Lober WB, Herbaugh AL, Shinstrom SE, Zierler BK, Soh CB, Kim Y. Usage patterns of a personal health record by elderly and disabled users. *AMIA Annu Symp Proc* 2007: 409-413.
99. Kim EH, Wang M, Lau C, Kim Y. Application and evaluation of personal health information management system. *Conf Proc IEEE Eng Med Biol Soc* 2004; 5: 3159-3162.
100. Kim MI, Johnson KB. Personal health records: evaluation of functionality and utility. *J Am Med Inform Assoc* 2002; 9: 171-180.
101. Kimmel Z, Greenes RA, Liederman E. Personal health records. *J Med Pract Manage* 2005; 21: 147-152.
102. Ko H, Turner T, Jones C, Hill C. Patient-held medical records for patients with chronic disease: a systematic review. *Qual Saf Health Care* 2010; 19: e41.
103. Krohn R. The consumer-centric personal health record-it's time. *J Healthc Inf Manag* 2007; 21: 20-23.
104. Kupchunas WR. Personal health record: new opportunity for patient education. *Orthop Nurs* 2007; 26: 185-191.
105. Kunzi J, Koster P, Petkovic M. Emergency access to protected health records. *Stud Health Technol Inform* 2009; 150: 705-709.
106. Lafky DB, Horan TA. Health status and prospective PHR Use. *AMIA Annu Symp Proc* 2008: 1016.
107. Lahteenmaki J, Leppanen J, Kaijanranta H. Interoperability of personal health records. *Conf Proc IEEE Eng Med Biol Soc* 2009; 2009: 1726-1729.
108. Lecouturier J, Crack L, Mannix K, Hall RH, Bond S. Evaluation of a patient-held record for patients with cancer. *Eur J Cancer Care (Engl)* 2002; 11: 114-121.
109. Lee M, Delaney C, Moorhead S. Building a personal health record from a nursing perspective. *Int J Med Inform* 2007; 76 Suppl 2: S308-S316.
110. Lee M, Delaney C, Moorhead S. Building a personal health record from nursing perspective. *Stud Health Technol Inform* 2006; 122: 25-29.
111. Leonard KJ, Casselman M, Wiljer D. Who will demand access to their personal health record? A focus on the users of health services and what they want. *Healthc Q* 2008; 11: 92-96.
112. Liaw ST, Radford AJ, Maddocks I. The impact of a computer generated patient held health record. *Aust Fam Physician* 1998; 27 Suppl 1: S39-S43.
113. Liaw ST. Patient and general practitioner perceptions of patient-held health records. *Fam Pract* 1993; 10: 406-415.
114. Liaw T, Lawrence M, Rendell J. The effect of a computer-generated patient-held medical record summary and/or a written personal health record on patients' attitudes, knowledge and behaviour concerning health promotion. *Fam Pract* 1996; 13: 289-293.
115. Lober WB, Zierler B, Herbaugh A, Shinstrom SE, Stolyar A, Kim EH, Kim Y. Barriers to the use of a personal health record by an elderly population. *AMIA Annu Symp Proc* 2006: 514-518.
116. Lu SC. CCR exchange: building a patient-driven web-based healthcare community around an emerging personal health record standard. *Stud Health Technol Inform* 2007; 127: 58-64.
117. Luo G, Thomas SB, Tang C. Automatic home medical product recommendation. *J Med Syst* 2010 Apr 21 [Epub]. DOI: 10.1007/s10916-010-9483-2.
118. Luo G. Navigation interface for recommending home medical products. *J Med Syst* 2010 Jun 9 [Epub]. DOI: 10.1007/s10916-010-9537-5.
119. Maloney FL, Wright A. USB-based personal health records: an analysis of features and functionality. *Int J Med Inform* 2010; 79: 97-111.
120. Mandl KD, Simons WW, Crawford WC, Abbett JM. Indivo: a personally controlled health record for health information exchange and communication. *BMC Med Inform Decis Mak* 2007; 7: 25.
121. Martinez D, Ferriol P, Tous X, Cabrer M, Prats M. Vir-

- tual health platform for medical tourism purposes. *Stud Health Technol Inform* 2008; 137: 269-274.
122. Massoudi BL, Olmsted MG, Zhang Y, Carpenter RA, Barlow CE, Huber R. A web-based intervention to support increased physical activity among at-risk adults. *J Biomed Inform* 2010; 43(5 Suppl): S41-S45.
 123. McCartney PR. The electronic personal health record. *MCN Am J Matern Child Nurs* 2008; 33: 390.
 124. McInnes DK, Gifford AL, Kazis LE, Wagner TH. Disparities in health-related internet use by US veterans: results from a national survey. *Inform Prim Care* 2010; 18: 59-68.
 125. McKinney M. CMS and the defense department pilot projects could jump-start PHR use. Consumers say they want a digital record of their health, but so far few have one. *Hosp Health Netw* 2009; 83: 9.
 126. Middleton B. The clinical decision support consortium. *Stud Health Technol Inform* 2009; 150: 26-30.
 127. Miller H, Vandenbosch B, Ivanov D, Black P. Determinants of personal health record use: a large population study at cleveland clinic. *J Healthc Inf Manag* 2007; 21: 44-48.
 128. Mon DT. PHR and EHR: what's the difference? Records differ in span and legality. *J AHIMA* 2005; 76: 60-61.
 129. Morgan L Jr. Planning for a PHR world. *Med Econ* 2008; 85: 18-22.
 130. Mytilinaiou E, Koufi V, Malamateniou F, Vassilacopoulos G. A context-aware approach to process-based PHR system security. *Stud Health Technol Inform* 2010; 156: 201-213.
 131. Muller ML, Uckert F, Burkle T, Prokosch HU. Cross-institutional data exchange using the clinical document architecture (CDA). *Int J Med Inform* 2005; 74: 245-256.
 132. Nazi KM. Veterans' voices: use of the American Customer Satisfaction Index (ACSI) survey to identify my HealtheVet personal health record users' characteristics, needs, and preferences. *J Am Med Inform Assoc* 2010; 17: 203-211.
 133. Nazi KM, Hogan TP, Wagner TH, McInnes DK, Smith BM, Haggstrom D, Chumbler NR, Gifford AL, Charters KG, Saleem JJ, Weingardt KR, Fischetti LF, Weaver FM. Embracing a health services research perspective on personal health records: lessons learned from the VA My HealtheVet system. *J Gen Intern Med* 2010; 25 Suppl 1: 62-67.
 134. Nazi KM, Woods SS. MyHealtheVet PHR: a description of users and patient portal use. *AMIA Annu Symp Proc* 2008: 1182.
 135. Nelson R. The personal health record. *Am J Nurs* 2007; 107: 27-28.
 136. Newell SA, Sanson-Fisher RW, Girgis A, Davey HM. Can personal health record booklets improve cancer screening behaviors? *Am J Prev Med* 2002; 22: 15-22.
 137. O'Flaherty S, Jandera E, Llewellyn J, Wall M. Personal health records: an evaluation. *Arch Dis Child* 1987; 62: 1152-1155.
 138. Oftedahl G, Marshall M. The future of personal health records: a summary of a roundtable discussion. *Minn Med* 2010; 93: 50-52.
 139. Okawa T. A personal health record for young female students. *Josanpu Zasshi* 1973; 27: 36-40.
 140. Patel VN, Dhopeshwarkar RV, Edwards A, Barron Y, Sparenborg J, Kaushal R. Consumer support for health information exchange and personal health records: a regional health information organization survey. *J Med Syst* 2010 Jul 29 [Epub]. DOI: 10.1007/s10916-010-9566-0.
 141. Pedley CE. A personal record of dentistry. *J Dent Assoc S Afr* 1984; 39: 11-20.
 142. Poon EG, Wald J, Schnipper JL, Grant R, Gandhi TK, Volk LA, Bloom A, Williams DH, Gardner K, Epstein M, Nelson L, Businger A, Li Q, Bates DW, Middleton B. Empowering patients to improve the quality of their care: design and implementation of a shared health maintenance module in a US integrated healthcare delivery network. *Stud Health Technol Inform* 2007; 129(Pt 2): 1002-1006.
 143. Popkin J, Kushniruk A, Borycki E, Guarin D, Mozley L, Kilarski N, Robson L, Creed W. The eFOSTr PROJECT: design, implementation and evaluation of a web-based personal Health Record to support health professionals and families of children undergoing transplants. *Stud Health Technol Inform* 2009; 143: 358-363.
 144. Popovich ML, Aramini JJ, Garcia M. Immunizations: the first step in a personal health record to empower patients. *Stud Health Technol Inform* 2008; 137: 286-295.
 145. Pringle S, Lippitt A. Interoperability of electronic health records and personal health records: key interoperability issues associated with information exchange. *J Healthc Inf Manag* 2009; 23: 31-37.
 146. Pringle SL. Trusting PHRs. The standards that protect the security and confidentiality of PHR-stored PHI. *J AHIMA* 2010; 81: 40-41.
 147. Reinke T. Rise of the PHR. *Manag Care* 2007; 16: 40-42.
 148. Reti SR, Feldman HJ, Ross SE, Safran C. Improving personal health records for patient-centered care. *J Am Med Inform Assoc* 2010; 17: 192-195.

149. Reti SR, Feldman HJ, Safran C. Governance for personal health records. *J Am Med Inform Assoc* 2009; 16: 14-17.
150. Rhodes HB. The PHR quandary. Despite the benefits, issues of technology and trust slow adoption. *J AHIMA* 2007; 78: 66-69.
151. Roblin DW, Houston TK 2nd, Allison JJ, Joski PJ, Becker ER. Disparities in use of a personal health record in a managed care organization. *J Am Med Inform Assoc* 2009; 16: 683-689.
152. Rocha RA, Romeo AN, Norlin C. Core features of a parent-controlled pediatric medical home record. *Stud Health Technol Inform* 2007; 129(Pt 2): 997-1001.
153. Rode D. PHR debates: the personal record gets political, but there is danger in rushing legislation. *J AHIMA* 2008; 79: 18-20.
154. Rubel P, Fayn J, Nollo G, Assanelli D, Li B, Restier L, Adami S, Arod S, Atoui H, Ohlsson M, Simon-Chautemps L, Télisson D, Malossi C, Ziliani GL, Galassi A, Edenbrandt L, Chevalier P. Toward personal eHealth in cardiology. Results from the EPI-MEDICS telemedicine project. *J Electrocardiol* 2005; 38(4 Suppl): 100-106.
155. Rybynok VO, Kyriacou PA, Binnersley J, Woodcock A. MyCare card development: portable GUI framework for the personal electronic health record device. *IEEE Trans Inf Technol Biomed* 2011; 15: 66-73.
156. Samoocha D, Bruinvels DJ, Anema JR, Steenbeek R, van der Beek AJ. Empowerment of disability benefit claimants through an interactive website: design of a randomized controlled trial. *BMC Med Inform Decis Mak* 2009; 9: 23.
157. Scharfetter C. "I cannot live like you". Personal record of vulnerability and schizophrenic psychosis. *Praxis (Bern 1994)* 2001; 90: 1259-1265.
158. Scherger JE. Future vision: is family medicine ready for patient-directed care? *Fam Med* 2009; 41: 285-288.
159. Schoevers MA, van den Muijsenbergh ME, Lagro-Janssen AL. Patient-held records for undocumented immigrants: a blind spot. A systematic review of patient-held records. *Ethn Health* 2009; 14: 497-508.
160. Schuerenberg BK. Ramping up the PHR assembly line. *Health Data Manag* 2008; 16: 52-54.
161. Sensmeier J, Casey Halley E. Connecting humans and health through health information exchange. *Stud Health Technol Inform* 2009; 146: 756-757.
162. Sensmeier JE. The journey toward a personal health record. *Nurs Manage* 2010; 41: 47-50.
163. Shah S, Kaelber DC, Vincent A, Pan EC, Johnston D, Middleton B. A cost model for personal health records (PHRs). *AMIA Annu Symp Proc* 2008: 657-661.
164. Simborg DW. The limits of free speech: the PHR problem. *J Am Med Inform Assoc* 2009; 16: 282-283.
165. Slagle JM, Gordon JS, Harris CE, Davison CL, Culpepper DK, Scott P, Johnson KB. MyMediHealth - designing a next generation system for child-centered medication management. *J Biomed Inform* 2010; 43(5 Suppl): S27-S31.
166. Slezak L. Marketing forum: pocket-size personal health record. *J Am Med Rec Assoc* 1982; 53: 44-46.
167. Smith SP, Barefield AC. Patients meet technology: the newest in patient-centered care initiatives. *Health Care Manag (Frederick)* 2007; 26: 354-362.
168. Smolij K, Dun K. Patient health information management: searching for the right model. *Perspect Health Inf Manag* 2006; 3: 10.
169. Spencer NJ, Coe C. Validation of the warwick child health and morbidity profile in routine child health surveillance. *Child Care Health Dev* 2000; 26: 323-336.
170. Sprague L. Personal health records: the people's choice? *NHPF Issue Brief* 2006: 1-13.
171. Srinivasan A. Keeping online personal records private: security and privacy considerations for Web-based PHR systems. *J AHIMA* 2006; 77: 62-63, 68.
172. Steward DA, Hofler RA, Thaldorf C, Milov DE. A method for understanding some consequences of bringing patient-generated data into health care delivery. *Med Decis Making* 2010; 30: E1-E13.
173. Stolyar A, Lober WB, Drozd DR, Sibley J. Feasibility of data exchange with a Patient-centered Health Record. *AMIA Annu Symp Proc* 2005: 1123.
174. Sujansky WV, Faus SA, Stone E, Brennan PF. A method to implement fine-grained access control for personal health records through standard relational database queries. *J Biomed Inform* 2010; 43(5 Suppl): S46-S50.
175. Sumner W 2nd, Schootman M, Asaro P, Yan Y, Hagen MD. Using county-level public health data to prioritize medical education topics. *J Contin Educ Health Prof* 2008; 28: 197-204.
176. Tang PC, Black W, Young CY. Proposed criteria for reimbursing eVisits: content analysis of secure patient messages in a personal health record system. *AMIA Annu Symp Proc* 2006: 764-768.
177. Tang PC, Ash JS, Bates DW, Overhage JM, Sands DZ. Personal health records: definitions, benefits, and strategies for overcoming barriers to adoption. *J Am Med Inform Assoc* 2006; 13: 121-126.
178. Tang PC, Lansky D. The missing link: bridging the patient-provider health information gap. *Health Aff (Millwood)* 2005; 24: 1290-1295.

179. Taylor. Saskatchewan adventure: a personal record. IV. Signed, sealed and delivered. *Can Med Assoc J* 1974; 110: 1102-1103.
180. Taylor L. Saskatchewan adventure: a personal record. 3. Drafting the saskatoon agreement. *Can Med Assoc J* 1974; 110: 978-983.
181. Taylor L. Saskatchewan adventure: a personal record. Part II, making contact. *Can Med Assoc J* 1974; 110: 829-836.
182. Taylor L. Saskatchewan adventure: a personal record. I. Background to the story. *Can Med Assoc J* 1974; 110: 720-727.
183. Tobacman JK, Nolan P. Utilization of a personal health record in a general medicine clinic. *J Gen Intern Med* 1996; 11: 370-372.
184. Tran DT, Zhang X, Stolyar A, Lober WB. Patient-centered design for a personal health record system. *AMIA Annu Symp Proc* 2005: 1140.
185. Tuil WS, Verhaak CM, De Vries Robbe PF, Kremer JA. IVF patients show three types of online behaviour. *Hum Reprod* 2008; 23: 2501-2505.
186. Tuil WS, van Selm M, Verhaak CM, de Vries Robbe PF, Kremer JA. Dynamics of internet usage during the stages of in vitro fertilization. *Fertil Steril* 2009; 91: 953-956.
187. Tuil WS, Verhaak CM, Braat DD, de Vries Robbe PF, Kremer JA. Empowering patients undergoing in vitro fertilization by providing internet access to medical data. *Fertil Steril* 2007; 88: 361-368.
188. Tulu B, Horan TA. The electronic disability record: purpose, parameters, and model use case. *J Am Med Inform Assoc* 2009; 16: 7-13.
189. Uchibori C. Personal record of the government-operated public health nursing activities at gunma prefecture. 8. The era of post-war confusion. *Hokenfu Zasshi* 1983; 39: 38-39.
190. Ueckert F, Ataian M, Gorz M, Prokosch HU. Functions of an electronic health record. *Int J Comput Dent* 2002; 5: 125-132.
191. Ueckert F, Goerz M, Ataian M, Tessmann S, Prokosch HU. Empowerment of patients and communication with health care professionals through an electronic health record. *Int J Med Inform* 2003; 70: 99-108.
192. Ueckert FK, Prokosch HU. Implementing security and access control mechanisms for an electronic healthcare record. *Proc AMIA Symp* 2002: 825-829.
193. Van Deursen T, Koster P, Petkovic M. Reliable personal health records. *Stud Health Technol Inform* 2008; 136: 484-489.
194. Vaz I. Personal health record for school children with multiple needs. *Child Care Health Dev* 1995; 21: 191-197.
195. Vesely R. The search is on. Data privacy remains a top concern as google seeks more users partners for its new personal health-record platform. *Mod Healthc* 2008; 38(39): 24-26.
196. Vincelet C, Tabone MD, Berthier M, Bonnefoi MC, Chevallier B, Lemaire JP, Dommergues JP; Groupe de Pédiatrie Générale de la Société Française de Pédiatrie. How are personal child health records completed? A multicentric evaluation study. *Arch Pediatr* 2003; 10: 403-409.
197. Vincent A, Kaelber DC, Pan E, Shah S, Johnston D, Middleton B. A patient-centric taxonomy for personal health records (PHRs). *AMIA Annu Symp Proc* 2008: 763-767.
198. Vishwanath A. Using frames to influence consumer willingness to pay for the patient health record: a randomized experiment. *Health Commun* 2009; 24: 473-482.
199. Volkmer RE, Gouldstone MA, Ninnies CP. Parental perception of the use and usefulness of a parent-held child health record. *J Paediatr Child Health* 1993; 29: 150-153.
200. Wagner PJ, Howard SM, Bentley DR, Seol YH, Sodomka P. Incorporating patient perspectives into the personal health record: implications for care and caring. *Perspect Health Inf Manag* 2010; 7: 1e.
201. Wald JS, Grant RW, Schnipper JL, Gandhi TK, Poon EG, Businger AC, Orav EJ, Williams DH, Volk LA, Middleton B. Survey analysis of patient experience using a practice-linked PHR for type 2 diabetes mellitus. *AMIA Annu Symp Proc* 2009; 2009: 678-682.
202. Wang M, Lau C, Matsen FA 3rd, Kim Y. Personal health information management system and its application in referral management. *IEEE Trans Inf Technol Biomed* 2004; 8: 287-297.
203. Wangberg SC, Bergmo TS, Johnsen JA. Adherence in internet-based interventions. *Patient Prefer Adherence* 2008; 2: 57-65.
204. Weinert C, Cudney S, Kinion E. Development of my health companion to enhance self-care management of chronic health conditions in rural dwellers. *Public Health Nurs* 2010; 27: 263-269.
205. Weitzman ER, Kaci L, Mandl KD. Sharing medical data for health research: the early personal health record experience. *J Med Internet Res* 2010; 12: e14.
206. White P, Singleton A, Jones R. Copying referral letters to patients: the views of patients, patient representatives

- and doctors. *Patient Educ Couns* 2004; 55: 94-98.
207. Wiler JL, Gentle C, Halfpenny JM, Heins A, Mehrotra A, Mikhail MG, Fite D. Optimizing emergency department front-end operations. *Ann Emerg Med* 2010; 55: 142-160.e1.
 208. Wiljer D, Leonard KJ, Urowitz S, Apatu E, Massey C, Quartey NK, Catton P. The anxious wait: assessing the impact of patient accessible EHRs for breast cancer patients. *BMC Med Inform Decis Mak* 2010; 10: 46.
 209. Wiljer D, Urowitz S, Apatu E, Leonard K, Quartey NK, Catton P. Understanding the support needs of patients accessing test results online. PHRs offer great promise, but support issues must be addressed to ensure appropriate access. *J Healthc Inf Manag* 2010; 24: 57-63.
 210. Williams BT, Imrey H, Williams RG. The lifespan personal health record. *Med Decis Making* 1991; 11(4 Suppl): S74-S76.
 211. Win KT, Susilo W, Mu Y. Personal health record systems and their security protection. *J Med Syst* 2006; 30: 309-315.
 212. Witry MJ, Doucette WR, Daly JM, Levy BT, Chrischilles EA. Family physician perceptions of personal health records. *Perspect Health Inf Manag* 2010; 7: 1d.
 213. Wolter J. Health record banking. An emerging PHR model. *J AHIMA* 2007; 78: 82-83.
 214. Wolter J, Friedman B. Health records for the people. Touting the benefits of the consumer-based personal health record. *J AHIMA* 2005; 76: 28-32.
 215. Wright A, Poon EG, Wald J, Schnipper JL, Grant R, Gandhi TK, Volk LA, Bloom A, Williams DH, Gardner K, Epstein M, Nelson L, Businger A, Li Q, Bates DW, Middleton B. Effectiveness of health maintenance reminders provided directly to patients. *AMIA Annu Symp Proc* 2008: 1183.
 216. Wright A, Sittig DF. Encryption characteristics of two USB-based personal health record devices. *J Am Med Inform Assoc* 2007; 14: 397-399.
 217. Wu YH, Li YZ, Li YC. Between personal health record website and portable medical health record: an online data transformation interface. *Stud Health Technol Inform* 2009; 146: 728.
 218. Wuerdeman L, Volk L, Pizziferri L, Tsurikova R, Harris C, Feygin R, Epstein M, Meyers K, Wald JS, Lansky D, Bates DW. How accurate is information that patients contribute to their electronic health record? *AMIA Annu Symp Proc* 2005: 834-838.
 219. Wunsch G. Maternal and child health in the third world. Problems of data collection. *Popul Famille* 1982; 53: 19-33.
 220. Wynia M, Dunn K. Dreams and nightmares: practical and ethical issues for patients and physicians using personal health records. *J Law Med Ethics* 2010; 38: 64-73.
 221. Yaqub E, Barroso A. Distributed guidelines (DiG): a software framework for extending automated health decision support to the general population. *Perspect Health Inf Manag* 2010; 7: 1b.
 222. Yasnoff WA, Humphreys BL, Overhage JM, Detmer DE, Brennan PF, Morris RW, Middleton B, Bates DW, Fanning JP. A consensus action agenda for achieving the national health information infrastructure. *J Am Med Inform Assoc* 2004; 11: 332-338.
 223. Young S, Fasher M. An observational study of the NSW parent-held record in a GP setting. *Aust Fam Physician* 1994; 23: 704-705, 708-712.
 224. Zender A. Passing along the PHR lesson. *J AHIMA* 2007; 78: 100.
 225. Zeng K, Bodenreider O, Nelson SJ. Design and implementation of a personal medication record-MyMedicationList. *AMIA Annu Symp Proc* 2008: 844-848.
 226. Zeng-Treitler Q, Kim H, Goryachev S, Keselman A, Slaughter L, Smith CA. Text characteristics of clinical reports and their implications for the readability of personal health records. *Stud Health Technol Inform* 2007; 129(Pt 2): 1117-1121.
 227. Zigmond J. CMS announces PHR project. IT expert wonders about overshadowing EHR plan. *Mod Healthc* 2008; 38(33): 8-9.
 228. van Empel IW, Hermens RP, Akkermans RP, Hollander KW, Nelen WL, Kremer JA. Organizational determinants of patient-centered fertility care: a multilevel analysis. *Fertil Steril* 2011; 95: 513-519.
 229. Osterlund CS, Dosa NP, Arnott Smith C. Mother knows best: medical record management for patients with spina bifida during the transition from pediatric to adult care. *AMIA Annu Symp Proc* 2005: 580-584.