

## Erratum

Z Gerontol Geriat 2022 · 55:349  
<https://doi.org/10.1007/s00391-022-02071-1>  
 Published online: 18 May 2022  
 © The Author(s) 2022



# Erratum to: Comparison of delirium detection tools in acute care

Simone Brefka<sup>1,2,3</sup> · Gerhard Wilhelm Eschweiler<sup>4,5</sup> · Dhayana Dallmeier<sup>2,3,6</sup> · Michael Denking<sup>1,2,3</sup> · Christoph Leinert<sup>1,2,3</sup>

<sup>1</sup> Institute for Geriatric Research, Ulm University Medical Center, Ulm, Germany

<sup>2</sup> Geriatric Center Ulm, Ulm, Germany

<sup>3</sup> Agaplesion Bethesda Hospital Ulm, Ulm, Germany

<sup>4</sup> Geriatric Center, University Hospital Tuebingen, Tuebingen, Germany

<sup>5</sup> University Hospital for Psychiatry and Psychotherapy Tuebingen, Tuebingen, Germany

<sup>6</sup> Dept. of Epidemiology, Boston University School of Public Health, Boston, USA

## Erratum to:

Z Gerontol Geriat 2021

<https://doi.org/10.1007/s00391-021-02003-5>

The authors would like to apologize for an error concerning the mCAM-ED and make the following corrections:

Page 109, Table 2, mCAM-ED

Column: Screening vs. monitoring/Items:  
 2. If inattention present → MSQ for identifying cognitive impairment, Comprehension subtest of CTD for identifying disorganized thinking

Column: Scoring

Modified CAM algorithm: 1a (acute onset) AND 1b (fluctuating course) + 2 + (3 or 4) positive = diagnosed delirium  
 1a OR 1b + 2 + (3 or 4) positive = suspected delirium.

Page 111, Legend table 2:

As a replacement for *SPMSQ*: *MSQ* mental status questionnaire.

## Corresponding address

**Dr. Simone Brefka**

Agaplesion Bethesda Hospital Ulm  
 Zollernring 26, 89073 Ulm, Germany  
[simone.brefka@agaplesion.de](mailto:simone.brefka@agaplesion.de)

cence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

**Open Access.** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons li-

The online version of the original article can be found under <https://doi.org/10.1007/s00391-021-02003-5>