

POSTER PRESENTATION

Open Access

PReS-FINAL-2311: Rituximab in paediatric ANCA-associated vasculitis

G Mestrallet¹, A Faye², P Quartier³, B Ranchin⁴, P Cochard⁴, A Belot^{4*}, SOFREMIP

From 20th Pediatric Rheumatology European Society (PReS) Congress
Ljubljana, Slovenia. 25-29 September 2013

Introduction

Rituximab is an anti-CD20 monoclonal antibody that has proven to be effective in the treatment of ANCA-associated vasculitis (AAV) in adults. Standard treatments rely on corticosteroids and cyclophosphamide. Only isolated case reports of pediatric AAV treated by rituximab have been reported so far.

Objectives

Our objective was to collect clinical data and outcomes of children with AAV treated with rituximab in a multicenter retrospective study.

Methods

We conducted a retrospective study within the French paediatric rheumatology society (SOFREMIP) in 2011-2012.

Results

We identified 6 children with AAV treated with rituximab (microscopic polyangiitis, n = 2, granulomatosis with polyangiitis, n = 2, unspecified vasculitis, n = 2). The age at onset ranged from 4 to 16 yrs. Treatment with rituximab consisted in 4 infusions of 375 mg/m²; one patient received only 3 infusions. Mean duration of follow-up was 2.65 yrs. All patients achieved clinical remission after 12 months. One patient presented several relapses associated with B cell increase and was dependent on rituximab infusions. No severe adverse event had been reported.

Conclusion

From this multicenter retrospective series, short-term safety and efficacy of rituximab in pediatric AAV is

promising so that B cell depleting agents may represent an alternative to conventional treatment with cyclophosphamide but larger prospective studies are mandatory.

Disclosure of interest

None declared.

Authors' details

¹Pediatrics, CH Villefranche Hospital, Villefranche sur Saone, France. ²Pediatric Rheumatology & Infectious Diseases Department, Hopital Robert Debré, Assistance Publique Hopitaux de Paris, Paris, France. ³Pediatric Rheumatology department, Hopital Necker, Assistance Publique Hopitaux de Paris, Paris, France. ⁴Pediatric Nephrology, Rheumatology & Dermatology Department, HOPITAL FEMME MERE ENFANT, HOSPICES CIVILS DE LYON, Lyon, France.

Published: 5 December 2013

doi:10.1186/1546-0096-11-S2-P301

Cite this article as: Mestrallet et al.: PReS-FINAL-2311: Rituximab in paediatric ANCA-associated vasculitis. *Pediatric Rheumatology* 2013 11 (Suppl 2):P301.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit



⁴Pediatric Nephrology, Rheumatology & Dermatology Department, HOPITAL FEMME MERE ENFANT, HOSPICES CIVILS DE LYON, Lyon, France
Full list of author information is available at the end of the article

© 2013 Mestrallet et al.; licensee BioMed Central Ltd. This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/2.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated.