

CORRECTION

Correction: Optimization of Regularization Parameters in Compressed Sensing of Magnetic Resonance Angiography: Can Statistical Image Metrics Mimic Radiologists' Perception?

Thai Akasaka, Koji Fujimoto, Takayuki Yamamoto, Tomohisa Okada, Yasutaka Fushimi, Akira Yamamoto, Toshiyuki Tanaka, Kaori Togashi

The fifth author's name is spelled incorrectly. The correct name is: Yasutaka Fushimi. The correct citation is: Akasaka T, Fujimoto K, Yamamoto T, Okada T, Fushimi Y, Yamamoto A, et al. (2016) Optimization of Regularization Parameters in Compressed Sensing of Magnetic Resonance Angiography: Can Statistical Image Metrics Mimic Radiologists' Perception? PLoS ONE 11(1): e0146548. <https://doi.org/10.1371/journal.pone.0146548>

Reference

1. Akasaka T, Fujimoto K, Yamamoto T, Okada T, Fushimi Y, Yamamoto A, et al. (2016) Optimization of Regularization Parameters in Compressed Sensing of Magnetic Resonance Angiography: Can Statistical Image Metrics Mimic Radiologists' Perception? PLoS ONE 11(1): e0146548. <https://doi.org/10.1371/journal.pone.0146548> PMID: 26744843



OPEN ACCESS

Citation: Akasaka T, Fujimoto K, Yamamoto T, Okada T, Fushimi Y, Yamamoto A, et al. (2018) Correction: Optimization of Regularization Parameters in Compressed Sensing of Magnetic Resonance Angiography: Can Statistical Image Metrics Mimic Radiologists' Perception? PLoS ONE 13(5): e0197140. <https://doi.org/10.1371/journal.pone.0197140>

Published: May 7, 2018

Copyright: © 2018 Akasaka et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.