

CORRECTION

Correction: DHA Supplemented in Peptamen Diet Offers No Advantage in Pathways to Amyloidosis: Is It Time to Evaluate Composite Lipid Diet?

Zareen Amtul, Mary Keet, Lin Wang, Peter Merrifield, David Westaway, Richard F. Rozmahel

Fig 2 is incorrect. The appearance of certain bands on Western blot images are compromised. The actin bands of Tg/pep in b-secretase pathway section are switched with the actin bands in Tg/pep+DHA bands of Abeta metabolism section. The authors have provided a corrected version here.



€ OPEN ACCESS

Citation: Amtul Z, Keet M, Wang L, Merrifield P, Westaway D, Rozmahel RF (2017) Correction: DHA Supplemented in Peptamen Diet Offers No Advantage in Pathways to Amyloidosis: Is It Time to Evaluate Composite Lipid Diet? PLoS ONE 12 (4): e0176644. https://doi.org/10.1371/journal.pone.0176644

Published: April 20, 2017

Copyright: © 2017 Amtul et al. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.






Fig 2. Effects of pep+DHA diet on protein levels. A. Western blots of APP, BACE, APP-CTFs (α /β), IDE, PrP and β -actin protein levels in the frontal cortices of Tg/chow, Tg/pep and Tg/pep+DHA mice. Respective molecular weights (Kd) are shown on the left. Plot shows quantitative analysis of protein levels as mean \pm S.E. M., (n = 6 for each experiment, out of 6 only 3 animals each are shown for Tg/chow, Tg/pep and Tg/pep+DHA mice in Western blots), ***p<0.001, **p<0.01 and *p<0.05.

https://doi.org/10.1371/journal.pone.0176644.g001



Reference

Amtul Z, Keet M, Wang L, Merrifield P, Westaway D, Rozmahel RF (2011) DHA Supplemented in Peptamen Diet Offers No Advantage in Pathways to Amyloidosis: Is It Time to Evaluate Composite Lipid Diet? PLoS ONE 6(9): e24094. https://doi.org/10.1371/journal.pone.0024094 PMID: 21931647