Check for updates

Corrigendum: N-Net: A novel dense fully convolutional neural network for thyroid nodule segmentation

Xingqing Nie[1,2], Xiaogen Zhou[1,2], Tong Tong[1,2,3]*, Xingtao Lin[1,2],
Luoyan Wang[1,2], Haonan Zheng[1,2], Jing Li[1,2], Ensheng Xue[4,5],
Shun Chen[4,5]*, Meijuan Zheng[4,5], Cong Chen[4,5] and Min Du[1,2]

[1]College of Physics and Information Engineering, Fuzhou University, Fuzhou, China, [2]Fujian Key Lab
of Medical Instrumentation and Pharmaceutical Technology, Fuzhou University, Fuzhou, China,
[3]Imperial Vision Technology, Fuzhou, China, [4]Fujian Medical Ultrasound Research Institute, Fuzhou,
China, [5]Department of Ultrasound, Fujian Medical University Union Hospital, Fuzhou, China

A corrigendum on

N-Net: A novel dense fully convolutional neural network for thyroid
nodule segmentation

by Nie, X., Zhou, X., Tong, T., Lin, X., Wang, L., Zheng, H., Li, J., Xue, E., Chen, S., Zheng, M.,
Chen, C., and Du, M. (2022). Front. Neurosci. 16:872601. doi: 10.3389/fnins.2022.872601

In the published article, there was an error regarding the affiliations for authors
Ensheng Xue, Shun Chen, Meijuan Zheng, Cong Chen. As well as having affiliation(s) 4
they should also be affiliated to "5 Department of Ultrasound, Fujian Medical University
Union Hospital, Fuzhou, China."

The authors apologize for this error and state that this does not change the scientific
conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not
necessarily represent those of their affiliated organizations, or those of the publisher, the
editors and the reviewers. Any product that may be evaluated in this article, or claim that
may be made by its manufacturer, is not guaranteed or endorsed by the publisher.