
## bjh images in haematology

## Diffuse plane normolipaemic xanthomatosis as a manifestation of monoclonal gammopathy



A 48-year-old male presented with progressive yellow colourisation of his skin in the axillary and inguinal regions (images). His blood count, renal function tests, calcium, cholesterol and triglyceride levels were normal, but serum protein electrophoresis showed an immunoglobulin G kappa monoclonal protein. Complement C4 levels were undetectable, with normal C3 and low C1 esterase inhibitor levels. No skeletal lesions were detected on computed tomography and bone marrow contained 1% monoclonal plasma cells. Skin biopsy showed no amyloidosis, but aggregates of foamy macrophages intradermally, compatible with diffuse plane normolipaemic xanthomatosis, associated with a monoclonal gammopathy. Pathogenesis involves the monoclonal protein

forming immune complexes with lipoproteins in the skin with subsequent precipitation, followed by phagocytosis by macrophages; there is simultaneous activation of the classic complement pathway resulting in low levels of C4 and C1 esterase inhibitor (Szalat *et al*, 2011). The patient has received no treatment so far and is currently clinically well.

## Linde M. Morsink<sup>1</sup> (D) and Inger S. Nijhof<sup>2</sup>

<sup>1</sup>Department of Haematology, University Medical Centre Groningen, Groningen, the Netherlands and <sup>2</sup>Department of Haematology, Amsterdam University Medical Centre, Amsterdam, the Netherlands. E-mail: linde.morsink@gmail.com

## REFERENCE

Szalat, R., Arnulf, B., Karlin, L., Rybojad, M., Asli, B., Malphettes, M., Galicier, L., VignonPennamen, M.D., Harel, S., Cordoliani, F., Fuzibet, J.G., Oksenhendler, E., Clauvel, J.P., Brouet, J.C. & Fermand, J.P. (2011) Pathogenesis and treatment of xanthomatosis associated with monoclonal gammopathy. *Blood*, **118**, 3777–3784.

© 2019 The Authors. *British Journal of Haematology* published by British Society for Haematology I and John Wiley & Sons Ltd. *British Journal of Haematology*, 2019, **187**, 411

First published online 12 August 2019 doi: 10.1111/bjh.16141

This is an open access article under the terms of the Creative Commons Attribution-NonCommercial License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited and is not used for commercial purposes.

