



AKADÉMIAI KIADÓ

Criteria for the establishment of a new behavioural addiction

Commentary to the debate: “Behavioral addictions in the ICD-11”

Journal of Behavioral Addictions

11 (2022) 2, 191-198

Debate: Behavioral addictions in the ICD-11

DOI:

[10.1556/2006.2022.00031](https://doi.org/10.1556/2006.2022.00031)

© 2022 The Author(s)

MATTHEW J. GULLO^{1*} , ANDREW P. WOOD²  and JOHN B. SAUNDERS¹ 

¹ National Centre for Youth Substance Use Research, The University of Queensland, Brisbane, QLD 4072, Australia

² School of Health & Behavioural Sciences, The University of the Sunshine Coast, Birtinya, QLD 4575, Australia

Received: October 26, 2021 • Revised manuscript received: March 31, 2022 • Accepted: April 20, 2022

COMMENTARY



ABSTRACT

When does repeated behaviour constitute behavioural addiction? There has been considerable debate about non-substance-related addictions and how to determine when impaired control over a behaviour is addiction. There are public health benefits to identifying new behavioural addictions if intervention can improve outcomes. However, criteria for establishing new behavioural addictions must guard against diagnostic inflation and the pathologizing of normal problems of living. Criteria should include *clinical relevance* (Criterion 1), alignment with addiction *phenomenology* (Criterion 2) and *theory* (Criterion 3), and *taxonomic plausibility* (Criterion 4). Against such criteria, evidence does not yet support classification of pornography-use and buying-shopping disorders as addictions.

KEYWORDS

behavioural addiction, gaming disorder, pornography-use disorder, buying-shopping disorder, diagnosis, reward

INTRODUCTION

When does repeated behaviour become addictive behaviour? There has been considerable debate over what constitutes a non-substance-related addiction, with the most widely accepted being Gambling Disorder (formerly known as Pathological Gambling) and (Internet) Gaming Disorder (Grant, Atmaca, et al., 2014; Kardefelt-Winther et al., 2017; Saunders et al., 2017; Stein, 2008). In the Fifth Edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-5; American Psychiatric Association, 2013)* Gambling Disorder was grouped with substance use disorders, while Internet Gaming Disorder was included in a separate “Conditions for Further Study” chapter. In 2018 a decision was made to include these conditions in the chapter on Disorders due to Substance Use and Addictive Behaviours in the International Classification of Diseases, Eleventh Revision (ICD-11). Formal recognition of behavioural addictions has occurred relatively recently.

Brand et al. (2022) propose “meta-level” criteria to determine whether conditions should be accepted into the category of “Other specified disorders due to addictive behaviors” (ICD-11 code 6C5Y). Pornography-use disorder and buying-shopping disorder were deemed to have met their criteria for inclusion under code 6C5Y. At present, the former is listed in ICD-11 as an example of behaviours involved in compulsive sexual behaviour disorder (6C72) and the latter listed within Other specified impulse control disorder (6C7Y). Neither

*Corresponding author.

E-mail: m.gullo@uq.edu.au

Table 1. Proposed criteria for classification of conditions as ICD-11 *Other specified disorders due to addictive behaviors* (6C5Y)

Criterion 1: Clinical relevance	Functional impairment in everyday life.
Criterion 2: Phenomenology	Alignment with the phenomenology of addiction (see Fig. 1).
Criterion 3: Theoretical embedding	Syndromes are consistent with existing addiction theories; Some evidence for the involvement of underlying psychobiological mechanisms of addiction.
Criterion 4: Taxonomic plausibility	Externalising disorder; Higher comorbidity with substance use disorder or gambling disorder than other mental disorders; Moderately heritable; Responds to effective treatments for substance use disorder or gambling disorder.

appear in DSM-5. Here, we propose an alternative set of meta-criteria that incorporate phenomenology and taxonomic plausibility and reevaluate these two candidate behavioural addictions (Table 1). Social-network-use disorder was not deemed by Brand et al. to have met their criteria and we do not consider it here.

Beyond addiction theory

We agree with Brand et al. (2022) that *causing functional impairment* (Criterion 1) is a pragmatic criterion for whether a cluster of experiences may be clinically relevant and reflective of a possible disorder. There are clear public health benefits to identifying such a cluster if intervention leads to better outcomes than doing nothing (Frances, 2013). However, we argue that classification as a behavioural addiction is not adequately assessed by Brand et al.'s original criterion 2 (*theoretical embedding*) and 3 (*underlying mechanisms*). These criteria focus too narrowly on alignment with addiction theories and would benefit from clearer separation of phenomenological and aetiological considerations. We also propose an additional criterion, *taxonomic plausibility*, required in addition to the "fit" with addiction theory.

The extent to which conjectured aetiology (theory) should play in diagnostic classification has long been debated. Diagnostic criteria in the addictions in recent years have eschewed aetiological considerations, focusing on observable features (Edwards, Arif, & Hadgson, 1981). A major criticism is the lack of a uniform standard of proof for such theories (Meehl, 1986). Brand et al.'s (2022) proposed theoretical embedding criterion may, therefore, be of limited utility. There is also no standardised approach to evaluating a candidate's fit with addiction theory.

There are a multitude of addiction theories possessing differing levels of empirical support. Brand et al. (2022) cite examples, but it is not clear on what basis these particular theories were chosen (e.g., reward deficiency syndrome; Blum et al., 1996) and others not (Koob & Le Moal, 2001; Koob & Volkow, 2010). Other aspects of theoretical embedding require clarification. It is not clear whether a candidate behavioural addiction need only align with one addiction theory to satisfy the criterion, or multiple. Furthermore, is there a requirement that the empirical evidence presented concerning underlying mechanisms (Brand et al. criterion 3) be aligned with that chosen addiction theory, or any theory? For example, would a candidate disorder that could be explained by an addiction

theory focused on implicit cognition (Brand et al. criterion 2) and supporting empirical data on attentional bias (Brand et al. criterion 3) still be considered a behavioural addiction if neurophysiological data showed none of the alterations in mechanisms required by neuroscientific theories (e.g., altered dopamine transmission or prefrontal functioning)? While we do agree that theoretical embedding is an important consideration (retained as **Criterion 3**), evaluating it is complicated by the multitude of addiction theories, their diversity in aetiological scope (biological, psychological, social) and, of course, empirical support. A more pragmatic and less controversial preceding criterion would be a candidate's *alignment with the phenomenology of addiction* (The Lancet Psychiatry, 2021). We argue that this should be **Criterion 2**.

The phenomenology of addiction

Prior to application of their meta-level criteria, Brand et al. (2022) propose candidate disorders already be judged to have met guidelines adopted for gaming and gambling disorder that include increasing priority of the rewarded behaviour, impaired control, and continuation/escalation despite negative consequences. However, impulse-control disorders can also be characterised by repetitive rewarding behaviour meeting these criteria, raising the question of what defining features make a disorder an "addictive" disorder? One of these must be the heightened valuation of the reward received from the behaviour, the nature of which changes over time (Gullo & Saunders, 2020; Koob & Le Moal, 2001).

In a Delphi consensus study involving 44 international addiction experts, altered reward valuation was judged to be a core defining feature of addiction, the nature of which changes over the course of the condition (Yücel et al., 2019). In early stages, heightened reward valuation and anticipation are prominent factors in responsiveness to addiction-related stimuli, with the repeated behaviour leading to positive reinforcement. At later stages, the nature of this altered reward valuation takes on a more dominant allostatic-incentive salience role, with behavioural outcomes characterised by negative reinforcement and occurring within the context of altered reward thresholds (Koob & Le Moal, 2001). In sum, it is both the centrality of altered reward valuation and its changing nature over time that differentiates addiction from other mental disorders characterised by impaired control (Sussman, Rozgonjuk, & van den Eijnden, 2017; Tunney & James, 2017). Unlike addiction, the phenomenology of impulse-control and

compulsive disorders (e.g., obsessive-compulsive disorder) is the centrality of negative affect as trigger, and relief from it as (negative) reinforcement (Stein, 2008).

Similarities in phenomenology played a critical role in the reclassification of gambling disorder as an addiction within ICD and DSM nosologies (Grant & Chamberlain, 2016). A focus on phenomenology would also protect against narrow, *a priori* confirmatory approaches to evaluating whether a candidate disorder featuring impulse-control problems is a behavioural addiction (Kardefelt-Winther et al., 2017). Maintaining focus on the entirety of the candidate behaviour, instead of the presence/absence of specific features (examined in isolation), can help ensure context is not lost. For example, Kardefelt-Winther et al. (2017) argued that preoccupation with video games (salience) should not be considered harmful in the same way as preoccupation with substances because it is a common everyday activity related to far fewer negative consequences. It was through phenomenological analysis that Sassover and Weinstein (2022) compellingly argue against classifying compulsive sexual behaviour as a behavioural addiction.

Our phenomenological framework for addiction is presented in Fig. 1 alongside Griffiths' (2005) components framework and the expert consensus on addiction Research

Domain Criteria (RDoC; Yücel et al., 2019). We note that Griffith's framework, while influential in the addiction field, is not without criticism when applied to specific behavioural addictions (e.g., Castro-Calvo, King et al., 2021). It is included here along with the RDoC consensus to provide context for our proposed phenomenological framework for behavioural addictions, highlighting points of similarity and difference. Common across all frameworks is reward sensitivity, salience and impaired control over the behaviour. We propose replacing Griffiths' "tolerance" with *habituation* to better reflect the need for higher engagement to achieve sufficient reinforcement, which need not result from physiological tolerance, but simply a learning process (Tunney & James, 2017). We also make explicit the functional impairment caused, as well as the addiction's progressive, chronic nature, both of which are implicit in the other two frameworks.

Taxonomic plausibility

Addictions are externalising disorders and more closely related to other externalising disorders than internalising or other categories of mental disorder (Krueger, 1999; Widiger & Clark, 2000). Mental disorders reflect an underlying




Fig. 1. Phenomenology of addiction
Note. RDoC = Research Domain Criteria.

psychobiological dysfunction and, in the case of addictions, are moderately heritable (Goldman, Oroszi, & Ducci, 2005; Lobo & Kennedy, 2009; Stein, Phillips, Bolton, & Fulford, 2010). Disorders that cluster together or commonly co-occur may arise from similar core psychopathological processes (Krueger, 1999). Thus, given the evidence for an underlying structure to psychopathology, a criterion for any candidate behavioural addiction is that it should be able to plausibly reside within that structure alongside established addictions (*Taxonomic Plausibility*, **Criterion 4**; Achenbach & Edelbrock, 1978; Forbes et al., 2021; Krueger, 1999; Meehl, 1986). Obsessive-compulsive disorder and trichotillomania are not addictions to handwashing and hair-pulling, respectively, despite similarities to addictive disorders in certain clinical features and neurobiological correlates (Grassi & Pallanti, 2017; Mouaffak et al., 2017). There are important differences in clinical course, prognosis, and response to treatment suggesting: 1) a different underlying cause, and; 2) that grouping them with addictions would be of little clinical utility - in fact, it may reduce utility (Farhat et al., 2020; Grant, Odaug, Schreiber, & Kim, 2014; Kendall & Jablensky, 2003; Meehl, 1986; Stein et al., 2010, 2019).

Taxonomic plausibility is also demonstrated by evidence of higher comorbidity with substance use disorder or gambling disorder than non-addictive disorders (Sinclair, Lochner, & Stein, 2016). However, if the candidate only exists as a comorbid disorder, this would raise serious doubts about its legitimacy (Van Rooij & Kardefelt-Winther, 2017). Lastly, there should be evidence that the candidate disorder responds to effective treatments for established addictions; important for determining clinical utility (Grant & Chamberlain, 2016; Stein et al., 2010).

Candidate behavioural addictions

Pornography-use disorder. “Pornography-use disorder” is the first candidate behavioural addiction argued by Brand et al. (2022) to meet their proposed criteria. There may be evidence of theoretical embedding (Criterion 3; Castro-Calvo, Cervigón-Carrasco, Ballester-Arnal, & Giménez-García, 2021), but evidence of functional impairment has been debated (Criterion 1; Humphreys, 2018; Ley, Prause, & Finn, 2014) and the condition does not align with the phenomenology of addiction (Criterion 2). Studies do show stronger neural responses and greater liking of pornographic images (positive reinforcement), as well as attentional bias towards such images in those engaging in greater pornography consumption (Castro-Calvo, Cervigón-Carrasco, et al., 2021; Ley et al., 2014). However, this is expected and there is no evidence of a temporal course involving a shift toward an allostatic or negative reinforcement-like profile over time (Ley et al., 2014). Repeated/excessive pornography use can already be diagnosed as an ICD-11 impulse-control disorder: Compulsive sexual behaviour disorder (Gola et al., 2022; Humphreys, 2018; Kraus, Voon, & Potenza, 2016; Ley et al., 2014; Sassover & Weinstein, 2022; Sniewski, Farvid, & Carter, 2018).

Existing evidence does not support the taxonomic plausibility of pornography-use disorder as an addiction (Criterion 4).

There is no evidence of heritability, and evidence of only a weak role (at best) for impulsivity predicting problematic use (Böthe et al., 2019; Grubbs, Wilt, Exline, Pargament, & Kraus, 2018; Ley et al., 2014). Indeed, believing pornography use to be “morally wrong” is a stronger predictor of future self-perceived addiction than impulsivity or quantity/frequency of use (Grubbs et al., 2018). There is also no compelling evidence that addiction treatments reduce pornography use. In fact, case studies suggest that treatments aimed at reducing shame and guilt (“pornography acceptance”) may be as therapeutic as those seeking to reduce the behaviour (Sniewski et al., 2018). Among those seeking treatment for pornography use, only 6% report no comorbid mental disorder, with mood disorders (71%) being far more common than substance use (41%) or gambling (20%) disorders (Kraus, Potenza, Martino, & Grant, 2015). Instead of an addiction, it may be that excessive use of pornography is a means of coping with low mood or life dissatisfaction (Ley et al., 2014).

Buying/shopping disorder. The second candidate argued to meet Brand et al.’s (2022) proposed criteria is buying-shopping disorder. There is evidence of functional impairment (Criterion 1; McElroy, Keck, Pope, Smith, & Strakowski, 1994; Müller, Mitchell, & de Zwaan, 2015; Schlosser, Black, Repertinger, & Freet, 1994) and some evidence of alignment with the phenomenology of addiction (Criterion 2). While compulsive buying is positively reinforced by the rewarding characteristics of purchasing items, the motivation for initial engagement appears to be alleviation of negative mood (Faber & Christenson, 1996; Kellett & Bolton, 2009; Miltenberger et al., 2003; Müller et al., 2012), which is consistent with the phenomenology of impulse-control and compulsive disorders. Evidence of a temporal course involving a transition from positive-to-negative reinforcement from longitudinal studies is lacking (Rumpf, Brandt, Demetrovics, & Billieux, 2019).

Individuals engaging in compulsive buying show increased activity in the ventral striatum that is associated with positive arousal (‘liking’) when presented with product purchasing decisions (Criterion 3; Raab, Elger, Neuner, & Weber, 2011). Increased dorsal striatum activity has been found in individuals with chronic buying-shopping disorder (Trotzke, Starcke, Pedersen, & Brand, 2021), suggesting further consolidation of conditioned stimuli (Volkow, Michaelides, & Baler, 2019) associated with habituated or compulsive motivation (‘wanting’) and possible tolerance (Trotzke et al., 2021). This is consistent with addiction (Everitt & Robbins, 2013). Raab et al. (2011) reported higher anterior cingulate activity in compulsive buyers, but noted that this also occurs in depression. Consistent with underlying cognitive mechanisms commonly observed in addictive behaviours, there is some evidence of impaired decision making (Trotzke, Starcke, Pedersen, & Brand, 2015), stimulus-related inhibitory control deficits (Lindheimer, Nicolai, & Moshagen, 2020), and craving (Vogel et al., 2019) in studies of clinical and treatment-seeking patients.



Existing evidence does not support the taxonomic plausibility of buying-shopping disorder as an addiction (Criterion 4). While there is some evidence of alignment with the externalising spectrum and impulsivity (Mestre-Bach et al., 2016; Nicolai, Darancó, & Moshagen, 2016; Lawrence, Ciorciari, & Kyrios, 2014; Williams & Grisham, 2012), other evidence indicates only a modest association with established addictions: 21% prevalence of substance use problems in compulsive buyers and 17% prevalence of compulsive buying in problem gamblers (Black, Repertinger, Gaffney, & Gabel, 1998; Black et al., 2015). Family studies have shown alcohol dependence and depression (19.7% and 18.3% respectively; Black et al., 1998) in first degree relatives of individuals with buying shopping disorder, compared to 3% prevalence of compulsive buying disorder (Black et al., 2015). In fact, buying-shopping disorder shows closer alignment with mood disorders, with lifetime depression three times more prevalent than substance use disorders (Black et al., 1998; Müller et al., 2012; Trotzke et al., 2021).

There is no compelling evidence that addiction treatments are effective for compulsive buying (Criterion 4). Cognitive-behaviour therapy, naltrexone and topiramate are not more effective than placebo, nor are tricyclic and SSRI antidepressants; although they are effective for mood symptoms (Hague, Hall, & Kellett, 2016; Kellett, Oxborough, & Gaskell, 2021; Nicoli de Mattos et al., 2020). However, existing studies tend to be of low methodological quality. Overall, the evidence for buying-shopping disorder being an addiction is equivocal and more evidence is required.

CONCLUSION

Appropriate criteria for establishing behavioural addictions will facilitate early identification of emerging problems that have a clear impact on public health, whilst also guarding against diagnostic inflation, the pathologizing of normal problems of living and, ultimately, loss of diagnostic credibility (Frances, 2013; Gullo & O’Gorman, 2012; Sinclair et al., 2016; van Rooij et al., 2018; Widiger & Clark, 2000). Such criteria must go beyond the identification of functional impairment and alignment with addiction theory. This sets the bar too low. We argue for phenomenological and taxonomic plausibility as criteria, against which existing evidence would not support classification of pornography-use and buying-shopping disorders as addictions at this time.

Funding sources: MJG was supported by a Medical Research Future Fund Translating Research into Practice (TRIP) Fellowship (1167986). The funder had no role in the design or writing of the manuscript, or the decision to submit the paper for publication.

Author’s contribution: All authors conceptualised the paper. MJG and APW undertook the literature review. All authors prepared the first draft and editing of subsequent drafts. All authors approved the final version.

Conflict of interest: The authors declare no conflict of interest.

REFERENCES

- Achenbach, T. M., & Edelbrock, C. S. (1978). The classification of child psychopathology: A review and analysis of empirical efforts. *Psychological Bulletin*, 85(6), 1275–1301. <https://www.ncbi.nlm.nih.gov/pubmed/366649>.
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders (DSM-5®)*. American Psychiatric Publishing.
- Black, D. W., Coryell, W., Crowe, R., Shaw, M., McCormick, B., & Allen, J. (2015). The relationship of DSM-IV pathological gambling to compulsive buying and other possible spectrum disorders: Results from the Iowa PG family study. *Psychiatry Research*, 226(1), 273–276. <https://doi.org/10.1016/j.psychres.2014.12.061>.
- Black, D. W., Repertinger, S., Gaffney, G. R., & Gabel, J. (1998). Family history and psychiatric comorbidity in persons with compulsive buying: Preliminary findings. *American Journal of Psychiatry*, 155(7), 960–963. <https://doi.org/10.1176/ajp.155.7.960>.
- Blum, K., Sheridan, P. J., Wood, R. C., Braverman, E. R., Chen, T. J., Cull, J. G., & Comings, D. E. (1996). The D2 dopamine receptor gene as a determinant of reward deficiency syndrome. *Journal of the Royal Society of Medicine*, 89(7), 396–400. <https://doi.org/10.1177/014107689608900711>.
- Bóthe, B., Tóth-Király, I., Potenza, M. N., Griffiths, M. D., Orosz, G., & Demetrovics, Z. (2019). Revisiting the role of impulsivity and compulsivity in problematic sexual behaviors. *Journal of Sex Research*, 56(2), 166–179. <https://doi.org/10.1080/00224499.2018.1480744>.
- Brand, M., Rumpf, H.-J., Demetrovics, Z., Müller, A., Stark, R., King, D. L., ... Potenza, M. N. (2022). Which conditions should be considered as disorders in the International Classification of Diseases (ICD-11) designation of “other specified disorders due to addictive behaviors”? *Journal of Behavioral Addictions* 11(2), 150–159. <https://doi.org/10.1556/2006.2020.00035>.
- Castro-Calvo, J., Cervigón-Carrasco, V., Ballester-Arnal, R., & Giménez-García, C. (2021). Cognitive processes related to problematic pornography use (PPU): A systematic review of experimental studies. *Addictive Behaviors Reports*, 13, 100345. <http://dx.doi.org/10.1016/j.abrep.2021.100345>.
- Castro-Calvo, J., King, D. L., Stein, D. J., Brand, M., Carmi, L., Chamberlain, S. R., ... Billieux, J. (2021). Expert appraisal of criteria for assessing gaming disorder: An international Delphi study. *Addiction*, 116, 2463–2475. <http://dx.doi.org/10.1111/add.15411>.
- Edwards, G., Arif, A., & Hadgson, R. (1981). Nomenclature and classification of drug- and alcohol-related problems: A WHO memorandum. *Bulletin of the World Health Organization*, 59(2), 225–242. <https://www.ncbi.nlm.nih.gov/pubmed/6972816>.
- Everitt, B. J., & Robbins, T. W. (2013). From the ventral to the dorsal striatum: Devolving views of their roles in drug addiction. *Neuroscience and Biobehavioral Reviews*, 37(9 Pt A), 1946–1954.



- Faber, R., & Christenson, G. (1996). In the mood to buy: Differences in the mood states experienced by compulsive buyers and other consumers. *Psychology and Marketing*, 13, 803–819.
- Farhat, L. C., Olfson, E., Nasir, M., Levine, J. L. S., Li, F., Miguel, E. C., & Bloch, M. H. (2020). Pharmacological and behavioral treatment for trichotillomania: An updated systematic review with meta-analysis. *Depression and Anxiety*, 37(8), 715–727. <https://doi.org/10.1002/da.23028>.
- Forbes, M. K., Sunderland, M., Rapee, R. M., Batterham, P. J., Cascar, A. L., Carragher, N., ... Krueger, R. F. (2021). A detailed hierarchical model of psychopathology: From individual symptoms up to the general factor of psychopathology. *Clinical Psychological Science*, 9(2), 139–168. <https://doi.org/10.1177/2167702620954799>.
- Frances, A. (2013). The past, present and future of psychiatric diagnosis. *World Psychiatry*, 12(2), 111–112. <https://doi.org/10.1002/wps.20027>.
- Gola, M., Lewczuk, K., Potenza, M. N., Kingston, D. A., Grubbs, J. B., Stark, R., & Reid, R. C. (2022). What should be included in the criteria for compulsive sexual behavior disorder? *Journal of Behavioral Addictions*, 11(2), 160–165. <https://doi.org/10.1556/2006.2020.00090>.
- Goldman, D., Oroszi, G., & Ducci, F. (2005). The genetics of addictions: Uncovering the genes. *Nature Reviews. Genetics*, 6(7), 521–532. <https://doi.org/10.1038/nrg1635>.
- Grant, J. E., Atmaca, M., Fineberg, N. A., Fontenelle, L. F., Matsunaga, H., Janardhan Reddy, Y. C., ... Stein, D. J. (2014). Impulse control disorders and “behavioural addictions” in the ICD-11. *World Psychiatry*, 13(2), 125–127. <https://doi.org/10.1002/wps.20115>.
- Grant, J. E., & Chamberlain, S. R. (2016). Expanding the definition of addiction: DSM-5 vs. ICD-11. *CNS Spectrums*, 21(4), 300–303. <https://doi.org/10.1017/S1092852916000183>.
- Grant, J. E., Odlaug, B. L., Schreiber, L. R. N., & Kim, S. W. (2014). The opiate antagonist, naltrexone, in the treatment of trichotillomania: Results of a double-blind, placebo-controlled study. *Journal of Clinical Psychopharmacology*, 34(1), 134–138. <https://doi.org/10.1097/JCP.0000000000000037>.
- Grassi, G., & Pallanti, S. (2017). Common neural networks between ocd and behavioural addictions: Is OCD a behavioral addiction? *European Psychiatry: The Journal of the Association of European Psychiatrists*, 41(S1), S21–S22. <https://doi.org/10.1016/j.eurpsy.2017.01.120>.
- Griffiths, M. (2005). A “components” model of addiction within a biopsychosocial framework. *Journal of Substance Use*, 10(4), 191–197. <https://doi.org/10.1080/14659890500114359>.
- Grubbs, J. B., Wilt, J. A., Exline, J. J., Pargament, K. I., & Kraus, S. W. (2018). Moral disapproval and perceived addiction to internet pornography: A longitudinal examination. *Addiction*, 113(3), 496–506. <https://doi.org/10.1111/add.14007>.
- Gullo, M. J., & O’Gorman, J. G. (2012). DSM-5 task force proposes controversial diagnosis for dishonest scientists. *Perspectives on Psychological Science: A Journal of the Association for Psychological Science*, 7(6), 689. <https://doi.org/10.1177/1745691612460689>.
- Gullo, M. J., & Saunders, J. B. (2020). The essential role of theory in minimizing harm from emerging technologies. Lost in committee? *Journal of Behavioral Addictions*, 9(4), 879–885. <https://doi.org/10.1556/2006.2020.00087>.
- Hague, B., Hall, J., & Kellett, S. (2016). Treatments for compulsive buying: A systematic review of the quality, effectiveness and progression of the outcome evidence. *Journal of Behavioral Addictions*, 5(3), 379–394. <https://doi.org/10.1556/2006.5.2016.064>.
- Humphreys, K. (2018). Of moral judgments and sexual addictions. *Addiction*, 113(3), 387–388. <https://doi.org/10.1111/add.14066>.
- Kardefelt-Winther, D., Heeren, A., Schimmenti, A., van Rooij, A., Maurage, P., Carras, M., ... Billieux, J. (2017). How can we conceptualize behavioural addiction without pathologizing common behaviours? *Addiction*, 112(10), 1709–1715. <https://doi.org/10.1111/add.13763>.
- Kellett, S., & Bolton, J. V. (2009). Compulsive buying: A cognitive-behavioural model. *Clinical Psychology & Psychotherapy*, 16(2), 83–99. <https://doi.org/10.1002/cpp.585>.
- Kellett, S., Oxborough, P., & Gaskell, C. (2021). Treatment of compulsive buying disorder: Comparing the effectiveness of cognitive behavioural therapy with person-centred experiential counselling. *Behavioural and Cognitive Psychotherapy*, 49(3), 370–384. <https://doi.org/10.1017/S1352465820000521>.
- Kendell, R., & Jablensky, A. (2003). Distinguishing between the validity and utility of psychiatric diagnoses. *American Journal of Psychiatry*, 160(1), 4–12. <https://doi.org/10.1176/appi.ajp.160.1.4>.
- Koob, G. F., & Le Moal, M. (2001). Drug addiction, dysregulation of reward, and allostasis. *Neuropsychopharmacology: Official Publication of the American College of Neuropsychopharmacology*, 24(2), 97–129. [https://doi.org/10.1016/S0893-133X\(00\)00195-0](https://doi.org/10.1016/S0893-133X(00)00195-0).
- Koob, G. F., & Volkow, N. D. (2010). Neurocircuitry of addiction. *Neuropsychopharmacology*, 35(1), 217–238. <https://doi.org/10.1038/npp.2009.110>.
- Kraus, S. W., Potenza, M. N., Martino, S., & Grant, J. E. (2015). Examining the psychometric properties of the Yale-Brown Obsessive-Compulsive Scale in a sample of compulsive pornography users. *Comprehensive Psychiatry*, 59, 117–122. <https://doi.org/10.1016/j.comppsy.2015.02.007>.
- Kraus, S. W., Voon, V., & Potenza, M. N. (2016). Should compulsive sexual behavior be considered an addiction?. *Addiction*, 111(12), 2097–2106. <https://doi.org/10.1111/add.13297>.
- Krueger, R. F. (1999). The structure of common mental disorders. *Archives of General Psychiatry*, 56(10), 921–926. <http://www.ncbi.nlm.nih.gov/pubmed/10530634>.
- Lawrence, L. M., Ciorciari, J., & Kyrios, M. (2014). Relationships that compulsive buying has with addiction, obsessive-compulsiveness, hoarding, and depression. *Comprehensive Psychiatry*, 55(5), 1137–1145. <https://doi.org/10.1016/j.comppsy.2014.03.005>.
- Ley, D., Prause, N., & Finn, P. (2014). The emperor has No clothes: A review of the “Pornography addiction” model. *Current Sexual Health Reports*, 6(2), 94–105. <https://doi.org/10.1007/s11930-014-0016-8>.
- Lindheimer, N., Nicolai, J., & Moshagen, M. (2020). General rather than specific: Cognitive deficits in suppressing task irrelevant stimuli are associated with buying-shopping disorder. *Plos One*, 15(8), e0237093. <https://doi.org/10.1371/journal.pone.0237093>.
- Lobo, D. S. S., & Kennedy, J. L. (2009). Genetic aspects of pathological gambling: A complex disorder with shared genetic



- vulnerabilities. *Addiction*, 104(9), 1454–1465. <https://doi.org/10.1111/j.1360-0443.2009.02671.x>.
- McElroy, S. L., Keck, P. E., Jr, Pope, H. G., Jr, Smith, J. M., & Strakowski, S. M. (1994). Compulsive buying: A report of 20 cases. *Journal of Clinical Psychiatry*, 55(6), 242–248. <https://www.ncbi.nlm.nih.gov/pubmed/8071278>.
- Meehl, P. E. (1986). Diagnostic taxa as open concepts: Meta-theoretical and statistical questions about reliability and construct validity in the grand strategy of nosological revision. In T. Millon, & G. L. Kerlman (Eds.), *Contemporary directions in psychopathology* (pp. 215–231). Guilford.
- Mestre-Bach, G., Granero, R., Steward, T., Fernández-Aranda, F., Baño, M., Aymamí, N., ... Jiménez-Murcia, S. (2016). Reward and punishment sensitivity in women with gambling disorder or compulsive buying: Implications in treatment outcome. *Journal of Behavioral Addictions*, 5(4), 658–665. <https://doi.org/10.1556/2006.5.2016.074>.
- Miltenberger, R. G., Redlin, J., Crosby, R., Stickney, M., Mitchell, J., Wonderlich, S., ... Smyth, J. (2003). Direct and retrospective assessment of factors contributing to compulsive buying. *Journal of Behavior Therapy and Experimental Psychiatry*, 34(1), 1–9. [https://doi.org/10.1016/s0005-7916\(03\)00002-8](https://doi.org/10.1016/s0005-7916(03)00002-8).
- Mouaffak, F., Leite, C., Hamzaoui, S., Benyamina, A., Laqueille, X., & Kebir, O. (2017). Naltrexone in the treatment of broadly defined behavioral addictions: A review and meta-analysis of randomized controlled trials. *European Addiction Research*, 23(4), 204–210. <https://doi.org/10.1159/000480539>.
- Müller, A., Mitchell, J. E., Crosby, R. D., Cao, L., Johnson, J., Claes, L., & de Zwaan, M. (2012). Mood states preceding and following compulsive buying episodes: An ecological momentary assessment study. *Psychiatry Research*, 200(2–3), 575–580. <https://doi.org/10.1016/j.psychres.2012.04.015>.
- Müller, A., Mitchell, J. E., & de Zwaan, M. (2015). Compulsive buying. *The American Journal on Addictions*, 24(2), 132–137. <https://doi.org/10.1111/ajad.12111>.
- Nicolai, J., Darancó, S., & Moshagen, M. (2016). Effects of mood state on impulsivity in pathological buying. *Psychiatry Research*, 244, 351–356. <https://doi.org/10.1016/j.psychres.2016.08.009>.
- Nicoli de Mattos, C., Kim, H. S., Marasaldi, R. F., Requião, M. G., de Oliveira, E. C., Zambrano Filomensky, T., & Tavares, H. (2020). A 12-week randomized, double-blind, placebo-controlled clinical trial of topiramate for the treatment of compulsive buying disorder. *Journal of Clinical Psychopharmacology*, 40(2), 186–190. <https://doi.org/10.1097/JCP.0000000000001183>.
- Raab, G., Elger, C. E., Neuner, M., & Weber, B. (2011). A neurological study of compulsive buying behaviour. *Journal of Consumer Policy*, 34(4), 401. <https://doi.org/10.1007/s10603-011-9168-3>.
- van Rooij, A. J., Ferguson, C. J., Colder Carras, M., Kardefelt-Winther, D., Shi, J., Aarseth, E., ... Przybylski, A. K. (2018). A weak scientific basis for gaming disorder: Let us err on the side of caution. *Journal of Behavioral Addictions*, 7(1), 1–9. <https://doi.org/10.1556/2006.7.2018.19>.
- Rumpf, H. J., Brandt, D., Demetrovics, Z., & Billieux, J. (2019). Epidemiological challenges in the study of behavioral addictions: A call for high standard methodologies. *Current Addiction Reports*, 6, 331–337. <https://doi.org/10.1007/s40429-019-00262-2>.
- Sassover, E., & Weinstein, A. (2022). Should compulsive sexual behavior (CSB) be considered as a behavioral addiction? A debate paper presenting the opposing view. *Journal of Behavioral Addictions*, 11(2), 166–179. <https://doi.org/10.1556/2006.2020.00055>.
- Saunders, J. B., Hao, W., Long, J., King, D. L., Mann, K., Fauth-Bühler, M., ... Poznyak, V. (2017). Gaming disorder: Its delineation as an important condition for diagnosis, management, and prevention. *Journal of Behavioral Addictions*, 6(3), 271–279. <https://doi.org/10.1556/2006.6.2017.039>.
- Schlosser, S., Black, D. W., Repertinger, S., & Freet, D. (1994). Demography, phenomenology, and comorbidity in subjects. *General Hospital Psychiatry*, 16, 205212.
- Sinclair, H., Lochner, C., & Stein, D. J. (2016). Behavioural addiction: A useful construct? *Current Behavioral Neuroscience*, 3, 43–48. <https://doi.org/10.1007/s40473-016-0067-4>.
- Sniewski, L., Farvid, P., & Carter, P. (2018). The assessment and treatment of adult heterosexual men with self-perceived problematic pornography use: A review. *Addictive Behaviors*, 77, 217–224. <https://doi.org/10.1016/j.addbeh.2017.10.010>.
- Stein, D. J. (2008). Classifying hypersexual disorders: Compulsive, impulsive, and addictive models. *The Psychiatric Clinics of North America*, 31(4), 587–591. <https://doi.org/10.1016/j.psc.2008.06.007>.
- Stein, D. J., Costa, D. L. C., Lochner, C., Miguel, E. C., Reddy, Y. C. J., Shavitt, R. G., ... Simpson, H. B. (2019). Obsessive-compulsive disorder. *Nature Reviews. Disease Primers*, 5(1), 52. <https://doi.org/10.1038/s41572-019-0102-3>.
- Stein, D. J., Phillips, K. A., Bolton, D., & Fulford, K. W. M. (2010). What is a mental/psychiatric disorder? From DSM-IV to DSM-V. *Psychological Medicine*, 40, 1759–1765. <https://doi.org/10.1017/S0033291709992261>.
- Sussman, S., Rozgonjuk, D., & van den Eijnden, R. J. J. M. (2017). Substance and behavioral addictions may share a similar underlying process of dysregulation. *Addiction*, 112(10), 1717–1718. <https://doi.org/10.1111/add.13825>.
- The Lancet Psychiatry (2021). The things themselves [Review of *The things themselves*]. *The Lancet. Psychiatry*, 8(3), 169. [https://doi.org/10.1016/S2215-0366\(21\)00033-X](https://doi.org/10.1016/S2215-0366(21)00033-X).
- Trotzke, P., Starcke, K., Pedersen, A., & Brand, M. (2015). Impaired decision making under ambiguity but not under risk in individuals with pathological buying-behavioral and psychophysiological evidence. *Psychiatry Research*, 229, 551–558. <https://doi.org/10.1111/adb.13073>.
- Trotzke, P., Starcke, K., Pedersen, A., & Brand, M. (2021). Dorsal and ventral striatum activity in individuals with buying-shopping disorder during cue-exposure: A functional magnetic resonance imaging study. *Addiction Biology*, 26(6), e13073.
- Tunney, R. J., & James, R. J. E. (2017). Criteria for conceptualizing behavioural addiction should be informed by the underlying behavioural mechanism. *Addiction*, 112(10), 1720–1721. <https://doi.org/10.1111/add.13831>.
- Van Rooij, A. J., & Kardefelt-Winther, D. (2017). Lost in the chaos: Flawed literature should not generate new disorders. *Journal of Behavioral Addictions*, 6(2), 128–132. <https://doi.org/10.1556/2006.6.2017.015>.
- Vogel, B., Trotzke, P., Steins-Loeber, S., Schafer, G., Stenger, J., de Zwaan, M., ... Müller, A. (2019). An experimental examination of cognitive processes and response inhibition in patients seeking treatment for buying-shopping disorder. *Plos One*, 14(3), e0212415. <https://doi.org/10.1371/journal.pone.0212415>.

- Volkow, N. D., Michaelides, M., & Baler, R. (2019). The neuroscience of drug reward and addiction. *Physiological Reviews*, 99(4), 2115–2140. <https://doi.org/10.1152/physrev.00014.2018>.
- Widiger, T. A., & Clark, L. A. (2000). Toward DSM—V and the classification of psychopathology. *Psychological Bulletin*, 126(6), 946–963. <https://doi.org/10.1037/0033-2909.126.6.946>.
- Williams, A. D., & Grisham, J. R. (2012). Impulsivity, emotion regulation, and mindful attentional focus in compulsive buying. *Cognitive Therapy and Research*, 36(5), 451–457. <https://doi.org/10.1007/s10608-011-9384-9>.
- Yücel, M., Oldenhof, E., Ahmed, S. H., Belin, D., Billieux, J., Bowden-Jones, H., ... Verdejo-Garcia, A. (2019). A transdiagnostic dimensional approach towards a neuropsychological assessment for addiction: An international delphi consensus study. *Addiction*, 114(6), 1095–1109. <https://doi.org/10.1111/add.14424>.

