

## **Oxidative Stress and Aging Prevention**

Hamid Nasri, Mahmoud Rafieian-Kopaei1

Department of Nephrology, Division of Nephropathology, Isfahan University of Medical Sciences, Isfahan, Iran, <sup>1</sup>Medical Plants Research Center, Shahrekord University of Medical Sciences, Shahrekord, Iran

Date of Submission: Jun 04, 2013

Date of Acceptance: Aug 05, 2013

## **DEAR EDITOR,**

It has been considered that free radicals might damage to cells by excess reactive oxygen species. Oxidative stress denotes increased free radicals that can damage deoxyribonucleic acid and mitochondria due to excess energy stores. It causes or accelerates many hard curative complications such as diabetes,<sup>[1]</sup> atherosclerosis,<sup>[2,3]</sup> cancer,<sup>[4,5]</sup> hepatic<sup>[6,7]</sup> and kidney damage.<sup>[8-12]</sup> The theory of oxidative stress involvement in aging which was proposed 56 years ago has received high attention with indisputable controversies. It has also been proposed that decreasing oxidative stress-induced cell damage will prolong the life-span of the cells. The antioxidant term is used for a group of chemicals that scavenge or bond the reactive oxygen molecules.<sup>[13]</sup> Antioxidants are critical to cell homeostasis by removing free radicals resulting in protection of cells. They have been shown to be able to prevent or cure a lot of disabling diseases; however, there are controversies about their clinical efficacies of these compounds. In regard to aging, although the current basis of the free radical theory is that oxidative stress leads to cell aging and introduction of antioxidants during periods of oxidative stress will slow down aging, however, the concept of excess oxidants has been shown mostly in in vitro studies when cells are stressed by culture media changes and **Correspondence to:** Prof. Mahmoud Rafieian-Kopaei, Medical Plants Research Center, Shahrekord University of Medical Sciences, Shahrekord, Iran. E-mail: rafieian@yahoo.com

How to cite this article: Nasri H, Rafieian-Kopaei M. Oxidative Stress and Aging Prevention. Int J Prev Med 2013;4:1101-02.

in clinical trials there are some controversies.<sup>[14]</sup> It has been suggested that antioxidants are not always beneficial; even they can be harmful and can function as pro-oxidant precursors.<sup>[15]</sup> The question is that when antioxidants act properly and why they are not always beneficial in stressed conditions. The answer might be found in the complexity of antioxidant system in human being. Specific vitamins directly reduce free radicals and up-regulate physiologic antioxidant enzymes. Vitamins A, C and E and folate have been shown to be effective supplemental antioxidants in decreasing free radicals in vivo and in vitro. However the results of the large studies offer little evidence that taking vitamin E, vitamin C, beta-carotene or other single antioxidants protect against chronic diseases such as cancer and atherosclerosis. The findings about combinations are also complicated and not entirely clear.<sup>[13]</sup> It seems that natural whole products such as vegetables and fruits are effectively able to prevent or cure a variety of chronic diseases and prevent aging in clinical trials, but single antioxidants or even their combination do not always act the same. Antioxidants almost certainly evolve as parts of elaborate networks. This means that no single substance can do the work of the whole collection of antioxidants. It might be because the antioxidant system in the body is a complex system and oxidation of one part of this system affects other parts. Hence,

although a single antioxidant might be able to enhance the whole antioxidant capacity, but it might not be able to restore the antioxidants in all parts of this system.<sup>[16]</sup> Furthermore, antioxidants in certain conditions, such as at high doses or in the presence of metal ions can display pro-oxidant activities 47-50. The pro-oxidant or antioxidant activity depends upon antioxidant concentration. For example, quercetin has shown antioxidant activity at low doses (0.1-20 µm) while at 50 µM or higher concentrations decreased cell survival and viability, thiol content and superoxide dismutase, catalase or glutathione S-transferase activities. It also potentiated the superoxide radical  $(O_2^{-})$ generation within isolated mitochondria and cultured cells.<sup>[17]</sup> In conclusion free radicals may contribute to aging as well as chronic complications such as diabetes, heart diseases, nephrotoxicity and cancer, however not all antioxidants in all situations are effective in counteracting oxidative stress. Abundant evidence suggests that eating whole vegetables, fruits and grains, which all are rich in antioxidants, usually protect the body against oxidative stress; however, they are not effective equally when taken out of their natural context. The dose of single antioxidants is also important, but the complex antioxidants in their natural context might be less hazardous in high doses.

## **REFERENCES**

- 1. Rafieian-Kopaei M. Medicinal plants and the human needs. J HerbMed Plarmacol. 2012;1:1-2.
- 2. Khosravi-Boroujeni H, Mohammadifard N, Sarrafzadegan N, Sajjadi F, Maghroun M, Khosravi A, *et al.* Potato consumption and cardiovascular disease risk factors among Iranian population. Int J Food Sci Nutr 2012;63:913-20.
- 3. Rafieian-Kopaie M, Nasri H. Serum lipoprotein (a) and atherosclerotic changes in hemodialysis patients. J Ren Inj Prev 2013;2:47-50.
- 4. Shirzad H, Shahrani M, Rafieian-Kopaei M. Comparison of morphine and tramadol effects on phagocytic activity of mice peritoneal phagocytes *in vivo*. Int Immunopharmacol 2009;9:968-70.
- 5. Shirzad H, Taji F, Rafieian-Kopaei M. Correlation between antioxidant activity of garlic extracts and WEHI-164 fibrosarcoma tumor growth in BALB/c mice.

J Med Food 2011;14:969-74.

- 6. Kazemi S, Asgary S, Moshtaghian J, Rafieian M, Adelnia A, Shamsi F. Liver-protective effects of hydroalcoholic extract of *Allium hirtifolium* boiss. In rats with alloxan-induced diabetes mellitus. ARYA Atheroscler 2010;6:11-5.
- Heidarian E, Rafieian-Kopaei M. Effect of silymarin on liver phoshpatidate phosphohydrolase in hyperlipidemic rats. Biosci Res 2012;9:59-67.
- 8. Behradmanesh S, Derees F, Rafieian-Kopaei M. Effect of *Salvia officinalis* on diabetic patients. J Ren Inj Prev 2013;2:51-5.
- Rafieian-Kopaei M, Baradaran A, Merrikhi A, Nematbakhsh M, Madihi Y, Nasri H. Efficacy of co-administration of garlic extract and metformin for prevention of gentamicin-renal toxicity in wistar rats: A biochemical study. Int J Prev Med 2013;4:258-64.
- Nasri H, Nematbakhsh M, Ghobadi S, Ansari R, Shahinfard N, Rafieian-Kopaei M. Preventive and curative effects of ginger extract against histopathologic changes of gentamicin-induced tubular toxicity in rats. Int J Prev Med 2013;4:316-21.
- 11. Nasri H, Madihi Y, Merrikhi A, Gheissari A, Baradaran A, Kheiri S, *et al.* Association of proteinuria with various clinical findings and morphologic variables of Oxford classification in immunoglobulin a nephropathy patients. Int J Prev Med 2013;4:546-51.
- 12. Baradaran A, Rafieian-Kopaie M. Histopathological study of the combination of metformin and garlic juice for the attenuation of gentamicin renal toxicity in rats. J Ren Inj Prev 2013;2:15-21.
- 13. Rafieian-Kopaie M, Baradaran A. Plants antioxidants: From laboratory to clinic. J Nephropathology 2013;2:152-3.
- 14. Beckman KB, Ames BN. The free radical theory of aging matures. Physiol Rev 1998;78:547-81.
- 15. Bhatnagar A. Environmental cardiology: Studying mechanistic links between pollution and heart disease. Circ Res 2006;99:692-705.
- Asadi-Samani M, Rafieian-Kopaei M, Azimi N. Gundelia: A systematic review of medicinal and molecular perspective. Pak J Biol Sci 2013;16:1238-47.
- De Marchi U, Biasutto L, Garbisa S, Toninello A, Zoratti M. Quercetin can act either as an inhibitor or an inducer of the mitochondrial permeability transition pore: A demonstration of the ambivalent redox character of polyphenols. Biochim Biophys Acta 2009;1787:1425-32.

Source of Support: Nil, Conflict of Interest: None declared.