

ORAL PRESENTATION

Open Access

# Immunodynamics of Th17 cells in HIV-1 subtype 'C' infection

Madhu Vajpayee\*, Alpana Singh, Sharique A Ali, Neeraj Kumar Chauhan, Ravinder Singh

From First International Science Symposium on HIV and Infectious Diseases (HIV SCIENCE 2012) Chennai, India. 20-22 January 2012

## Background

Th17 cells are IL-17 producing CD4-T cells which play a vital role in inflammatory responses, antimicrobial defense and autoimmunity. However, the involvement of Th17 cells in HIV-1 infection especially in subtype-C is not yet identified. Thus through this study we try to dissect the role of Th17 cells in HIV-1 subtype 'C' infection.

## Methods

31 HIV seropositive antiretroviral therapy naïve and 8 HIV uninfected healthy control subjects were recruited and characterized as being early, late or slow progressor. Peripheral blood mononuclear cells were isolated from each study subject and stimulated with HIV-1 subtype 'C' gag peptide pool and assessed for IL-17 cytokine producing CD4-T cells using intracellular cytokine staining. All clinical groups were statistically compared by Kruskal-Wallis test and Spearman's correlation coefficient was calculated for correlation of different variables.

## Results

Here we reported that both frequency and functionality of HIV-1 specific Th17 cells were induced in early and slow progressors but were significantly reduced ( $p < 0.001$ ) at late stage of infection in peripheral blood. Also a significant negative correlation ( $\rho = 0.55$ ;  $P = 0.0004$ ) was observed between HIV-1 plasma viral load and gag specific %IL-17 production via CD4-T cells.

## Conclusion

This study showcases a comprehensive picture of Th17 cellular dynamics in HIV-1 subtype-C infection. Further, our data establishes that higher frequencies of HIV specific Th17 cells correlates with better control of viral replication and can be used as immune correlate of protection.

Published: 4 May 2012

doi:10.1186/1471-2334-12-S1-O3

Cite this article as: Vajpayee et al.: Immunodynamics of Th17 cells in HIV-1 subtype 'C' infection. *BMC Infectious Diseases* 2012 **12**(Suppl 1):O3.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at  
[www.biomedcentral.com/submit](http://www.biomedcentral.com/submit)

 **BioMed Central**

\* Correspondence: [mvajpayee@hotmail.com](mailto:mvajpayee@hotmail.com)  
Department of Microbiology, All India Institute of Medical Sciences, New Delhi, India