

ERRATUM

Open Access



Erratum to: Treatment of Provoked Vulvodynia in a Swedish cohort using desensitization exercises and cognitive behavioral therapy

Suzanne Lindström^{1*} and Linda J. Kvist^{2,3}

After publication of the original article [1] it was brought to our attention that tables two and three (here, Tables 1 and 2) contained incorrect data in question 7 and 11. The correct tables are included below. Changes in the tables do not affect the conclusions drawn in the study.

Author details

¹Sexology Department, Najaden Midwifery Clinic, Drottninggatan 7, Helsingborg 252 21, Sweden. ²Department of Obstetrics and Gynecology, Helsingborgs Hospital, Helsingborg 25187, Sweden. ³Department of Health Sciences, Faculty of Medicine, Lund University, Lund 22100, Sweden.

Received: 11 December 2015 Accepted: 11 December 2015

Published online: 23 December 2015

Reference

1. Lindström S, Kvist LJ. Treatment of Provoked Vulvodynia in a Swedish cohort using desensitization exercises and cognitive behavioral therapy. *BMC Womens Health*. 2015;15:108.

* Correspondence: suzanne.lindstrom@telia.com

¹Sexology Department, Najaden Midwifery Clinic, Drottninggatan 7, Helsingborg 252 21, Sweden

Submit your next manuscript to BioMed Central and we will help you at every step:

- We accept pre-submission inquiries
- Our selector tool helps you to find the most relevant journal
- We provide round the clock customer support
- Convenient online submission
- Thorough peer review
- Inclusion in PubMed and all major indexing services
- Maximum visibility for your research

Submit your manuscript at
www.biomedcentral.com/submit



Table 1 Scores for all questions on the MFSQ (median and range) and comparison of individual question scores before and directly after completed treatment using Wilcoxon signed rank test (paired)

Question	MFSQ (before treatment)	MFSQ (directly after treatment)	<i>p</i> -value
	Median (range) <i>n</i>	Median (range) <i>n</i>	
1. Are you satisfied with the extent of your sexual life at the present moment? (1 = very dissatisfied, 7 = very satisfied)	2.0 (1–6) <i>n</i> = 60	5.0 (1–7) <i>n</i> = 59	<0.01* (z –6.50)
2. Approximately how many times, during the last month, have you thought about sex or had sexual fantasies? (1 = never, 7 = >10 times per day)	3.0 (1–6) <i>n</i> = 60	4.0 (1–7) <i>n</i> = 59	<0.01* (z –5.10)
3. Does sexual activity give you pleasure? (1 = no pleasure at all, 7 = a lot of pleasure)	4.0 (1–7) <i>n</i> = 53	6.0 (13–7) <i>n</i> = 53	<0.01* (z –5.10)
4. How often do you feel sexually excited or stimulated during sexual activity? (Example: increased pulse, increased vaginal lubrication, skin redness, quicker breathing, increased sensitivity in the skin and erogenous areas). (1 = never, 7 = every time)	4.0 (1–7) <i>n</i> = 53	6.0 (2–7) <i>n</i> = 54	<0.01* (z –4.51)
5. How often do you achieve orgasm during sexual activity? (For example increased pulse, increased vaginal lubrication, skin redness, quicker breathing, increased sensitivity in the skin and erogenous areas). (1 = never, 7 = every time)	4.0 (1–7) <i>n</i> = 53	6.0 (1–7) <i>n</i> = 54	<0.01* (z –3.85)
6. How often is vaginal dryness a problem during sexual activity? (1 = every time, 7 = never)	4.0 (1–7) <i>n</i> = 54	6.0 (2–7) <i>n</i> = 54	<0.01* (z –3.60)
7. How often is sexual intercourse painful? (1 = every time, 7 = never)	1.0 (1–7) <i>n</i> = 53	6.0 (2–7) <i>n</i> = 53	<0.01* (z –6.01)
8. Are you satisfied with your partner as a lover? (1 = very dissatisfied, 7 = very satisfied)	7.0 (2–7) <i>n</i> = 55	6.0 (1–7) <i>n</i> = 54	0.75 (z –0.32)
9. Are you satisfied with your partner as a fellow human and friend? (1 = very dissatisfied, 7 = very satisfied)	7.0 (2–7) <i>n</i> = 54	7.0 (2–7) <i>n</i> = 54	0.06 (z –1.90)
10. How often have you had sexual intercourse during the last month? (1 = never, 6 = >8 times)	2.0 (1–6) <i>n</i> = 60	3.0 (1–6) <i>n</i> = 59	<0.01* (z –4.51)
11. How often have you satisfied yourself, alone, during the last month? (1 = never, 6 = > 8 times)	1.5 (1–6) <i>n</i> = 60	4.0 (1–6) <i>n</i> = 59	<0.01* (z –5.90)
12. How often do you avoid intercourse in order to avoid pain? (1 = always, 5 = never)	2.0 (1–5) <i>n</i> = 58	4.0 (12–5) <i>n</i> = 52	<0.01* (z –5.71)

Table 2 Comparison for all questions on the MFSQ (median and range) before and six weeks after completed treatment using Wilcoxon signed rank test (paired)

Question	MFSQ (before treatment)	MFSQ (six months after treatment)	p-value
	Median (range) n	Median (range) n	
1. Are you satisfied with the extent of your sexual life at the present moment? (1 = very dissatisfied, 7 = very satisfied)	2.0 (1–6) n = 60	5.0 (1–7) n = 60	<0.01* (z -6.71)
2. Approximately how many times, during the last month, have you thought about sex or had sexual fantasies? (1 = never, 7 = >10 times per day)	3.0 (1–6) n = 60	4.0 (1.5–7) n = 60	<0.01* (z -4.50)
3. Does sexual activity give you pleasure? (1 = no pleasure at all, 7 = a lot of pleasure)	4.0 (1–7) n = 53	6.0 (3–7) n = 54	<0.01* (z -4.60)
4. How often do you feel sexually excited or stimulated during sexual activity? (1 = never, 7 = every time)	4.0 (1–7) n = 53	6.0 (3–7) n = 53	<0.01* (z -5.10)
5. How often do you achieve orgasm during sexual activity? (1 = never, 7 = every time)	4.0 (1–7) n = 53	5.0 (1–7) n = 53	0.01* (z -2.50)
6. How often is vaginal dryness a problem during sexual activity? (1 = every time, 7 = never)	4.0 (1–7) n = 54	5.0 (1–7) n = 53	<0.01* (z -3.13)
7. How often is sexual intercourse painful? (1 = every time, 7 = never)	1.0 (1–7) n = 53	6.0 (1–7) n = 53	<0.01* (z -5.90)
8. Are you satisfied with your partner as a lover? (1 = very dissatisfied, 7 = very satisfied)	7.0 (2–7) n = 55	6.0 (2–7) n = 51	0.61 (z -0.61)
9. Are you satisfied with your partner as a fellow human and friend? (1 = very dissatisfied, 7 = very satisfied)	7.0 (2–7) n = 54	7.0 (1–7) n = 53	0.10 (z -1.71)
10. How often have you had sexual intercourse during the last month? (1 = never, 6 = >8 times)	2.0 (1–6) n = 60	3.0 (1–6) n = 59	<0.01* (z -3.10)
11. How often have you satisfied yourself, alone, during the last month? (1 = never, 6 = >8 times)	1.5 (1–6) n = 60	3.0 (1–6) n = 59	<0.01* (z -4.10)
12. How often do you avoid intercourse in order to avoid pain? (1 = always, 5 = never)	2.0 (1–5) n = 58	4.0 (1–5) n = 52	<0.01* (z -5.80)

*Statistically significant increase in scores