Authors' reply

Sir,

We thank the authors for reading our article with interest and raising valid concerns about our study. Understanding about the choroidal measurements and its variability has increased in recent past. We agree with the authors about the effect of exercise and mydriatic on choroidal thickness and these factors will be considered in future studies. In our study, none of the study subjects were smokers. Again, we appreciate authors' interest in choroidal imaging and contribution to the literature.

Financial support and sponsorship Nil.

Conflicts of interest There are no conflicts of interest.

Jay Chhablani, Riddhima Deshpande, Virender Sachdeva¹, Sagar Vidya², P. Srinivasa Rao², Anand Panigati¹, Birendra Mahat¹, Rajeev Reddy Pappuru, Niranjan Pehere², Avinash Pathengay²

> L. V. Prasad Eye Institute, Kallam Anji Reddy Campus, L.V. Prasad Marg, Banjara Hills, Hyderabad, ¹GMRV

Campus, LV Prasad Eye Institute, Visakhapatnam, ²L V Prasad Eye Institute, Kode Venkatadri Chowdary Campus, Tadigadapa, Vijayawada, Andhra Pradesh, India

Correspondence to: Dr. Jay Chhablani, Smt. Kanuri Santhamma Retina Vitreous Centre, L. V. Prasad Eye Institute, Kallam Anji Reddy Campus, L.V. Prasad Marg, Banjara Hills, Hyderabad - 500 034, Andhra Pradesh, India. E-mail: jay.chhablani@gmail.com

This is an open access article distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 License, which allows others to remix, tweak, and build upon the work non-commercially, as long as the author is credited and the new creations are licensed under the identical terms.

| Access this article online | |
|----------------------------|------------------------|
| Quick Response Code: | |
| | Website: www.ijo.in |

Cite this article as: Chhablani J, Deshpande R, Sachdeva V, Vidya S, Rao PS, Panigati A, *et al.* Authors' reply. Indian J Ophthalmol 2016;64:101.