

## Erratum to: Virucidal Efficacy of Different Oral Rinses Against Severe Acute Respiratory Syndrome Coronavirus 2

Toni Luise Meister,<sup>1</sup> Yannick Brüggemann,<sup>1</sup> Daniel Todt,<sup>1,2</sup> Carina Conzelmann,<sup>3</sup> Janis A. Müller,<sup>3</sup> Rüdiger Groß,<sup>3</sup> Jan Münch,<sup>3</sup> Adalbert Krawczyk,<sup>4,5</sup> Jörg Steinmann,<sup>6,7</sup> Jochen Steinmann,<sup>8</sup> Stephanie Pfaender,<sup>1</sup> and Eike Steinmann<sup>1</sup>

<sup>1</sup>Department for Molecular and Medical Virology, Ruhr University Bochum, Bochum, Germany, <sup>2</sup>European Virus Bioinformatics Center, Jena, Germany, <sup>3</sup>Institute of Molecular Virology, Ulm University Medical Center, Ulm, Germany, <sup>4</sup>Department of Infectious Diseases, West German Centre of Infectious Diseases, Universitätsmedizin Essen, University Duisburg-Essen, Essen, Germany, <sup>5</sup>Institute for Virology, University Hospital Essen, University of Duisburg-Essen, Essen, Germany, <sup>6</sup>Institute of Clinical Hygiene, Medical Microbiology and Infectiology, General Hospital Nürnberg, Paracelsus Medical University, Nuremberg, Germany, <sup>7</sup>Institute of Medical Microbiology, University Hospital of Essen, Essen, Germany, and <sup>8</sup>Dr. Brill + Partner GmbH Institute for Hygiene and Microbiology, Bremen, Germany

In “Virucidal Efficacy of Different Oral Rinses Against Severe Acute Respiratory Syndrome Coronavirus 2” by Meister et al. [*J Infect Dis*, doi:10.1093/infdis/jiaa471], the Product Name for Product E in Table 1 was incorrectly given as ‘Iso-betadine

mouthwash 0%’ and should have been ‘Iso-betadine mouthwash 1.0%’. This has been corrected in the proof, and the publisher regrets this error.