

Figure 4: The expression of NF- κ B in the hydrogen peroxide induced SH-SY5Y cell toxicity was detected by Western blotting. (1) naïve control, (2) H₂O₂ + vehicle, (3) H₂O₂ + MFML low dose, (4) H₂O₂ + MFML high dose.




Figure 5: The expression of TNF- α in the hydrogen peroxide induced SH-SY5Y cell toxicity was detected by Western blotting. (1) naïve control, (2) H₂O₂ + vehicle, (3) H₂O₂ + MFML low dose, (4) H₂O₂ + MFML high dose.




Figure 6: The expression of BCL-2 in the hydrogen peroxide induced SH-SY5Y cell toxicity was detected by Western blotting. (1) naïve control, (2) H₂O₂ + vehicle, (3) H₂O₂ + MFML low dose, (4) H₂O₂ + MFML high dose.




Figure 7: The expression of Caspase-3 in the hydrogen peroxide induced SH-SY5Y cell toxicity was detected by Western blotting. (1) naïve control, (2) H₂O₂ + vehicle, (3) H₂O₂ + MFML low dose, (4) H₂O₂ + MFML high dose.




Figure 8: The expression of Caspase-9 in the hydrogen peroxide induced SH-SY5Y cell toxicity was detected by Western blotting. (1) naïve control, (2) H₂O₂ + vehicle, (3) H₂O₂ + MFML low dose, (4) H₂O₂ + MFML high dose.