Physical Activity and Aging: Exploring Motivations of Masters Swimmers

Gerontology & Geriatric Medicine Volume 7: 1–9 © The Author(s) 2021 Article reuse guidelines: sagepub.com/journals-permissions DOI: 10.1177/23337214211044658 journals.sagepub.com/home/ggm (\$SAGE

Susan L. Brilliant, MBA, MSG¹⁽⁶⁾, Maria Claver, PhD, MSW¹⁽⁶⁾, Patti LaPlace, MPA¹, and Cynthia Schlesinger, MSG¹⁽⁶⁾

Abstract

Physical activity benefits the health of older adults (e.g., lowering risk of cardiovascular disease, depression, dementia, and falls). However, less than one in four Americans meets guidelines for physical activity and inactivity increases with age. Masters athletes are exemplary because of their remarkable physical functioning. Swimming is a global, fast-growing sport in Masters athletics. This qualitative study explored motivations and barriers of 18 older adult members of a Masters swim club in Southern California. Guided by a primary research question: Why do Masters swimmers choose swim late in life, when most of their age cohort are becoming less physically active, semi-structured interviews delved into the lived experiences of the participants, and solicited peer feedback. Four main themes emerged: (1) I Just Love the Sensation of Being in the Water, (2) Tell Your Body What to Do Instead of the Other Way Around, (3) Make a Commitment to Your Friends That You're Going to be There, and (4) I've Never Gone This Long in My Life Without Swimming. Participants expressed longing and regret that they could not swim due to COVID risk and safety guidelines. These findings can be used to design community programs to promote lifelong physical activity participation.

Keywords

physical activity, older adults, aging, swimming, motivation

Manuscript received: July 12, 2021; final revision received: August 13, 2021; accepted: August 18, 2021.

Introduction

Physical activity benefits the health and well-being of older adults. Physical activity lowers the risk of cardiovascular disease, which is the number one cause of death, other noncommunicable diseases, depression, dementia, and anxiety (Hillman et al., 2008; Lee et al., 2012; Nelson et al., 2007; Pahor et al., 2014). Regular physical activity can produce long-term health benefits. For example, engaging in exercise improves cardiorespiratory endurance, flexibility, and strength, reduces obesity, and builds bone density (Health.gov, 2018; Ohkawara et al., 2007). The physically active are less likely to fall or sustain injuries if they do fall and are more inclined to sleep better, maintain mobility, and stay independent (Pahor et al., 2014; Centers for Disease Control and Prevention [CDC], 2020; U.S. Department of Health and Human Services [DHHS], 2018). Despite these benefits, not enough older adults are physically active (Keadle et al., 2016). The World Health Organization (WHO, 2010) and U.S. DHHS (2018) recommend that adults should engage in at least 150 min per week of moderate-intensity aerobic activity and a muscle strengthening activity at least 2 days per week. Less than one in four American adults fully meet these guide-lines, however. The proportion of older adults aged 65 and over who meet the guidelines is even lower, at roughly 14% (HealthyPeople.gov, 2020). Nearly US\$117 billion in annual direct health care expenditures (Carlson, 2015) are associated with a failure to meet the recommended levels of aerobic activity and these costs will grow.

¹California State University, Long Beach, CA, USA

Corresponding Author:

Susan L. Brilliant, Department of Family and Consumer Sciences, California State University, Long Beach, CA, USA. Email: SLBrilliant@yahoo.com



Creative Commons Non Commercial CC BY-NC: This article is distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 License (https://creativecommons.org/licenses/by-nc/4.0/) which permits non-commercial use, reproduction and distribution of the work without further permission provided the original work is attributed as specified on the SAGE

and Open Access pages (https://us.sagepub.com/en-us/nam/open-access-at-sage).

Masters athletes are one segment of the older adult population that some promote as exemplary (Geard et al., 2017). Hodge et al.'s (2008) study of New Zealand national Masters Games participants found that these athletes felt enjoyment, were committed, had high perceptions of ability and belonging, and were intrinsically motivated. Researchers from sport psychology, leisure studies, and geriatric rehabilitation have begun to explore experiences of older athletes (Dionigi et al., 2013; Heo et al., 2013; Larson et al., 2019; Pike, 2011; Rathwell et al., 2015; Wigglesworth et al., 2012; Young, 2011). Masters swimming is growing in popularity as a means to increase aerobic activity and muscle-building, is less stressful on conditions such as knee and hip osteoarthritis than some other activities (Cooper et al., 2007), and is largely accessible to the older adult population, with Masters clubs in many cities and towns. Studies of Masters swimmers have mostly focused on elite competitors while excluding the large number of leisure Masters swimmers who do not compete at that level (Lyons & Dionigi, 2007; Medic et al., 2013; Petracovschi, 2011; Santi et al., 2014; Young & Medic, 2011; Young et al., 2011). Masters swimmers' dedication and tenacity to their sport is not well understood. Many factors influence older adults' physical activity participation and adherence. Further, older adults may have drivers that are different from those of younger adults. Although the condition of the physical body matters, the interplay of individual perceptions and life circumstances, as well as social and physical environments, impacts physical activity behavior (Grant, 2008; Rivera-Torres et al., 2019; Van Dyck et al., 2017).

The purpose of this study was to explore the motivations of older adult Masters swimmers to engage in this particular type of physical activity and to understand barriers to their sport commitment. Research questions included:

- Why do Master swimmers choose to swim late in life, when most of their age cohort are becoming less physically active?
- 2. How do the motivations of Masters swimmers who swam competitively in their younger years compare to the motivations of Masters swimmers who started swimming as adults?
- 3. Which experiences help motivate Masters swimmers to continue participation in regular sport activity (i.e., recreational and/or competitive)?

Methods

Design

This qualitative study characterized Masters swimmers' personal experiences in everyday terms. A phenomenological approach illuminated the social, environmental, historical, and cultural influences in addition to the intrapersonal concerns.

Participants

After written consent was obtained, interviews with 18 older adult (aged 60 years and older) members of a Los Angeles area swim program were conducted online with videoconferencing and guided by a semi-structured interview guide. A demographic questionnaire included gender, year of birth, work status, where they practice, how they found their particular club, level of swimming experience, prior physical activity, and reason for joining a club.

Data Analysis

The researcher used interpretive phenomenological analysis (IPA), which involves an exploration of an experience with personal significance, complex decision making and social processes. The aim of IPA is to reveal what a lived experience means to an individual by searching for essences or structures underlying a phenomenon, through in-depth reflective inquiry (Smith et al., 2009). The interviews were transcribed and reviewed, case by case, and coded by the researcher to identify emerging themes. Beyond simple description, the researcher developed an interpretation of the narratives in relation to intrapersonal, social, and environmental contexts. The IPA approach is iterative, ultimately revealing patterns on a group level across cases (Callary et al., 2015; Smith et al., 2009). The study analysis was guided by Sallis et al.'s (2008) ecological model of health behavior (Figure 1). Further review, using metaphors and temporal references as suggested by Peat et al. (2019), moved the interpretation to a deeper level.

Results

Participants ranged in age from 60 to 80 years old, with a mean age of 68 years (SD = 7.04). Seven (38.9%) were female and 11 (61.1%) were male. Most were actively engaged in professional pursuits: 10 (55.6%) participants were employed full-time, 5 (27.8%) were self-employed, and 3 (16.7%) were retired. Most classified themselves as "Masters recreational/fitness" level swimmers (11 or 61.1%); the remaining classified themselves as "Masters competitive experience" level swimmers (7 or 38.9%). Because most prior research focused on elite level Masters swimmers, it was important to include participants with a range of abilities. Interviews lasted an average of 38 min (Table 1).

The researcher identified four main themes and several subthemes reflecting motivators or barriers to swimming engagement. Participants' own words were used to title the themes: (1) *I Just Love the Sensation of Being in the Water*, (2) *Tell Your Body What to Do Instead of the Other Way Around*, (3) *Make a Commitment to Your Friends That You're Going to be There*, and (4) *I've Never Gone This Long in My Life Without Swimming*.




Figure I. Ecological model.

Table 1. Descriptive statistics of study participants (n = 18).

	Mean/Frequency	SD/%	
Age	68	7.04	
Gender			
Female	7	38.9	
Male	11	61.1	
Work status			
Employed, full-time	10	55.6	
Retired	3	16.7	
Self-employed	5	27.8	
Swimming experience			
Masters competitive	7	38.9	
Masters recreational/fitness	11	61.1	

"I Just Love the Sensation of Being in the Water"

Enjoyment. Participants used words like "joy," "fun," and "uplifting" to describe their Masters swimming practices, choosing to swim as older adults because they enjoyed the activity. Some participants described lifelong positive swimming experiences, where others discovered the water's pleasures later in life. One 71-year-old participant had swum competitively in high school and then returned to the sport at the suggestion of an acquaintance—and 41 years later is still going strong. "I can't wait to get to the pool. For me, it's, ... an absolute joy. And so as a result, it's not, you know, it's not work. It's not difficult. It's, ...always playing." A 61-year-old played basketball until he wore out his knees and was advised to consider a different sport. "I remember the first time I went in a 50-m pool ... I had to stop halfway across, I

was so tired ... though today, I can do 100 m butterfly in a 50-m pool."

Reducing stress. Focusing on swim practice made it easy for participants forget their worries and they described mood elevation at the end of the workout. "The best thing about swimming is how relaxed you feel... that's the main thing I like about it" (78-year-old male). A 65-year-old female was a caregiver for a loved one with a terminal illness. "I needed a stress reliever and I needed a place to go every single day to sort of get away from the whole thing." Some participants described improved focus when they swam. A 62-year-old female used guided visualization (of swimming) to get herself through challenging times. "It also is kind of very mindful... dolphining and just feeling your whole body in the water and you really in tune to it. So, you really ... focus in the moment."

"Tell Your Body What to Do Instead of the Other Way Around"

Getting older often coincides with physiological changes such as muscle and bone weakening, slowing metabolism, and sensory loss. As these shifts happen, older adults may feel the control they have over their bodies diminish. However, the participants appreciated a greater sense of control gained by swimming regularly. Slowing physical decline, represented by *Tell Your Body What to Do Instead of the Other Way Around*, was another superordinate theme, with four subthemes: *slowing physical decline, working around wear and tear, fitness, and competence.* One 60year-old male characterized swimming as "a discipline that you can impose on yourself ...you can... tell your body what to do instead of the other way around...you have control over at least this part of your physicality, and it doesn't control you."

"Make a Commitment to Your Friends That You're Going to be There"

On an interpersonal level, *Make a Commitment to Your Friends That You're Going to be There* emerged as a third main theme, with three important psycho-social subthemes.

Team structure. While team coaches may control the workout by presenting instructions, feedback, and encouragement, swimmers can have positive and negative impacts on each other during the workout. Some of this study's participants were more driven by the competitive aspect of Masters-level workouts than others, but they all seemed to find a lane to suit their taste.

I discovered ... several outstanding former college swimmers ... guys who... actually won rankings and among the world's best swimmers for their age group. So they have inspired me to continue to swim. I also like having someone to challenge me like the person in the lane next to me, that ... makes me go faster. (75-year-old male)

Friendship/fellowship. Many participants explained that they discovered friendly and welcoming lane mates who encouraged them to return to practice. One man, who joined Masters after the age of 70, explained "They were supportive and encouraging and kept reminding you that you'd get there 1 day." "You make a commitment to your friends that you're going to be there," said 75-year-old male, "… nurturing is … important." Most of the study participants expressed appreciation for the camaraderie of the club. "I've been swimming with the same two women for … over 20 years. We're friends, we've … gotten old together… I love the fact that it's really multi age group and multi ability group" (67-year-old female).

Family influence. An oft-mentioned topic was parental or sibling behavior that motivated participants to swim. Parents often sponsored lessons and/or youth team participation, and siblings sometimes provided impetus as rivals.

"I've Never Gone This Long in My Life Without Swimming"

External barriers. It is important to note that the COVID-19 pandemic served as unique context for this study. The risk of contagion and related effect of lockdowns was a theme that overshadowed the interviews and emerged as a barrier to activity participation. "I am so high risk; I cannot swim in a public pool at all." The pandemic's disruption was acutely felt by a 67-year-old female, who said, "I've never gone this long in my life without swimming ... since we closed down for COVID."

Besides the pandemic, participants described external barriers were that were mostly temporary and surmountable. First, *travel* posed a challenge when participants worked far away from their club pool. Second, finding the time in one's schedule and juggling priorities presented challenges. Even with demanding jobs and family responsibilities, these older adults displayed remarkable resourcefulness in sticking with their swim routines. The third external barrier was *financial*. "I haven't started back primarily for financial reasons, honestly, since COVID hit until they get back to where ... they're charging normal fees." A few participants mentioned that the cost of a monthly club membership was a consideration. The fourth barrier related to the physical environ*ment*: cold weather at the outdoor pools and darkness had been barriers, especially for early-morning practices. "As you get older, you get much more sensitive to the cold. It's hard when that when the [water] temperature gets below 80." (Table 2)

Discussion

Implications

The study participants' narratives painted a vivid and multifaceted picture of today's older adult Masters swimmers' motivations and barriers. As expected, the themes aligned with social-ecological models that portray health behavior as a result of intrapersonal, interpersonal, environmental, and policy influences that often intersect. When asked the question, "Could you share a few ideas on why you swim?" a major theme that emerged was enjoyment. This finding was consistent with other studies showing increased enjoyment as a predictor of a desire to continue practicing the activity, such as Young and Medic's (2011) survey of Masters swimmers at the 2008 World Championships. The present study's results had much in common with prior studies of older adults' physical activity participation and commitment (Berlin et al., 2018; Larson et al., 2019). A few participants highlighted enjoyment when swimming outdoors. For example, participants who were ocean swimmers often encountered schools of friendly dolphins and connected with "the elements." Twohig-Bennett and Jones (2018) found greenspace exposure to be associated with numerous health benefits. The present study expands upon their findings by describing pleasurable aspects of swimming outdoors, which was a motivating factor for many. These findings were consistent with the literature, which includes sound empirical evidence that positive affect, or enjoyment, can increase physical activity levels (Rhodes et al., 2009). Jekauc (2015) found that judgments about pleasure/displeasure mediated the effect of interventions on exercise adherence. Program planners need to consider the "fun factor" of programs to improve older adults' physical activity adherence.

The relaxing effect of swimming to reduce stress emerged as an important subordinate theme. Strong evidence demonstrates that acute bouts of physical activity can be calming and that regular participation in moderate-to-vigorous physical activity can reduce trait anxiety and risk of depression in older adults (Health.gov, 2018). Shapton (2012) described "the metaphysical state of swimming: The body immersed, feels amplified, heavier and lighter at the same time. Weightless yet stronger" (p. 188). This study's participants' experiences evoked that feeling; they enjoyed floating on the surface of the water to defy the tug of gravity and the sag of old age. Several participants noted mood improvement as a motivating factor (e.g., they mentioned "keeping your mind in shape," "comforting and calming," "Zen quality," and "meditative effect"), which was in line with other studies (Bethancourt et al., 2014; Kwaśna & Jaworski, 2018; Yamashita et al., 2019) and that a swim session "wipes away" anxiety. Swimming offered a sense of detachment from day-to-day demands of work. More than three-quarters of this study's participants were working fulltime or were self-employed. This characteristic stood out

Theme	Subtheme	Example Quote
I Just Love the Sensation of Being in the Water	Enjoyment	When my stroke comes together, I love it. When I'm moving efficiently, I love the sound of the splash in my ears. I love the sound of my breathing. When I do it, I love the feel of a flip turn when it happens in the workout. I just love the sensation of being in the water and moving. (P12, 69-year-old male)
	Reducing stress	I go into some workouts with a million thingson [my] mindand it's like Zen you can sleep better you can enjoy the rest of the evening. (P07, 63-year-old female)
Tell Your Body What to Do Instead of the Other Way Around	Slowing physical decline	I learned it was what helped me and that's how I started it, because of my back What motivates me now is more physical conditioning, rather than overcoming the disability from my back surgery. (P08, 80-year-old male)
	Working around wear and tear	Eventually, as I got older I now swim with my fins all the time. (P16, 77- year-old male)
	Fitness	I've never been a world beater or a champion or anything like that. But I've always been into exercise. Gotta get it. And it used to be easier to do it by jogging at the end of a day's work or something like that. But you know, I found the older that I got, swimming is a lot more comfortable. And I think it's probably better exercise. (P06, 78-year-old male)
	Competence	I tend to like things [where] there's a long path right to getting good at something I could spend a decade doing this and get better at it. And that, that sort of, that's a positive for me. (P17, 63-year-old female)
Make a Commitment to Your Friends That You're Going to be There	Team structure	I like the routine. I know that I wouldn't usually swim an hour [by] myself. (P19, 61-year-old female) It helps when you see other older peoplethat's encouraging. (P15, 65-year-
	Friendship/fellowship	old-male) It was really nice the last 2 years that they opened up the office for you know, a holiday party. (P02, 67-year-old female)
	Family influence	[Wife was] very, very supportive of me and it, it made a difference. (P11, 71- year-old male)
I've Never Gone This Long in My Life Without Swimming	COVID-19 pandemic	I'm in lockdown right now I'm in quarantine. And I'm dying for a swim. (P19, 61-year-old female)
	Travel	It depends on where I'm working, you know, where you can find the pool to swim is very important. (P04, 60-year-old male)
	Financial	lt's pretty expensive. (P09, 77-year-old male)
	Finding time	You choose to prioritizeonce I got on board, it was easy to get up. And so I usually swim in the six o'clock session make that choice, which means you give up some things at night. (P05, 75-year-old male)
	Physical environment	I ended up with a number on the thermometer, where if it got any colder than that I would not swim outdoors at 6:30 in the morning. (P02, 67-year- old female)

T.L. 0	M				• •	
l able 2.	Motivators	or	barriers	to	swimming	engagement.

from prior older adult cohort studies reviewed for this paper, and contrasted with stereotypes of retired older adults.

Tell Your Body What to Do Instead of the Other Way Around, was another major theme in participants' lived experiences of swimming. Participants were motivated to maintain and improve physical functioning (e.g., strength, endurance, mobility) and youthful appearance. Participants expressed confidence in retaining control over their aging bodies. Like the older athletes in Dionigi et al.'s (2013) sports participation study, they seemed to view their aging as a combination of "acceptance, adaptation and resolve."

Sarcopenia, or age-related decline in muscle mass, has caught the attention of clinicians and researchers in recent

years. Beckwée et al. (2019) recommended resistance training of the large muscle groups in a total body approach to improve muscle function. The act of pushing water out of the way creates resistance and strengthens muscles. Swim gear, such as kickboards, fins, pull buoys and paddles may intensify this resistance.

In Bethancourt et al.'s (2014) study of older adults' exercise program use, physical limitations "due to health conditions or aging" were frequently noted as barriers to physical activity. Conversely, some of the present study's participants kept active *to deal with* their health conditions. Brooke Kirby and Ann Kluge (2013) and Kosteli et al. (2016) reported pain or fear of injury or falling were negative influences. A few of this study's participants expressed a lingering fear of injury because that would keep them out of the pool. The subtheme working around wear and tear captured the participants' efforts to find ways to exercise despite limitations, such as joint or low back pain. The third subtheme, *fitness, was a common goal and all of the study participants exhibited an awareness, explicitly or implicitly, of the importance of physical activity for good health.*

Baker et al. (2010) described how competitors (aged 55– 94) used sports participation to negotiate the aging process. They used their physical activity commitment to set themselves apart from other inactive older adults. Similarly, the present study's swimmers felt quiet pride in their athletic pursuits. Masters swimming helped them construct positive aging identities. A 63-year-old woman said, "you know, I plan to keep swimming till I kick it."

The third major theme Make a Commitment to Your Friends That You're Going to be There was part of almost every participant's swimming narrative. This theme emerged at an intersection of intra- and interpersonal levels of influence. Social motivations described by this study's participants aligned Franco et al. (2015) who found social interactions to be important in group activities, Brooke Kirby and Ann Kluge (2013) who highlighted the meaning of commitment to a team, and Steltenpohl et al. (2019) who found older adults prefer to exercise with others instead of working out alone. Many of this study's participants appreciated the social aspects of belonging to a Masters club. First, friendship and fellowship were important. An 80-yearold male said affectionately "I really enjoy swimming with [friend]. Mainly because I like to draft off of her." As with Steltenpohl et al.'s (2019) research, many of the older adults in this study saw their exercise as "we time," when they could bond and maintain relationships. The importance they placed on their "buddies" aligned with socioemotional selectivity theory (Reed & Carstensen, 2012), where older adults' personal goals shift more to the present moment and are laden with emotional meaning. Ocean swimmers also described the pleasure of joining a group adventure in the open water. This camaraderie served to reinforce their commitment to swim regularly.

With regards to swimming on a team versus exercising independently, most, if not all, of this study's participants enjoyed the variety of a coached, structured, interval-based workout (if they did not, they would likely opt for swimming laps on their own). Lakicevic et al. (2020) highlighted new or varying exercises as a potential key determinant to physical activity adherence. Interval training, which involves intermittent variation of the intensity of movement, is a common feature of Masters swimming workouts. Some of the present study participants were more interested in competing in sanctioned swim meets or open water races than others who swam for recreation or fitness. Larson et al. (2019) profiled Canadian Masters swimmers as: "low-competitive specializers," "high-competitive specializers" and "samplers." That study encouraged efforts to make Masters programs appeal to a diverse range of interests and called for further research into the psycho-social experiences of Masters swimmers. Results of the present study enhance our understanding of recreational and fitness Masters swimmers whose experiences reflect the importance of interpersonal relationships to their physical activity commitment.

Third, *family influence* was a recurrent interpersonal factor. Guell et al. (2015) suggested those involved in interventions pay closer attention to the complex social contexts rather than solely on individuals' discrete behaviors. This might be accomplished by providing meaningful social opportunities that include family members.

The fourth overarching theme of this study, *I've Never Gone This Long in My Life Without Swimming*, related to external barriers that impeded the participants' physical activity. The COVID-19 pandemic was the most formidable barrier mentioned in this study and for some the most significant in their entire lives. Many participants expressed frustration about exercise program disruptions, but very few hinted at resignation, instead demonstrating resilience. Several improvised by swimming in their backyard pools temporarily, driving great distances to find an open pool, or by joining ocean swimming groups. These efforts demonstrated evidence of adaptive coping skills, which have been highlighted recently (Fuller & Huseth-Zosel, 2021).

Three additional external barriers were faced by this study's participants. A few participants experienced difficulty finding the time and place to swim regularly, echoing other studies of older adults (Franco et al., 2015; Kosteli et al., 2016). These individuals demonstrated remarkable resourcefulness, even with demanding jobs, caregiving, and family responsibilities, to commit to their swim routines. A few of the participants mentioned *financial* barriers. Aside from pool closures during the pandemic, only cold weather/water at the outdoor pools and darkness were mentioned as *physical* environment barriers. This finding was not surprising, given the mild Southern California climate and also the large number of aquatic facilities in the region.

Limitations

This study had a few limitations. A more diverse study would include individuals from a wider variety of ethnic and socioeconomic backgrounds. The participants were Caucasian with high levels of educational attainment. This was typical of other studies of Masters swimmers worldwide. The reason for lack of diversity in Masters swimming is not well understood and would be worth addressing for public health/recreation program planners who want to support a more diverse population.

The large number of individuals interviewed for this study yielded rich results, but no follow-up fact-checking interviews were conducted. Multiple interviews with the same participant give researchers a second chance to ensure that understanding has occurred (Beck, 2021). The researcher felt confident using the playback feature of Zoom video to be able to capture the essence of the interviews. In addition, peer critiques during the research process were used to establish trust and credibility in the analysis. Other Masters swimmers with similar experiences were invited to comment on interpretations of the data and whether initial findings resonated with them.

Conclusion

This study makes important contributions to the literature on the motivations and barriers of older adults to engage in physical activity. It provides a deeper understanding of the psycho-social experiences of Masters swimmers, from recreational to competitive. This study's swimmers chose to participate in their sport late in life when most people in their age cohort are becoming less physically active. Learning about the reasons as to why older adults engage in regular physical activity will help the progress of gerontological studies, specifically in the design and promotion of successful health behavior interventions. A more physically active older adult population will improve the viability of social welfare systems in the future.

This study's overarching themes about participants' motivation to swim were related to enjoyment, slowing decline of their aging bodies, increasing competence, team structure, and affinity. These influences were often specific to swimming and intersectional. For example, participants were more likely to enjoy a swim when they could share the experience with teammates, either for socialization or friendly competition. State and local policy makers and planners need to provide more opportunities for Masters swimming groups to flourish.

In addition to COVID-19 posing a significant barrier to physical activity engagement, other obstacles were noted such as competing priorities of a busy life and travel interruptions. To address these factors, program planners could provide flexible and automated workout schedules and links to opportunities outside the community. Since cold temperatures were mentioned, facility operators could be attentive to locker room and pool water heat to reduce that barrier. Lastly, a few participants considered club fee expenses to be a potential barrier. This might be more significant for older adults in less advantaged socioeconomic groups. To increase older adult participation, program subsidies to defray user expense could open doors and provide opportunities for more older adults to get in the swim.

Declaration of Conflicting Interests

The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Funding

The author(s) received no financial support for the research, authorship, and/or publication of this article.

Ethical Approval

Approval for the proposed study was obtained from the Institutional Review Board for the Protection of Human Rights at California State University, Long Beach (1637733–3).

ORCID iD

Susan L. Brilliant ^(b) https://orcid.org/0000-0003-3063-3370 Maria Claver ^(b) https://orcid.org/0000-0003-3831-1915 Cynthia Schlesinger ^(b) https://orcid.org/0000-0002-9194-4773

Supplemental Material

Supplemental material for this article is available online.

References

- Baker, J., Fraser-Thomas, J., Dionigi, R. A., & Horton, S. (2010). Sport participation and positive development in older persons. *European Review of Aging and Physical Activity*, 7, 3-12. https://doi.org/ 10.1007/s11556-009-0054-9.
- Beck, C. T. (2021). Introduction to phenomenology: Focus on methodology. Sage Publications.
- Beckwée, D., Delaere, A., Aelbrecht, S., Baert, V., Beaudart, C., Bruyere, O., de Saint-Hubert, M., & Bautmans, I. (2019). Exercise interventions for the prevention and treatment of sarcopenia. A systematic umbrella review. *The Journal of Nutrition, Health & Aging*, 23(6), 494-502. https://geriatrie.be/ media/2020/06/Beckwee-2019.pdf.
- Berlin, K., Kruger, T., & Klenosky, D. B. (2018). A mixed-methods investigation of successful aging among older women engaged in sports-based versus exercise-based leisure time physical activities. *Journal of Women & Aging*, 30(1), 27-37. https://doi. org/10.1080/ 08952841.2016.1259439.
- Bethancourt, H. J, Rosenberg, D. E, Beatty, T, & Arterburn, D. E (2014). Barriers to and facilitators of physical activity program use among older adults. *Clinical Medicine & Research*, 12(1-2), 10-20. http://www.clinmedres.org/content/12/1-2/10.long.
- Brooke Kirby, J., & Ann Kluge, M. (2013). Going for the gusto: Competing for the first time at age 65. Journal of Aging and Physical Activity, 21, 290-308. https://pdfs. semanticscholar.org/80bf/ 7727657ec7ff08552ca6c1214e4d95c3cf22.pdf.
- Callary, B., Rathwell, S., & Young, B. Y. (2015). Insights on the process of using interpretive phenomenological analysis in sport coaching research project. *The Qualitative Report*, 20(2), 63-75. https:// www.researchgate.net/profile/Bradley_Young2/publication/ 272091636_Insights_on_the_Process_of_Using_Interpretive_ Phenomenological_Analysis_in_a_Sport_Coaching_Research_ Project/links/54da7a590cf2ba88a68d3b02/Insights-on-the-Process-of-Using-Interpretive-Phenomenological-Analysis-in-a-Sport-Coaching-Research-Project.pdf.
- Carlson, S. A., Fulton, J. E., Pratt, M., Yang, Z., & Adams, E. K. (2015). Inadequate physical activity and health care expenditures in the United States. *Progress in Cardiovascular Diseases*, 57(4), 315-323. https://doi.org/10.1016/j.pcad.2014.08.002.

- Centers for Disease Control and Prevention. (2020). Keep on your feet—preventing older adult falls. U.S. Department of Health and Human Services. https://www.cdc.gov/injury/features/ older-adult-falls/.
- Cooper, L. W., Powell, A. P., & Rasch, J. (2007). Master Swimming. Current Sports Medicine Reports, 6, 392-396. https://doi.org/10.1007/s11932-007-0058-z.
- Dionigi, R. A., Horton, S., & Baker, J. (2013). Negotiations of the ageing process: Older adults' stories of sports participation. *Sport, Education and Society*, 18(3), 370-387. https://doi.org/ 10.1080/13573322.2011.589832.
- Franco, M. R., Tong, A., Howard, K., Sherrington, C., Ferreira, P. H., Pinto, R. Z., & Ferreira, M. L. (2015). Older people's perspectives on participation in physical activity: A systematic review and thematic synthesis of qualitative literature. *British Journal of Sports Medicine*, 49(19), 1268-1276. https://bjsmbmjcom.csulb.idm.oclc.org/content/49/19/1268.
- Fuller, H. R., & Huseth-Zosel, A. (2021). Lessons in resilience: Initial coping among older adults during the COVID-19 pandemic. *The Gerontologist*, 61(1), 114-125. https://doi.org/ 10.1093/ geront/gnaa170.
- Geard, D., Reaburn, P. R. J., Rebar, A. L., & Dionigi, R. A. (2017). Masters athletes: Exemplars of successful aging? *Journal of Aging* and Physical Activity, 25(3), 490-500. https://www.researchgate. net/profile/Peter-Reaburn/publication/309369128_Masters_ Athletes_Exemplars_of_ Successful_Aging/links/5ca5b63aa6fdcc12ee913fd9/Masters-Athletes-Exemplars-of-Successful-Aging.pdf.
- Grant, B. C. (2008). An insider's view on physical activity in later life. *Psychology of Sport and Exercise*, 9(6), 817-829. https:// pdf.sciencedirectassets.com.
- Guell, C., Shefer, G., Griffin, S., & Ogilvie, D. (2015). 'Keeping your body and mind active': An ethnographic study of aspirations for healthy ageing. *BMJ Open*, 6(1), e009973. https:// bmj open.bmj.com/content/6/1/e009973.
- Health.gov. (2018). 2018 physical activity guidelines advisory committee scientific report. U.S. Department of Health and Human Services. https://health.gov/our-work/physical-activity/currentguidelines/scientific-report.
- HealthyPeople.gov. (2020). *Leading health indicators*. Office of Disease Prevention and Health Promotion. https://www.healthypeople. gov/2020/data-search/search-the-data#topic-area=3504.
- Heo, J., Culp, B., Yamada, N., & Won, Y. (2013). Promoting successful aging through competitive sports participation. *Qualitative Health Research*, 23(1), 105-113. https://doi.org/ 10.1177/1049732312457247.
- Hillman, C. H., Erickson, K. I., & Kramer, A. F. (2008). Be smart, exercise your heart: Exercise effects on brain and cognition. *Nature Reviews Neuroscience*, 9, 58-65. https://doi.org/10.1038/ nrn2298.
- Hodge, K., Allen, J. B., & Smellie, L. (2008). Motivation in masters sport: Achievement and social goals. *Psychology of Sport and Exercise*, 9(2), 157-176. https://doi.org/10.1016/ j.psychsport. 2007.03.002.

- Jekauc, D. (2015). Enjoyment during exercise mediates the effects of an intervention on exercise adherence. *Psychology*, 06, 48-54. https:// www.scirp.org/journal/paperinformation.aspx? paperid=53271.
- Keadle, S. K., McKinnon, R., Graubard, B. I., & Troiano, R. P. (2016). Prevalence and trends in physical activity among older adults in the United States: A comparison across three national surveys. *Preventive Medicine*, 89, 37-43. https://www.clinicalkey. com/#l/content/playContent/1-s2.0-S0091743516300871?returnurl= null&referrer=null.
- Kosteli, M.-C., Williams, S. E., & Cumming, J. (2016). Investigating the psychosocial determinants of physical activity in older adults: A qualitative approach. *Psychology & Health*, 31(6), 730-749. https:// www.tandfonline.com/doi/full/10.1080/08870446.2016. 1143943.
- Kwaśna, A., & Jaworski, K. (2018). Motivation behind participation in swimming classes in the hierarchy of values of adults. *Science in Swimming*, 7, 43-53. https://www.researchgate.net/ profile/Marek_Rejman/publication/336216919_Science_in_Swimming_VII/links/5d94a47ea6fdcc2554adce57/Science-in-Swimming-VII.pdf#page=43.
- Lakicevic, N., Gentile, A., Mehrabi, S., Cassar, S., Parker, K., Roklicer, R., Bianco, A., & Drid, P. (2020). Make fitness fun: Could novelty be the key determinant for physical activity adherence? *Frontiers in Psychology*, 11, 577522-577525. https:// doi.org/10.3389/fpsyg.2020.577522.
- Larson, H. K., McHugh, T.-L. F., Young, B. W., & Rodgers, W. M. (2019). Pathways from youth to masters swimming: Exploring long-term influences of youth swimming experiences. *Psychology* of Sport and Exercise, 41, 12-20. https://pdf.sciencedirectassets. com.
- Lee, I. M, Shiroma, E. J, Lobelo, F., Puska, P., Blair, S. N., & Katzmarzyk, P. T. (2012). Effect of physical inactivity on major noncommunicable diseases worldwide: An analysis of burden of disease and life expectancy. *Lancet (London, England)*, 380(9839), 219-229. https://doi.org/ 10.1016/S0140-6736(12)61031-9.
- Lyons, K., & Dionigi, R. (2007). Transcending emotional community: A qualitative examination of older adults and masters' sports participation. *Leisure Sciences*, 29, 375-389. https:// www-tandfonline-com.csulb.idm.oclc.org/doi/full/10.1080/ 01490400701394881.
- Medic, N., Young, B. W., & Grove, J. R. (2013). Perceptions of fiveyear competitive categories: Model of how relative age influences competitiveness in masters sport. *Journal of Sports Science & Medicine*, 12, 724-729. https://www.ncbi.nlm.nih. gov/pmc/articles/PMC3873663/pdf/jssm-12-724.pdf.
- Nelson, M. E., Rejeski, W. J., Blair, S. N., Duncan, P. W., Judge, J. O., King, A. C., Macera, C. A., & Castaneda-Sceppa, C. (2007). Physical activity and public health in older adults. *Medicine & Science in Sports & Exercise*, 39(8), 1435-1445. https://doi.org/10.1249/ mss.0b013e3180616aa2.
- Ohkawara, K., Tanaka, S., Miyachi, M., Ishikawa-Takata, K., & Tabata, I. (2007). A dose-response relation between aerobic exercise and visceral fat reduction: systematic review of clinical trials. *International Journal of Obesity*, 31, 1786-1797. https:// doi.org/ 10.1038/sj.ijo.0803683.

- Pahor, M., Guralnik, J. M., Ambrosius, W. T., Blair, S., Bonds, D. E., Church, T. S., Espeland, M. A., Fielding, R. A., Gill, T. M., Groessl, E. J., King, A. C., Kritchevsky, S. B., Manini, T. M., McDermott, M. M., Miller, M. E., Newman, A. B., Rejeski, W. J., Sink, K. M., & Williamson, J. D. (2014). Effect of structured physical activity on prevention of major mobility disability in older adults: The LIFE study randomized clinical trial. *JAMA*, *311*(23), 2387-2396. https://doi.org/10.1001/ jama.2014.5616.
- Peat, G., Rodriguez, A., & Smith, J. (2019). Interpretive phenomenological analysis applied to healthcare research. *Evidence-Based Nursing*, 22(1), 7-9. http://dx.doi.org/10.1136/ebnurs-2018-b103017.
- Petracovschi, S. (2011). Masters swimming at the adult age: Contextual transformations of the notion of "competition". *Journal* of Physical Education and Sport, 11(3), 355-359. https://www. semanticscholar.org/paper/Masters-swimming-at-the-adultage%3A-contextual-of-of-Petracovschi/62c12717c36768012cc 03572871817b262e8360f.
- Pike, E. C. (2011). Aquatic antiques: Swimming off this mortal coil? International Review for the Sociology of Sport, 47(4), 492-510. https://doi.org/10.1177/1012690211399222.
- Rathwell, S., Callary, B., & Young, B.W. (2015). Exploring the context of coached masters swim programs: A narrative approach. *International Journal of Aquatic Research and Education*, 9(1), 70-88. https://doi.org/10.25035/ijare.09.01.07.
- Reed, A. E., & Carstensen, L. L. (2012). The theory behind the agerelated positivity effect. *Frontiers in Psychology*, *3*, 339. https:// doi.org/10.3389/fpsyg.2012.00339 https://www.ncbi.nlm.nih. gov/pmc/articles/PMC3459016/.
- Rhodes, R. E., Fiala, B., & Conner, M. (2009). A review and metaanalysis of affective judgments and physical activity in adult populations. *Annals of Behavioral Medicine*, 38, 180-204. http://dx.doi.org/10.1007/s12160-009-9147-y.
- Rivera-Torres, S., Fahey, T. D., & Rivera, M. A. (2019). Adherence to exercise programs in older adults: Informative report. *Gerontology & Geriatric Medicine*, 5, 2333721418823604.
- Sallis, J. F., Owen, N., & Fisher, E. B. (2008). Ecological models of health behavior. In K. Glanz, B.K. Rimer, & K. Viswanath (Eds.), *Health behavior: Theory, research, and practice* (4th ed., pp. 465-485). Jossey-Bass.
- Santi, G., Bruton, A., Pietrantoni, L., & Mellalieu, S. (2014). Sport commitment and participation in masters swimmers: The influence of coach and teammates. *European Journal of Sport Science*, 14(8), 852-860. https://repository.cardiffmet.ac.uk/ bitstream/handle/10369/9352/Sport%20Commitment%20and %20Participation%20in%20Masters%20Swimmers%20The %20Influence%20of%20Coach%20and%20Teammates.pdf? sequence=1&isAllowed=y.
- Shapton, L. (2012). Swimming studies. Penguin Random House.
- Smith, J. A., Flowers, P., & Larkin, M. (2009). Interpretive phenomenological analysis: Theory, method and research. SAGE Publications.

- Steltenpohl, C. N., Shuster, M., Peist, E., Pham, A., & Mikels, J. A. (2019). Me time, or we time? Age differences in motivation for exercise. *The Gerontologist*, 59(4), 709-717.
- Twohig-Bennett, C., & Jones, A. (2018). The health benefits of the great outdoors: A systematic review and meta-analysis of greenspace exposure and health outcomes. *Environmental Research*, 166, 628-637. https://doi.org/10.1016/j.envres.2018.06.030.
- U.S. Department of Health and Human Services. (2018). *Physical activity guidelines for Americans* (2nd ed.). U.S. Department of Health and Human Services. https://health.gov/sites/default/files/2019-09/Physical_Activity_Guidelines_2nd_edition.pdf.
- Van Dyck, D., Mertens, L., Cardon, G., De Cocker, K., & De Bourdeaudhuij, I. (2017). Opinions toward physical activity, sedentary behavior, and interventions to stimulate active living during early retirement: A qualitative study in recently retired adults. *Journal of Aging and Physical Activity*, 25(2), 277-286. https://eprints.usq.edu.au/37069/1/VanDyck_etal_2016_ OpinionsTowardPhysicalActivitySedentaryBehaviorandInterventionsToStimulateActiveLivingDuringEarlyRetirementAQualitativeStudyRecentlyRetiredAdults JAgingPhysAct.pdf.
- Wigglesworth, J. C., Young, B. W., Medic, N., & Grove, J. R. (2012). Examining gender differences in the determinants of masters swimmers' sport commitment. *International Journal of Sport and Exercise Psychology*, *10*(3), 236-250. https://doi.org/ 10.1080/ 1612197X.2012.691232.
- World Health Organization. (2010). Global recommendations on physical activity for health. World Health Organization. https://apps.who.int/ iris/bitstream/handle/10665/44399/9789241599979_eng.pdf? sequence=1&isAllowed=y.
- Yamashita, T., Bardo, A. R., & Liu, D. (2019). Experienced subjective well-being during physically active and passive leisure time activities among adults aged 65 years and older. *The Gerontologist*, 59(4), 718-726.
- Young, B. (2011). Psycho-social perspectives on the motivation and commitment of masters athletes. In N. Holt, & R. Bailey (Eds.), *Lifelong engagement in sport and physical activity* (pp. 125-138). International Council of Sport Science and Physical Education.
- Young, B. W., & Medic, N. (2011). Examining social influences on the sport commitment of masters swimmers. *Psychology of Sport and Exercise*, 12(2), 168-175. https://doi.org/ 10.1016/j. psychsport.2010.09.004.
- Young, B. W., Piamonte, M. E., Grove, J. R., & Medic, N. (2011). A longitudinal study of masters swimmers' commitment. *International Journal of Sport Psychology*, 42, 436-460. https:// www.researchgate.net/profile/Bradley-Young-3/publication/ 236124331_Young_BW_Piamonte_ME_Grove_JR_Medic_N_ 2011_A_longitudinal_study_of_Masters_swimmers%27_ commitment_International_Journal_of_Sport_Psychology_42_ 436-460/links/00b7d51b28edb4bd24000000/Young-BWof-Masters-swimmers-commitment-International-Journal-of-Sport-Psychology-42-436-460.pdf#page=26.