## CONSORT-EHEALTH (V 1.6.1) - Submission/Publication Form

The CONSORT-EHEALTH checklist is intended for authors of randomized trials evaluating web-based and Internet-based applications/interventions, including mobile interventions, electronic games (incl multiplayer games), social media, certain telehealth applications, and other interactive and/or networked electronic applications. Some of the items (e.g. all subitems under item 5 - description of the intervention) may also be applicable for other study designs.

The goal of the CONSORT EHEALTH checklist and guideline is to be a) a guide for reporting for authors of RCTs,

b) to form a basis for appraisal of an ehealth trial (in terms of validity)

CONSORT-EHEALTH items/subitems are MANDATORY reporting items for studies published in the Journal of Medical Internet Research and other journals / scientific societies endorsing the checklist.

Items numbered 1., 2., 3., 4a., 4b etc are original CONSORT or CONSORT-NPT (non-pharmacologic treatment) items.

Items with Roman numerals (i., ii, iii, iv etc.) are CONSORT-EHEALTH extensions/clarifications.

As the CONSORT-EHEALTH checklist is still considered in a formative stage, we would ask that you also RATE ON A SCALE OF 1-5 how important/useful you feel each item is FOR THE PURPOSE OF THE CHECKLIST and reporting guideline (optional).

Mandatory reporting items are marked with a red \*.

In the textboxes, either copy & paste the relevant sections from your manuscript into this form - please include any quotes from your manuscript in QUOTATION MARKS,

or answer directly by providing additional information not in the manuscript, or elaborating on why the item was not relevant for this study.

YOUR ANSWERS WILL BE PUBLISHED AS A SUPPLEMENTARY FILE TO YOUR PUBLICATION IN JMIR AND ARE CONSIDERED PART OF YOUR PUBLICATION (IF ACCEPTED).

Please fill in these questions diligently. Information will not be copyedited, so please use proper spelling and grammar, use correct capitalization, and avoid abbreviations.

DO NOT FORGET TO SAVE AS PDF \_AND\_ CLICK THE SUBMIT BUTTON SO YOUR ANSWERS ARE IN OUR DATABASE!!!

Citation Suggestion (if you append the pdf as Appendix we suggest to cite this paper in the caption):

Eysenbach G, CONSORT-EHEALTH Group

CONSORT-EHEALTH: Improving and Standardizing Evaluation Reports of

Web-based and Mobile Health Interventions

J Med Internet Res 2011;13(4):e126 URL: <a href="http://www.jmir.org/2011/4/e126/">http://www.jmir.org/2011/4/e126/</a>

doi: 10.2196/jmir.1923

PMID: 22209829



soyomay@gmail.com (not shared) Switch account



Draft saved

\* Required

Your name \*

First Last

Yukio Suzuki

Primary Affiliation (short), City, Country \*

University of Toronto, Toronto, Canada

Yokohama City University, Yokohama, Japan

Your e-mail address \*

abc@gmail.com

yetii@yokohama-cu.ac.jp

#### Title of your manuscript \*

Provide the (draft) title of your manuscript.

Effect of a web-based cervical cancer survivor story on the willingness and behavioral change for Human Papillomavirus Vaccination among Japanese parents with at least one daughter aged 11 to 18 years old:



#### Name of your App/Software/Intervention \*

If there is a short and a long/alternate name, write the short name first and add the long name in brackets.

web-based video

#### **Evaluated Version (if any)**

e.g. "V1", "Release 2017-03-01", "Version 2.0.27913"

Not applicable

#### Language(s) \*

What language is the intervention/app in? If multiple languages are available, separate by comma (e.g. "English, French")

Japanese

#### URL of your Intervention Website or App

e.g. a direct link to the mobile app on app in appstore (itunes, Google Play), or URL of the website. If the intervention is a DVD or hardware, you can also link to an Amazon page.

the video could be seen only in specialized website



Must be a valid URL

URL of an image/screenshot (optional)

Your answer

#### Accessibility \*

Can an enduser access the intervention presently?

- access is free and open
- access only for special usergroups, not open
- o access is open to everyone, but requires payment/subscription/in-app purchases
- app/intervention no longer accessible
- Other:

#### Primary Medical Indication/Disease/Condition \*

e.g. "Stress", "Diabetes", or define the target group in brackets after the condition, e.g. "Autism (Parents of children with)", "Alzheimers (Informal Caregivers of)"

Japanese parents with at least one daughter aged 11 to 18 years old

#### Primary Outcomes measured in trial \*

comma-separated list of primary outcomes reported in the trial

the rate of parents who agreed to HPV vaccination for their daughters

#### Secondary/other outcomes

Are there any other outcomes the intervention is expected to affect?

the rate of parents who agreed to HPV vaccination for their daughters and the HPV vaccination rate at 3 months

#### Recommended "Dose" \*

What do the instructions for users say on how often the app should be used?

- Approximately Daily
- Approximately Weekly
- Approximately Monthly
- Approximately Yearly
- as needed"
- Other: only during the questionnaire survey

Approx. Percentage of Users (starters) still using the app as recommended after 3 months *
unknown / not evaluated
0-10%
11-20%
21-30%
31-40%
41-50%
51-60%
61-70%
71%-80%
81-90%
91-100%
Other:

Overall, was the app/intervention effective? *
yes: all primary outcomes were significantly better in intervention group vs control
partly: SOME primary outcomes were significantly better in intervention group vs control
on statistically significant difference between control and intervention
o potentially harmful: control was significantly better than intervention in one or more outcomes
inconclusive: more research is needed
Other:
Article Preparation Status/Stage *  At which stage in your article preparation are you currently (at the time you fill in this form)
At which stage in your article preparation are you currently (at the time you fill in this
At which stage in your article preparation are you currently (at the time you fill in this form)
At which stage in your article preparation are you currently (at the time you fill in this form)  not submitted yet - in early draft status
At which stage in your article preparation are you currently (at the time you fill in this form)  Onot submitted yet - in early draft status  not submitted yet - in late draft status, just before submission
At which stage in your article preparation are you currently (at the time you fill in this form)  Onot submitted yet - in early draft status  not submitted yet - in late draft status, just before submission  submitted to a journal but not reviewed yet
At which stage in your article preparation are you currently (at the time you fill in this form)  Onot submitted yet - in early draft status  not submitted yet - in late draft status, just before submission  submitted to a journal but not reviewed yet  submitted to a journal and after receiving initial reviewer comments
At which stage in your article preparation are you currently (at the time you fill in this form)  ont submitted yet - in early draft status  not submitted yet - in late draft status, just before submission  submitted to a journal but not reviewed yet  submitted to a journal and after receiving initial reviewer comments  submitted to a journal and accepted, but not published yet

Journal *  If you already know where you will submit this paper (or if it is already submitted), please provide the journal name (if it is not JMIR, provide the journal name under "other")
not submitted yet / unclear where I will submit this
Journal of Medical Internet Research (JMIR)
JMIR mHealth and UHealth
JMIR Serious Games
JMIR Mental Health
JMIR Public Health
JMIR Formative Research
Other JMIR sister journal
Other:
ls this a full powered effectiveness trial or a pilot/feasibility trial? *
O Pilot/feasibility
Fully powered

Manuscript tracking number *  If this is a JMIR submission, please provide the manuscript tracking number under "other" (The ms tracking number can be found in the submission acknowledgement email, or when you login as author in JMIR. If the paper is already published in JMIR, then the ms tracking number is the four-digit number at the end of the DOI, to be found at the bottom of each published article in JMIR)  on ms number (yet) / not (yet) submitted to / published in JMIR  other: #34715
TITLE AND ABSTRACT
1a) TITLE: Identification as a randomized trial in the title
<ul> <li>1a) Does your paper address CONSORT item 1a? *</li> <li>I.e does the title contain the phrase "Randomized Controlled Trial"? (if not, explain the reason under "other")</li> <li>yes</li> <li>Other:</li> </ul>

#### 1a-i) Identify the mode of delivery in the title

Identify the mode of delivery. Preferably use "web-based" and/or "mobile" and/or "electronic game" in the title. Avoid ambiguous terms like "online", "virtual", "interactive". Use "Internet-based" only if Intervention includes non-web-based Internet components (e.g. email), use "computer-based" or "electronic" only if offline products are used. Use "virtual" only in the context of "virtual reality" (3-D worlds). Use "online" only in the context of "online support groups". Complement or substitute product names with broader terms for the class of products (such as "mobile" or "smart phone" instead of "iphone"), especially if the application runs on different platforms.

Clear selection

#### Does your paper address subitem 1a-i? \*

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Effect of a web-based cervical cancer survivor story on the willingness and behavioral change for Human Papillomavirus Vaccination among Japanese parents with at least one daughter aged 11 to 18 years old:



### 1a-ii) Non-web-based components or important co-interventions in title

Mention non-web-based components or important co-interventions in title, if any (e.g., "with telephone support").

subitem not at all important essential

#### Does your paper address subitem 1a-ii?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Your answer

#### 1a-iii) Primary condition or target group in the title

Mention primary condition or target group in the title, if any (e.g., "for children with Type I Diabetes") Example: A Web-based and Mobile Intervention with Telephone Support for Children with Type I Diabetes: Randomized Controlled Trial

1 2 3 4 5

subitem not at all important

**(** 

0

0

0

essential

Clear selection

#### Does your paper address subitem 1a-iii? \*

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Your answer

### 1b) ABSTRACT: Structured summary of trial design, methods, results, and conclusions

NPT extension: Description of experimental treatment, comparator, care providers, centers, and blinding status.

### 1b-i) Key features/functionalities/components of the intervention and comparator in the METHODS section of the ABSTRACT

Mention key features/functionalities/components of the intervention and comparator in the abstract. If possible, also mention theories and principles used for designing the site. Keep in mind the needs of systematic reviewers and indexers by including important synonyms. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

subitem not at all important o o essential

Clear selection

#### Does your paper address subitem 1b-i? \*

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

In this double-blinded, randomized controlled trial implemented online, we enrolled 2175 participants aged 30–59 years in March 2020 via a webpage and provided them with a questionnaire related to the following aspects: awareness regarding HPV infection and HPV vaccination, and willingness for HPV vaccination. Participants were randomly assigned (1:1) to see a short film of cervical cancer survivor story or nothing, stratified by sex (male vs. female) and willingness to HPV vaccination prior to randomization (Yes vs. No). The primary endpoint was the rate of parents who agreed to HPV vaccination for their daughters. The secondary endpoint was the rate of parents who



### 1b-ii) Level of human involvement in the METHODS section of the ABSTRACT

Clarify the level of human involvement in the abstract, e.g., use phrases like "fully automated" vs. "therapist/nurse/care provider/physician-assisted" (mention number and expertise of providers involved, if any). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

subitem not at all essential important

Clear selection

#### Does your paper address subitem 1b-ii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable for our study

### 1b-iii) Open vs. closed, web-based (self-assessment) vs. face-to-face assessments in the METHODS section of the ABSTRACT

Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic or a closed online user group (closed usergroup trial), and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment). Clearly say if outcomes were self-assessed through questionnaires (as common in web-based trials). Note: In traditional offline trials, an open trial (open-label trial) is a type of clinical trial in which both the researchers and participants know which treatment is being administered. To avoid confusion, use "blinded" or "unblinded" to indicated the level of blinding instead of "open", as "open" in web-based trials usually refers to "open access" (i.e. participants can self-enrol). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	0	0	0	0	•	essentia <b>l</b>
					Cle	ear selection

#### Does your paper address subitem 1b-iii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

It is described in 1b-i section.

#### 1b-iv) RESULTS section in abstract must contain use data

Report number of participants enrolled/assessed in each group, the use/uptake of the intervention (e.g., attrition/adherence metrics, use over time, number of logins etc.), in addition to primary/secondary outcomes. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

Clear selection

#### Does your paper address subitem 1b-iv?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Among 2175 participants, 1266 (58.2%) were men and 909 (41.8%) were women. A total of 191 (8.8%) participants were willing to consider HPV vaccination prior to randomization. Only 339 (15.6%) participants were aware of the benefits of HPV vaccination. In contrast, 562 (25.8%) participants were aware of the adverse events of HPV vaccination. Although only 476 (21.9%) of the respondents displayed a willingness to vaccinate their daughters for HPV, there were 7.5% more respondents in the intervention group with this willingness immediately after watching the short movie (Risk ratio [RR] 1.41, 95% CI 1.20-1.66). In a subanalysis, the willingness to vaccinate daughters in males was significantly higher in the intervention group (RR 1.50, 95% CI 1.25-1.81); however, such a difference was not observed among females (RR 1.21, 95% CI 0.88-1.66). In the follow-up survey at 3 months, 1807 (83.1%) participants responded. Of these, 149 (8.2%) responded that they had

#### 1b-v) CONCLUSIONS/DISCUSSION in abstract for negative trials

Conclusions/Discussions in abstract for negative trials: Discuss the primary outcome if the trial is negative (primary outcome not changed), and the intervention was not used, discuss whether negative results are attributable to lack of uptake and discuss reasons. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important

O O O essential

Clear selection

#### Does your paper address subitem 1b-v?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable for our study

#### INTRODUCTION

2a) In INTRODUCTION: Scientific background and explanation of rationale

#### 2a-i) Problem and the type of system/solution

Describe the problem and the type of system/solution that is object of the study: intended as stand-alone intervention vs. incorporated in broader health care program? Intended for a particular patient population? Goals of the intervention, e.g., being more cost-effective to other interventions, replace or complement other solutions? (Note: Details about the intervention are provided in "Methods" under 5)

Clear selection

#### Does your paper address subitem 2a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The aim of this study was to assess whether a cervical cancer survivor story could change parents' minds about HPV vaccination.

### 2a-ii) Scientific background, rationale: What is known about the (type of) system

Scientific background, rationale: What is known about the (type of) system that is the object of the study (be sure to discuss the use of similar systems for other conditions/diagnoses, if appropiate), motivation for the study, i.e. what are the reasons for and what is the context for this specific study, from which stakeholder viewpoint is the study performed, potential impact of findings [2]. Briefly justify the choice of the comparator.

1 2 3 4 5

subitem not at all o o essential

#### Does your paper address subitem 2a-ii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Providing brief scientific information regarding HPV vaccination through websites has been shown to be an effective way of disseminating the importance of vaccination with the potential to change people's



#### 2b) In INTRODUCTION: Specific objectives or hypotheses

#### Does your paper address CONSORT subitem 2b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The aim of this study was to assess whether a cervical cancer survivor story could change parents' minds about HPV vaccination

#### **METHODS**

3a) Description of trial design (such as parallel, factorial) including allocation ratio

#### Does your paper address CONSORT subitem 3a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants were randomly assigned (1:1) to each group using a web-based randomization procedure. The randomization with minimization was stratified by sex (female/mother and male/father) and willingness toward HPV vaccination prior to randomization (yes and no).

3b) Important changes to methods after trial commencement (such as eligibility criteria), with reasons

#### Does your paper address CONSORT subitem 3b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

#### 3b-i) Bug fixes, Downtimes, Content Changes

Bug fixes, Downtimes, Content Changes: ehealth systems are often dynamic systems. A description of changes to methods therefore also includes important changes made on the intervention or comparator during the trial (e.g., major bug fixes or changes in the functionality or content) (5-iii) and other "unexpected events" that may have influenced study design such as staff changes, system failures/downtimes, etc. [2].

1 2 3 4 5

subitem not at all important essential

Clear selection

#### Does your paper address subitem 3b-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for your study

#### 4a) Eligibility criteria for participants

#### Does your paper address CONSORT subitem 4a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The eligible participants were aged between 30 and 59 years and had at least one daughter between 6th grade elementary (11 and 12 years of age) and 3rd grade high school (17 and 18 years of age). The parents who had their daughters vaccinated against HPV were not allowed to join this study.

#### 4a-i) Computer / Internet literacy

Computer / Internet literacy is often an implicit "de facto" eligibility criterion - this should be explicitly clarified.

1 2 3 4 5

subitem not at all important

OOOO essential

Clear selection

#### Does your paper address subitem 4a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

A total of 2175 participants were recruited in March 2020 via a webpage dedicated to this trial. These were registered members of the research panel owned by NTT Com Online Marketing Solution Corporation Inc. (Tokyo, Japan) and used for consumer satisfaction, marketing, and



#### 4a-ii) Open vs. closed, web-based vs. face-to-face assessments:

Open vs. closed, web-based vs. face-to-face assessments: Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic, and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment), i.e., to what degree got the study team to know the participant. In online-only trials, clarify if participants were quasi-anonymous and whether having multiple identities was possible or whether technical or logistical measures (e.g., cookies, email confirmation, phone calls) were used to detect/prevent these.

Clear selection

#### Does your paper address subitem 4a-ii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

A total of 2175 participants were recruited in March 2020 via a webpage dedicated to this trial. These were registered members of the research panel owned by NTT Com Online Marketing Solution Corporation Inc. (Tokyo, Japan) and used for consumer satisfaction, marketing, and



#### 4a-iii) Information giving during recruitment

Information given during recruitment. Specify how participants were briefed for recruitment and in the informed consent procedures (e.g., publish the informed consent documentation as appendix, see also item X26), as this information may have an effect on user self-selection, user expectation and may also bias results.

subitem not at all essential important

Clear selection

#### Does your paper address subitem 4a-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

In the intervention group, we provided the narrative short movie prior to answering questions related to the willingness to prevent HPV, following consent for the online study.

#### 4b) Settings and locations where the data were collected

#### Does your paper address CONSORT subitem 4b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

A total of 2175 participants were recruited in March 2020 via a webpage dedicated to this trial. These were registered members of the research panel owned by NTT Com Online Marketing Solution Corporation Inc. (Tokyo, Japan) and used for consumer satisfaction, marketing, and



### 4b-i) Report if outcomes were (self-)assessed through online questionnaires

Clearly report if outcomes were (self-)assessed through online questionnaires (as common in web-based trials) or otherwise.

1 2 3 4 5

subitem not at all important

OOOO essential

Clear selection

#### Does your paper address subitem 4b-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The participants completed a 7-item awareness questionnaire to determine HPV awareness as background information.

#### 4b-ii) Report how institutional affiliations are displayed

Report how institutional affiliations are displayed to potential participants [on ehealth media], as affiliations with prestigious hospitals or universities may affect volunteer rates, use, and reactions with regards to an intervention.(Not a required item – describe only if this may bias results)

1 2 3 4 5

subitem not at all important

**()** 

0

0

O essential

#### Does your paper address subitem 4b-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

- 5) The interventions for each group with sufficient details to allow replication, including how and when they were actually administered
- 5-i) Mention names, credential, affiliations of the developers, sponsors, and owners

Mention names, credential, affiliations of the developers, sponsors, and owners [6] (if authors/evaluators are owners or developer of the software, this needs to be declared in a "Conflict of interest" section or mentioned elsewhere in the manuscript).

subitem not at all essential

Clear selection

#### Does your paper address subitem 5-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The short movie was produced by Ideas and Effects, Ltd., and supervised by the first author (YS) and the last author (EM), for use in



#### 5-ii) Describe the history/development process

Describe the history/development process of the application and previous formative evaluations (e.g., focus groups, usability testing), as these will have an impact on adoption/use rates and help with interpreting results.

Clear selection

#### Does your paper address subitem 5-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

In this study, a 4-minute-long short film was used as the intervention. In this video, a cervical cancer survivor who had undergone radical hysterectomy with bilateral salpingo-oophorectomy and pelvic lymphadenectomy talked about her experience—from the beginning of the diagnosis to the sequelae of first-line therapy. She was a singer, songwriter, and actress in Japan. Seven messages were inserted as subtitles throughout her talk.

#### 5-iii) Revisions and updating

Revisions and updating. Clearly mention the date and/or version number of the application/intervention (and comparator, if applicable) evaluated, or describe whether the intervention underwent major changes during the evaluation process, or whether the development and/or content was "frozen" during the trial. Describe dynamic components such as news feeds or changing content which may have an impact on the replicability of the intervention (for unexpected events see item 3b).

subitem not at all important o o o essential

Clear selection

#### Does your paper address subitem 5-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

#### 5-iv) Quality assurance methods

Provide information on quality assurance methods to ensure accuracy and quality of information provided [1], if applicable.

1 2 3 4 5

subitem not at all important

O O O essential

#### Does your paper address subitem 5-iv?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

# 5-v) Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used

Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used. Replicability (i.e., other researchers should in principle be able to replicate the study) is a hallmark of scientific reporting.

subitem not at all essential important

Clear selection

5

#### Does your paper address subitem 5-v?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

#### 5-vi) Digital preservation

Digital preservation: Provide the URL of the application, but as the intervention is likely to change or disappear over the course of the years; also make sure the intervention is archived (Internet Archive, <a href="webcitation.org">webcitation.org</a>, and/or publishing the source code or screenshots/videos alongside the article). As pages behind login screens cannot be archived, consider creating demo pages which are accessible without login.

1 2 3 4 5

subitem not at all important




Clear selection

#### Does your paper address subitem 5-vi?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable/relevant for our study.





#### 5-vii) Access

Access: Describe how participants accessed the application, in what setting/context, if they had to pay (or were paid) or not, whether they had to be a member of specific group. If known, describe how participants obtained "access to the platform and Internet" [1]. To ensure access for editors/reviewers/readers, consider to provide a "backdoor" login account or demo mode for reviewers/readers to explore the application (also important for archiving purposes, see vi).

#### Does your paper address subitem 5-vii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable/relevant for our study.

### 5-viii) Mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework

Describe mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework [6] used to design them (instructional strategy [1], behaviour change techniques, persuasive features, etc., see e.g., [7, 8] for terminology). This includes an in-depth description of the content (including where it is coming from and who developed it) [1]," whether [and how] it is tailored to individual circumstances and allows users to track their progress and receive feedback" [6]. This also includes a description of communication delivery channels and – if computer-mediated communication is a component – whether communication was synchronous or asynchronous [6]. It also includes information on presentation strategies [1], including page design principles, average amount of text on pages, presence of hyperlinks to other resources, etc. [1].

	1	2	3	4	5	
subitem not at all important	0	0	0	0	<b>O</b>	essentia <b>l</b>
					Cle	ear selection

#### Does your paper address subitem 5-viii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

In this study, a 4-minute-long short film was used as the intervention. In this video, a cervical cancer survivor who had undergone radical hysterectomy with bilateral salpingo-oophorectomy and pelvic lymphadenectomy talked about her experience—from the beginning of the diagnosis to the sequelae of first-line therapy. She was a singer, songwriter, and actress in Japan. Seven messages were inserted as subtitles throughout her talk. The added subtitles were as follows: "She was diagnosed with cervical cancer at 31 years old," "In Japan, approximately 10,000 people a year are diagnosed with cervical cancer and about 3,000 people die annually," "Undergoing surgery wasn't the end of suffering," "The burden of cervical cancer was greater than expected and is relatively seen in younger ages," "Cervical cancer can be prevented by HPV vaccination and Pap smears," "A lot of children have lost their chance to prevent cervical cancer in Japan," and "Why don't we take action for our children's future?" We did not use any psychosocial

#### 5-ix) Describe use parameters

Describe use parameters (e.g., intended "doses" and optimal timing for use). Clarify what instructions or recommendations were given to the user, e.g., regarding timing, frequency, heaviness of use, if any, or was the intervention used ad libitum.

#### Does your paper address subitem 5-ix?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

#### 5-x) Clarify the level of human involvement

Clarify the level of human involvement (care providers or health professionals, also technical assistance) in the e-intervention or as co-intervention (detail number and expertise of professionals involved, if any, as well as "type of assistance offered, the timing and frequency of the support, how it is initiated, and the medium by which the assistance is delivered". It may be necessary to distinguish between the level of human involvement required for the trial, and the level of human involvement required for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important

O O O essential

Clear selection

#### Does your paper address subitem 5-x?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

#### 5-xi) Report any prompts/reminders used

Report any prompts/reminders used: Clarify if there were prompts (letters, emails, phone calls, SMS) to use the application, what triggered them, frequency etc. It may be necessary to distinguish between the level of prompts/reminders required for the trial, and the level of prompts/reminders for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important

) C

0

essential

Clear selection

#### Does your paper address subitem 5-xi? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

#### 5-xii) Describe any co-interventions (incl. training/support)

Describe any co-interventions (incl. training/support): Clearly state any interventions that are provided in addition to the targeted eHealth intervention, as ehealth intervention may not be designed as stand-alone intervention. This includes training sessions and support [1]. It may be necessary to distinguish between the level of training required for the trial, and the level of training for a routine application outside of a RCT setting (discuss under item 21 – generalizability.

1 2 3 4 5

subitem not at all important

•

0

0

0

0

essential

#### Does your paper address subitem 5-xii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

6a) Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed

#### Does your paper address CONSORT subitem 6a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The first survey was conducted March 19–30, 2020 while the three-month follow-up survey was conducted June 26–July 6, 2020. Participants were recruited until the target sample size was reached after taking into consideration a dropout rate of approximately 30%–40% for the three-month follow-up. Each participant responded to an identical willingness questionnaire. However, only participants in the intervention group watched a short movie by cancer survivors prior to answering the survey; participants who were assigned to the control group could choose to watch the short movie after all questionnaires including a follow-up questionnaire were completed. The full process of this trial was implemented online. The primary endpoint was the rate of parents who have willingness to vaccinate their daughters against HPV.



6a-i) Online questionnaires: describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed

If outcomes were obtained through online questionnaires, describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed [9].

1 2 3 4 5

subitem not at all important

O O O essential

Clear selection

Does your paper address subitem 6a-i?

Copy and paste relevant sections from manuscript text

Not applicable for our study

6a-ii) Describe whether and how "use" (including intensity of use/dosage) was defined/measured/monitored

Describe whether and how "use" (including intensity of use/dosage) was defined/measured/monitored (logins, logfile analysis, etc.). Use/adoption metrics are important process outcomes that should be reported in any ehealth trial.

subitem not at all important essential

Does your paper add  Copy and paste relevant sec				t		
Not applicable for our st	udy					
6a-iii) Describe wheth participants was obta		, and w	vhen q	ualitat	ive fee	edback from
Describe whether, how, and (e.g., through emails, feedba	•					s was obtained
	1	2	3	4	5	
subitem not at all important	•	0	0	0	0	essentia <b>l</b>
					Cle	ear selection
Does your paper add	ress sub	item 6	a-iii?			
Copy and paste relevant sec				t		
Not applicable for our st	udy					
6b) Any changes to t with reasons	rial outo	:omes	after :	the tri	al com	menced,

#### Does your paper address CONSORT subitem 6b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable for our study

#### 7a) How sample size was determined

NPT: When applicable, details of whether and how the clustering by care provides or centers was addressed

# 7a-i) Describe whether and how expected attrition was taken into account when calculating the sample size

Describe whether and how expected attrition was taken into account when calculating the sample size.

1 2 3 4 5

subitem not at all important

) (

 $\mathcal{C}$ 

0

essential

Clear selection

#### Does your paper address subitem 7a-i?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We set the target number of participants recruited at three times the calculated sample size because the web-research company estimated the follow-up rate to be 30%-40% at three months after the initial survey.

# 7b) When applicable, explanation of any interim analyses and stopping guidelines

#### Does your paper address CONSORT subitem 7b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

#### 8a) Method used to generate the random allocation sequence

NPT: When applicable, how care providers were allocated to each trial group

#### Does your paper address CONSORT subitem 8a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Randomization was performed using the web research system of NTT Data Institute of Management Consulting, Inc. The participants and investigators were blinded to the study distribution (double-blinded). Once the upper limit of each stratum was reached, new participants could not be added to the web system. This ensured a uniform distribution of stratification factors.

8b) Type of randomisation; details of any restriction (such as blocking and block size)

#### Does your paper address CONSORT subitem 8b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants were randomly assigned (1:1) to each group using a web-based randomization procedure. The randomization with minimization was stratified by sex (female/mother and male/father) and willingness toward HPV vaccination prior to randomization (yes and no).

9) Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned

#### Does your paper address CONSORT subitem 9? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

10) Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions

#### Does your paper address CONSORT subitem 10? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Randomization was performed using the web research system of NTT Data Institute of Management Consulting, Inc. The participants and investigators were blinded to the study distribution (double-blinded).

# 11a) If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how

NPT: Whether or not administering co-interventions were blinded to group assignment

#### 11a-i) Specify who was blinded, and who wasn't

Specify who was blinded, and who wasn't. Usually, in web-based trials it is not possible to blind the participants [1, 3] (this should be clearly acknowledged), but it may be possible to blind outcome assessors, those doing data analysis or those administering co-interventions (if any).

	1	2	3	4	5	
subitem not at all important	0	0	0	0	•	essential

Clear selection

#### Does your paper address subitem 11a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Randomization was performed using the web research system of NTT Data Institute of Management Consulting, Inc. The participants and investigators were blinded to the study distribution (double-blinded).

11a-ii) Discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator"

Informed consent procedures (4a-ii) can create biases and certain expectations - discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator".

Clear selection

#### Does your paper address subitem 11a-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Randomization was performed using the web research system of NTT Data Institute of Management Consulting, Inc. The participants and investigators were blinded to the study distribution (double-blinded).

#### 11b) If relevant, description of the similarity of interventions

(this item is usually not relevant for ehealth trials as it refers to similarity of a placebo or sham intervention to a active medication/intervention)

#### Does your paper address CONSORT subitem 11b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

# 12a) Statistical methods used to compare groups for primary and secondary outcomes

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

#### Does your paper address CONSORT subitem 12a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The chi-squared ( $\chi$ 2) test, Student's t-test, risk ratio (RR) were used for statistical analyses of background characteristics, baseline knowledge level, and primary/secondary outcomes.

#### 12a-i) Imputation techniques to deal with attrition / missing values

Imputation techniques to deal with attrition / missing values: Not all participants will use the intervention/comparator as intended and attrition is typically high in ehealth trials. Specify how participants who did not use the application or dropped out from the trial were treated in the statistical analysis (a complete case analysis is strongly discouraged, and simple imputation techniques such as LOCF may also be problematic [4]).

1 2 3 4 5

subitem not at all important

O O O essential

Clear selection

#### Does your paper address subitem 12a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

# 12b) Methods for additional analyses, such as subgroup analyses and adjusted analyses

#### Does your paper address CONSORT subitem 12b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

the same as primary analysis

# X26) REB/IRB Approval and Ethical Considerations [recommended as subheading under "Methods"] (not a CONSORT item)

# X26-i) Comment on ethics committee approval 1 2 3 4 5 subitem not at all important O O O essential Clear selection

#### Does your paper address subitem X26-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The trial protocol was approved by the institutional research ethics committee of the Yokohama City University School of Medicine



#### x26-ii) Outline informed consent procedures

Outline informed consent procedures e.g., if consent was obtained offline or online (how? Checkbox, etc.?), and what information was provided (see 4a-ii). See [6] for some items to be included in informed consent documents.

1 2 3 4 5

subitem not at all important

Clear selection

#### Does your paper address subitem X26-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

In the intervention group, we provided the narrative short movie prior to answering questions related to the willingness to prevent HPV, following consent for the online study.

#### X26-iii) Safety and security procedures

Safety and security procedures, incl. privacy considerations, and any steps taken to reduce the likelihood or detection of harm (e.g., education and training, availability of a hotline)

Clear selection

#### Does your paper address subitem X26-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

#### **RESULTS**

# 13a) For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome

NPT: The number of care providers or centers performing the intervention in each group and the number of patients treated by each care provider in each center

#### Does your paper address CONSORT subitem 13a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

A total of 2175 participants were recruited. Stratifying factors, such as sex and willingness to undergo HPV vaccination prior to randomization, were evenly allocated: intervention 1,089 vs control 1,086.

# 13b) For each group, losses and exclusions after randomisation, together with reasons

Does your paper address CONSORT subitem 13b? (NOTE: Preferably, this is shown in a CONSORT flow diagram) \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

There are no losses and exclusions after randomisation.

#### 13b-i) Attrition diagram

important

Strongly recommended: An attrition diagram (e.g., proportion of participants still logging in or using the intervention/comparator in each group plotted over time, similar to a survival curve) or other figures or tables demonstrating usage/dose/engagement.

Clear selection

#### Does your paper address subitem 13b-i?

Copy and paste relevant sections from the manuscript or cite the figure number if applicable (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

#### 14a) Dates defining the periods of recruitment and follow-up

#### Does your paper address CONSORT subitem 14a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The first survey was conducted March 19–30, 2020 while the three-month follow-up survey was conducted June 26–July 6, 2020.

#### 14a-i) Indicate if critical "secular events" fell into the study period

Indicate if critical "secular events" fell into the study period, e.g., significant changes in Internet resources available or "changes in computer hardware or Internet delivery resources"

subitem not at all important essential

Clear selection

#### Does your paper address subitem 14a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

#### 14b) Why the trial ended or was stopped (early)

#### Does your paper address CONSORT subitem 14b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

# 15) A table showing baseline demographic and clinical characteristics for each group

NPT: When applicable, a description of care providers (case volume, qualification, expertise, etc.) and centers (volume) in each group

#### Does your paper address CONSORT subitem 15? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

A total of 2175 participants were recruited. Stratifying factors, such as sex and willingness to undergo HPV vaccination prior to randomization, were evenly allocated (Multimedia Appendix 1). The retention rates at the three month follow up survey were 89.6% in the intervention group and 76.5% in the control group. The following variables did not demonstrate significant differences between the intervention and control groups: age group, marital status, number of children, number of

#### 15-i) Report demographics associated with digital divide issues

In ehealth trials it is particularly important to report demographics associated with digital divide issues, such as age, education, gender, social-economic status, computer/Internet/ehealth literacy of the participants, if known.

Clear selection

#### Does your paper address subitem 15-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

16) For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups

#### 16-i) Report multiple "denominators" and provide definitions

Report multiple "denominators" and provide definitions: Report N's (and effect sizes) "across a range of study participation [and use] thresholds" [1], e.g., N exposed, N consented, N used more than x times, N used more than y weeks, N participants "used" the intervention/comparator at specific pre-defined time points of interest (in absolute and relative numbers per group). Always clearly define "use" of the intervention.

Clear selection

#### Does your paper address subitem 16-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

In total, data of marital status, household income, and education level were collected from 1550 participants.

#### 16-ii) Primary analysis should be intent-to-treat

Primary analysis should be intent-to-treat, secondary analyses could include comparing only "users", with the appropriate caveats that this is no longer a randomized sample (see 18-i).

1 2 3 4 5

subitem not at all important









essential

Clear selection

#### Does your paper address subitem 16-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

17a) For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)

#### Does your paper address CONSORT subitem 17a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Only 21.9% of the parents displayed a positive attitude toward HPV vaccination for their daughters (WQ1). Compared to parents in the control group, an additional 7.5% parents responded affirmatively in the



# 17a-i) Presentation of process outcomes such as metrics of use and intensity of use

In addition to primary/secondary (clinical) outcomes, the presentation of process outcomes such as metrics of use and intensity of use (dose, exposure) and their operational definitions is critical. This does not only refer to metrics of attrition (13-b) (often a binary variable), but also to more continuous exposure metrics such as "average session length". These must be accompanied by a technical description how a metric like a "session" is defined (e.g., timeout after idle time) [1] (report under item 6a).

1 2 3 4 5

subitem not at all important

O O O essential

Clear selection

#### Does your paper address subitem 17a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

17b) For binary outcomes, presentation of both absolute and relative effect sizes is recommended

#### Does your paper address CONSORT subitem 17b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Only 21.9% of the parents displayed a positive attitude toward HPV vaccination for their daughters (WQ1). Compared to parents in the control group, an additional 7.5% parents responded affirmatively in the intervention group (RR 1.41, 95% CI 1.20–1.66) (Table 2). Other areas of awareness, such as undergoing a pap smear (RR 1.14), desiring the recommendation from the government (RR 1.36), and disseminating HPV vaccination information to someone by social media (RR 1.41)



18) Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory

#### Does your paper address CONSORT subitem 18? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

#### 18-i) Subgroup analysis of comparing only users

A subgroup analysis of comparing only users is not uncommon in ehealth trials, but if done, it must be stressed that this is a self-selected sample and no longer an unbiased sample from a randomized trial (see 16-iii).

1 2 3 4 5

subitem not at all important

o o o essential

Clear selection

#### Does your paper address subitem 18-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

#### 19) All important harms or unintended effects in each group

(for specific guidance see CONSORT for harms)

#### Does your paper address CONSORT subitem 19? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

#### 19-i) Include privacy breaches, technical problems

Include privacy breaches, technical problems. This does not only include physical "harm" to participants, but also incidents such as perceived or real privacy breaches [1], technical problems, and other unexpected/unintended incidents. "Unintended effects" also includes unintended positive effects [2].

1 2 3 4 5

subitem not at all important essential

Clear selection

#### Does your paper address subitem 19-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

## 19-ii) Include qualitative feedback from participants or observations from staff/researchers

Include qualitative feedback from participants or observations from staff/researchers, if available, on strengths and shortcomings of the application, especially if they point to unintended/unexpected effects or uses. This includes (if available) reasons for why people did or did not use the application as intended by the developers.

1 2 3 4 5

subitem not at all important

o o o essential

Clear selection

#### Does your paper address subitem 19-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

#### **DISCUSSION**

# 22) Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence

NPT: In addition, take into account the choice of the comparator, lack of or partial blinding, and unequal expertise of care providers or centers in each group

22-i) Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use)

Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use).

subitem not at all o o essential important

Clear selection

#### Does your paper address subitem 22-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This web-based randomized controlled trial (RCT) showed that providing a 4-minute-long film on a cervical cancer patient's story increases parents' willingness to consider HPV vaccination for their daughters. Furthermore, willingness to undergo cervical cancer screening tests and to disseminate HPV vaccination-related information about what they saw and felt were also increased in the intervention group. These

## 22-ii) Highlight unanswered new questions, suggest future research

Highlight unanswered new questions, suggest future research.

subitem not at all o essential important

Clear selection

5

#### Does your paper address subitem 22-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Given that this trial implemented under the suspension of proactive recommendation by Japanese government, we have a tentative plan to do the same trial after resuming the national vaccination program.

# 20) Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses

#### 20-i) Typical limitations in ehealth trials

Typical limitations in ehealth trials: Participants in ehealth trials are rarely blinded. Ehealth trials often look at a multiplicity of outcomes, increasing risk for a Type I error. Discuss biases due to non-use of the intervention/usability issues, biases through informed consent procedures, unexpected events.

Clear selection

#### Does your paper address subitem 20-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

# 21) Generalisability (external validity, applicability) of the trial findings

NPT: External validity of the trial findings according to the intervention, comparators, patients, and care providers or centers involved in the trial

#### 21-i) Generalizability to other populations

Generalizability to other populations: In particular, discuss generalizability to a general Internet population, outside of a RCT setting, and general patient population, including applicability of the study results for other organizations

Clear selection

#### Does your paper address subitem 21-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

First, the cohort of the specified Internet survey population used in this study may have some selection bias. The cohort has a higher educational background and is wealthier than the general Japanese population; approximately 5.16 million JPY is the average household income [41]. Additionally, the gender imbalance in this study's



# 21-ii) Discuss if there were elements in the RCT that would be different in a routine application setting

Discuss if there were elements in the RCT that would be different in a routine application setting (e.g., prompts/reminders, more human involvement, training sessions or other co-interventions) and what impact the omission of these elements could have on use, adoption, or outcomes if the intervention is applied outside of a RCT setting.

#### Does your paper address subitem 21-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Second, interventions using this kind of awareness material are usually not universal, that is, the effect may vary when other materials are used. In particular, the effect might change depending on the individuals in the film, the content of the anecdotes, and the length of the film.

#### OTHER INFORMATION

23) Registration number and name of trial registry

#### Does your paper address CONSORT subitem 23? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The trial registration number was UMIN000039273.

#### 24) Where the full trial protocol can be accessed, if available

#### Does your paper address CONSORT subitem 24? \*

Cite a Multimedia Appendix, other reference, or copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The website of UMIN: #000039273.

# 25) Sources of funding and other support (such as supply of drugs), role of funders

#### Does your paper address CONSORT subitem 25? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We received research funding from the Japan Agency for Medical Research and Development (Grant Number: 19ck0106369h0003).

#### X27) Conflicts of Interest (not a CONSORT item)

# X27-i) State the relation of the study team towards the system being evaluated

In addition to the usual declaration of interests (financial or otherwise), also state the relation of the study team towards the system being evaluated, i.e., state if the authors/evaluators are distinct from or identical with the developers/sponsors of the intervention.

subitem not at all o o essential important

Clear selection

#### Does your paper address subitem X27-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

not applicable/relevant for our study

About the CONSORT EHEALTH checklist

As a result of using this checklist, did you make changes in your manuscript? *
yes, major changes
yes, minor changes
o no
What were the most important changes you made as a result of using this checklist?
Your answer
How much time did you spend on going through the checklist INCLUDING making changes in your manuscript *
I spent about four hours to complete
As a result of using this checklist, do you think your manuscript has improved? *
yes
O no
Other:

# Would you like to become involved in the CONSORT EHEALTH group? This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document yes no Other: Clear selection

Any other comments or questions on CONSORT EHEALTH

Your answer

#### STOP - Save this form as PDF before you click submit

To generate a record that you filled in this form, we recommend to generate a PDF of this page (on a Mac, simply select "print" and then select "print as PDF") before you submit it.

When you submit your (revised) paper to JMIR, please upload the PDF as supplementary file.

Don't worry if some text in the textboxes is cut off, as we still have the complete information in our database. Thank you!

#### Final step: Click submit!

Click submit so we have your answers in our database!

Submit Clear form

### Google Forms