# Check for updates

## **OPEN ACCESS**

EDITED BY Frontiers in Surgery Editorial Office, Frontiers Media SA. Switzerland

\*CORRESPONDENCE Xihang Chen XiHangChen@hotmail.com Jianhua Gao doctorgaojianhua@outlook.com

<sup>†</sup>These authors have contributed equally to this work and share first authorship

### SPECIALTY SECTION

This article was submitted to Reconstructive and Plastic Surgery, a section of the journal Frontiers in Surgery

RECEIVED 16 September 2022 ACCEPTED 23 September 2022 PUBLISHED 12 October 2022

#### CITATION

Zhang Y, Zou J, Yuan Y, Gao J and Chen X (2022) Corrigendum: Contouring and augmentation of the temple using stromal vascular fraction gel grafting. Front. Surg. 9:1045744. doi: 10.3389/fsurg.2022.1045744

## COPYRIGHT

© 2022 Zhang, Zou, Yuan, Gao and Chen. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

# Corrigendum: Contouring and augmentation of the temple using stromal vascular fraction gel grafting

# Yuchen Zhang<sup>†</sup>, Jialiang Zou<sup>†</sup>, Yi Yuan<sup>†</sup>, Jianhua Gao<sup>\*</sup> and Xihang Chen<sup>\*</sup>

Department of Plastic and Reconstructive Surgery, Nanfang Hospital, Southern Medical University, Guangzhou, China

# KEYWORDS

SVF-gel, fat grafting, volume retention rate, 3D scanning, temple

## A corrigendum on

Contouring and augmentation of the temple using stromal vascular fraction gel grafting

by Zhang Y, Zou J, Yuan Y, Gao J and Chen X. (2022) Front. Surg. 9: 893219. doi: 10.3389/ fsurg.2022.893219

# **Incorrect Funding**

In the published article, there was an error in the Funding statement. The funding statement for the Science and Technology Program of Guangzhou, China was displayed as "202201011577". The correct statement is "the Science and Technology Program of Guangzhou, China (202201011571).". The correct Funding statement appears below.

## FUNDING

This work was supported by the National Natural Science Foundation of China (81871573, 81701920 and 81671931), the President Foundation of Nanfang Hospital (2019C010), the Science and Technology Program of Guangzhou, China (202201011571), and the China Postdoctoral Science Foundation (2020M672721).

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.