



Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.



Contents lists available at ScienceDirect

# Preventive Veterinary Medicine

journal homepage: [www.elsevier.com/locate/prevetmed](http://www.elsevier.com/locate/prevetmed)

## SVEPM 2020 — Resilience and community support in the first year of the COVID-19 pandemic: The Society for Veterinary Epidemiology and Preventive Medicine Annual Conference, extraordinarily held online

The 2020 Annual Meeting of the Society for Veterinary Epidemiology and Preventive Medicine (SVEPM) was scheduled to take place in Westport, Ireland, March 25–27. The committee reviewed 68 abstracts and prepared a scientific programme that included 21 oral presentations, 89 posters, 30 poster pitches, and five hands-on workshops. The local organising committee, chaired by Damien Barrett, prepared an excellent social schedule to welcome delegates to Westport. All this work was nearly finished when, in January 2020, the world focussed on news describing the emergence and spread of the SARS-CoV-2 virus. As epidemiologists we followed closer still, and in a true disease outbreak mitigation approach, by the time the World Health Organization (WHO) announced on March 11 2020 that the COVID-19 outbreak was a pandemic, our preparation phase had already begun with the committee having met in a virtual environment several times. We had discussed the ramifications and implications of physically convening for 202 registered participants at our annual event; we were ready to communicate a decision to not go ahead with the physical meeting in Westport. To keep our membership informed of our planning, we held our Annual General Meeting online, consistent with the planned meeting schedule.

We knew it would take time to assess and try to mitigate the financial losses incurred with this last-minute cancellation. It took a few months of working within the pandemic phase and its associated lockdown for the global population to learn how to adapt to remote working; as a result, it was also not immediately clear how we could replace the physical meeting with an online alternative, but we were keen to do our best. Our priority was to deliver the scientific programme developed by the committee, and provide researchers, particularly those in the early phase of their career, with the opportunity to publicise their work first-hand through the society's annual conference.

The agreed solution was a series of online meetings covering the traditional sessions which would have happened at the Westport conference. On May 12, in an online meeting attended by 170 participants, Dr. Matthew Stone, Deputy-Director of the World Organisation for Animal Health (OIE), opened the 2020 scientific programme discussing *Supporting evidence-based policy with science across OIE's strategies, standards and programmes*, followed by Dr. Sam Thevasagayam, Head of the Livestock Division with the Agriculture Development Programme within the Bill and Melinda Gates Foundation, talking about *A funder's perspective of global disease studies*. The programme continued weekly, until on June 16, Professor Jonathan Rushton delivered the traditional Gareth Davies Lecture, closing the scientific programme discussing the Global Burden of Animal Diseases (GBADs) programme, and *How GBADs will link to clinical practice and veterinary epidemiology*.

Twenty speakers presented their original work in four core online conference sessions. The ten presenters who chose to contribute to this special issue reported studies in various animal species, including livestock, wildlife and companion animals. Using a variety of quantitative and qualitative methods, these authors also covered a wide breadth of epidemiological themes, for which we provide an overview below.

The herd and regional control of paratuberculosis represents an important challenge in livestock health and management, frequently addressed in research presented at the SVEPM conference. [Biemans et al. \(2021\)](#) adapted an individual-based epidemiological simulation model to the specific seasonal herd demographic settings of the Irish dairy sector and investigated the probability of persistence over time under different control strategies. Testing and culling was shown to be particularly effective when used prior to the calving season. Acknowledging the key role of testing in planning control strategies, [Barden et al. \(2020\)](#) used Bayesian statistics to study milk antibody ELISA tests and calculate the probability of infection under various circumstances. The authors demonstrated a reduction in test specificity associated with parallel bovine tuberculosis testing, highlighting the complex management and health settings which can affect test interpretation, and under which control decisions must be made. [Robinson \(2020\)](#) conducted semi-structured interviews with dairy farmers and veterinarians in England to capture their views on the complex scenario of paratuberculosis control, exploring the drivers and incentives for control, in particular. These were found to be a variety of factors at various scales of influence, and as the author concluded, the findings “illustrate the importance of considering the political economy and societal impact of animal disease”.

Participatory methods aimed at capturing stakeholders' perspectives in complex control scenarios were also employed by [Dhand et al. \(2021\)](#) and [Urner et al. \(2021\)](#). [Dhand et al. \(2021\)](#) organized focus groups of veterinarians, farmers and other stakeholders in India to discuss strategies for brucellosis control in the unique context of Hindu society, where cattle are considered sacred and test-and-cull strategies are not feasible. [Urner et al. \(2021\)](#) also highlighted the need to consider stakeholder acceptability when designing disease control strategies, as compliance is necessary for effectiveness. The authors reached out to hunters in Latvia to assess their willingness and motivation to support passive surveillance in wild boars, a key component of African swine fever control. Both studies provide essential information to design evidence-based, context-aware disease control programs.

Keeping with the theme of informing the design of control strategies, [Hautefeuille et al. \(2020\)](#) evaluated the potential efficiency of different

<https://doi.org/10.1016/j.prevetmed.2021.105368>

Received 19 April 2021

Available online 28 April 2021

0167-5877/© 2021 Elsevier B.V. All rights reserved.

avian influenza vaccination strategies. Using a previously developed decision support tool, complemented with a cost-benefit analyses, the authors showed that both hatchery and farm level vaccination could enable protective immunity levels for the control of avian influenza in France, but hatchery vaccination would provide a higher population immunity level.

Buzdugan et al. (2020) retrospectively analyzed a large dataset of slaughterhouse condemnations aiming to identify common reasons for this decision to be made, and inform strategies to reduce levels. The study was further supported by a longitudinal collection of 109 explanatory variables which were used in risk factors analyses, uncovering production chain practices that can be targeted by the industry to reduce condemnations.

Callaby et al. (2020) reported on an ambitious and unique longitudinal study – the Infectious Diseases of East African Livestock (IDEAL) project. The initiative developed and launched an extensive open-access database and biobank supporting many research initiatives. The authors reflected on the project's legacy, sharing their own views on the lessons learned, and the challenges still to overcome.

Companion animals were the focus in two studies, both of which offer perspectives beyond companion animal health. Doit et al. (2021) proposed a core outcome set (COS) for research of feline chronic kidney disease treatment trials. The proposed COS, as the authors state, will strengthen the evidence-base produced by treatment efficacy trials in the future, reducing research waste and maximizing study comparability. Being the first COS in feline medicine, however, this paper also represents an important methodological step towards informing the development of other COS in companion animal medicine. Tompson et al. (2020) investigated antimicrobial usage in companion animals using a large dataset of dispensing events, while using anthropological methods to consider the organizational context of veterinary practice. Being aware of the social context in which antimicrobials are prescribed to companion animals, this study provided insights into the drivers of usage; it will inform the design of sustainable stewardship schemes to address what the authors called “a largely overlooked contributor to the complex problem of antimicrobial resistance”.

These ten articles are an excellent representation of the quality and diversity of the twenty oral presentations held online in 2020 during the SVEPM meeting.

Every year, we conclude this preface thanking the hosts for their efforts delivering a high-quality meeting, and the Special Issue reviewers for their help in evaluating manuscripts submitted. This year is no different. While the social programme prepared for Westport could not be enjoyed by SVEPM members and others supporting the annual conference, the local organising committee did an exceptional job preparing, and then coping with the unavoidable consequences of the pandemic. All researchers faced an increase in their workload concurrent with their working conditions changing drastically in 2020, particularly challenging for those with caring responsibilities. Despite these circumstances, we were able to enrol and receive help from reviewers with limited delay compared to previous years.

We reiterate our thanks to the conference organisers and peer-reviewers, however this year we also close this editorial with a big thanks to the conference delegates. The SVEPM committee was overwhelmed by the help and support we received from our community. Despite the last-minute cancellation, and the improvised online format, we have had only positive responses; the moral and financial support of members will ensure that the Society can continue delivering a high-quality scientific programme for years to come; thank you everyone!

As veterinary epidemiologists, our global community has in 2020 united to discuss our experience in animal disease to aid development of disease control strategies to help public health decision-making; One Health is about transformative, transdisciplinary thinking, not just about zoonotic disease transmission. We thank the SVEPM community for their support to the Society, to each other, and to the collective knowledge explosion in epidemiology and preventive medicine, that has

occurred during this difficult year.

## Declaration of Competing Interest

The authors report no declarations of interest

## References

- Barden, M., Smith, R.F., Higgins, H.M., 2020. The interpretation of serial Johne's disease milk antibody results is affected by test characteristics, pattern of test results and parallel bovine tuberculosis testing. *Prev. Vet. Med.* 183, 105134 <https://doi.org/10.1016/j.prevetmed.2020.105134>.
- Biemans, F., Ben Romdhane, R., Gontier, P., Fourichon, C., Ramsbottom, G., More, S.J., Ezanno, P., 2021. Modelling transmission and control of *Mycobacterium avium* subspecies paratuberculosis within Irish dairy herds with compact spring calving. *Prev. Vet. Med.* 186, 105228 <https://doi.org/10.1016/j.prevetmed.2020.105228>.
- Buzdugan, S.N., Chang, Y.M., Huntington, B., Rushton, J., Guitian, J., Alarcon, P., Blake, D.P., 2020. Identification of production chain risk factors for slaughterhouse condemnation of broiler chickens. *Prev. Vet. Med.* 181, 105036 <https://doi.org/10.1016/j.prevetmed.2020.105036>.
- Callaby, R., Jennings, A., Mwangi, S.T., Mbole-Kariuki, M., Van Wyk, I., Kiara, H., Coetzer, J.A.W., Woolhouse, M.E.J., Hanotte, O., Toye, P.G., Bronsvort, B.M.D.C., 2020. Reflections on IDEAL: what we have learnt from a unique calf cohort study. *Prev. Vet. Med.* 181, 105062 <https://doi.org/10.1016/j.prevetmed.2020.105062>. <https://www.sciencedirect.com/science/article/pii/S0167587720300817>.
- Dhand, N.K., Singh, J., Josan, H.S., Singh, B.B., Jaswal, N., Tiwari, H.K., Kostoulas, P., Khatkar, M.S., Aulakh, R.S., Kaur, M., Gill, J.P.S., 2021. The feasibility and acceptability of various bovine brucellosis control strategies in India. *Prev. Vet. Med.* 189, 105291 <https://doi.org/10.1016/j.prevetmed.2021.105291>.
- Doit, H., Dean, R.S., Duz, M., Finch, N.C., Brennan, M.L., 2021. What outcomes should be measured in feline chronic kidney disease treatment trials? Establishing a core outcome set for research. *Prev. Vet. Med.*, 105348 <https://doi.org/10.1016/j.prevetmed.2021.105348>. In Press. <https://www.sciencedirect.com/science/article/pii/S0167587721000921>.
- Hautefeuille, C., Azzougouen, B., Mouchel, S., Dauphin, G., Peyre, M., 2020. Evaluation of vaccination strategies to control an avian influenza outbreak in French poultry production networks using EVACS tool. *Prev. Vet. Med.* 184, 105129 <https://doi.org/10.1016/j.prevetmed.2020.105129>.
- Robinson, P.A., 2020. “They've got to be testing and doing something about it”: Farmer and veterinarian views on drivers for Johne's disease control in dairy herds in England. *Prev. Vet. Med.* 182, 105094 <https://doi.org/10.1016/j.prevetmed.2020.105094>.
- Tompson, A.C., Chandler, C.I.R., Mateus, A.L.P., O'Neill, D.G., Chang, Y.M., Brodbelt, D. C., 2020. What drives antimicrobial prescribing for companion animals? A mixed-methods study of UK veterinary clinics. *Prev. Vet. Med.* 183, 105117 <https://doi.org/10.1016/j.prevetmed.2020.105117>.
- Umer, N., Seržants, M., Uzule, M., Sauter-Louis, C., Staubach, C., Lamberga, K., Olševskis, E., Conraths, F.J., Schulz, K., 2021. Hunters' view on the control of African swine fever in wild boar. A participatory study in Latvia. *Prev. Vet. Med.* 186, 105229 <https://doi.org/10.1016/j.prevetmed.2020.105229>.

Fernanda C. Dórea<sup>a,b,\*</sup>

<sup>a</sup> *The Society for Veterinary Epidemiology and Preventive Medicine, UK*  
<sup>b</sup> *Department of Disease Control and Epidemiology, National Veterinary Institute, Uppsala, SE 75 189, Sweden*

Timothée Vergne<sup>a,b</sup>

<sup>a</sup> *The Society for Veterinary Epidemiology and Preventive Medicine, UK*  
<sup>b</sup> *UMR ENVT-INRAE 1225, National Veterinary School of Toulouse, Toulouse, France*

Marnie Brennan<sup>a,b</sup>

<sup>a</sup> *The Society for Veterinary Epidemiology and Preventive Medicine, UK*  
<sup>b</sup> *School of Veterinary Medicine and Science, University of Nottingham, Loughborough, UK*

Gerdien van Schaik<sup>a,b,c</sup>

<sup>a</sup> *The Society for Veterinary Epidemiology and Preventive Medicine, UK*  
<sup>b</sup> *Royal GD, Deventer, The Netherlands*  
<sup>c</sup> *Department of Population Health Sciences, Unit Farm Animal Health, Utrecht University, Utrecht, The Netherlands*

Damien Barrett<sup>a,b</sup>

<sup>a</sup> *The Society for Veterinary Epidemiology and Preventive Medicine, UK*  
<sup>b</sup> *One Health Scientific Support Team, Dept of Agriculture, Food and the Marine, Dublin, Ireland*

Luís Pedro Carmo<sup>a,b</sup>

<sup>a</sup> *The Society for Veterinary Epidemiology and Preventive Medicine, UK*  
<sup>b</sup> *Veterinary Public Health Institute, Vetsuisse Faculty, University of Bern,  
Switzerland*

Philip A. Robinson<sup>a,b</sup>

<sup>a</sup> *The Society for Veterinary Epidemiology and Preventive Medicine, UK*  
<sup>b</sup> *Department of Veterinary Health and Animal Sciences, Harper Adams  
University, Newport, Shropshire, United Kingdom*

Dave C. Brodbelt<sup>a,b</sup>

<sup>a</sup> *The Society for Veterinary Epidemiology and Preventive Medicine, UK*  
<sup>b</sup> *Veterinary Epidemiology, Economics and Public Health Group, Royal  
Veterinary College, London, UK*

K. Marie McIntyre<sup>a,b</sup>

<sup>a</sup> *The Society for Veterinary Epidemiology and Preventive Medicine, UK*  
<sup>b</sup> *Department of Livestock and One Health, Institute of Infection, Veterinary  
and Ecological Sciences, University of Liverpool, UK*

\* Corresponding author at: Department of Disease Control and  
Epidemiology, National Veterinary Institute, Uppsala, SE 75 189,  
Sweden.

E-mail address: [fernanda.dorea@sva.se](mailto:fernanda.dorea@sva.se) (F.C. Dórea).