

POSTER PRESENTATION

Open Access


Control of breathing by interacting pontine and pulmonary feedback loops

Yaroslav I Molkov^{1*}, Bartholomew J Bacak², Thomas E Dick³, Ilya A Rybak²

From Twenty Second Annual Computational Neuroscience Meeting: CNS*2013
Paris, France. 13-18 July 2013

The medullary respiratory network generates respiratory rhythm via sequential phase switching, which in turn is controlled by multiple feedbacks including those from the pons and nucleus tractus solitarius; the latter mediates pulmonary afferent feedback to the medullary circuits. It is hypothesized that both pontine and pulmonary feedback pathways operate via activation of medullary respiratory neurons that are critically involved in phase switching. Moreover, the pontine and pulmonary control loops interact, so that pulmonary afferents control the gain of pontine influence of the respiratory pattern.

We used an established computational model of the respiratory network [1] and extended it by incorporating pontine circuits and pulmonary feedback (Figure 1). In the extended model, the pontine neurons receive phasic excitatory activation from, and provide feedback to, medullary respiratory neurons responsible for the onset and termination of inspiration. The model was used to study the effects of: (1) "vagotomy" (removal of pulmonary feedback), (2) suppression of pontine activity attenuating pontine feedback, and (3) these perturbations applied together on the respiratory



* Correspondence: ymolkov@iupui.edu

¹Department of Mathematical Sciences, Indiana University - Purdue University Indianapolis, IN 46202, USA

Full list of author information is available at the end of the article

pattern and durations of inspiration (T_I) and expiration (T_E).

In our model: (a) the simulated vagotomy resulted in increases of both T_I and T_E , (b) the suppression of pontine-medullary interactions led to the prolongation of T_I at relatively constant, but variable T_E , and (c) these perturbations applied together resulted in "apneusis", characterized by a significantly prolonged T_I . The results of modeling were compared with, and provided a reasonable explanation for, multiple experimental data. The model was able to reproduce the experimentally demonstrated changes in T_I and T_E and phrenic pattern following vagotomy and/or pontine suppression by NMDA receptor blockers MK801 and AP-5. According to the model these changes reflect the characteristic changes in the balance between the pontine and pulmonary feedback mechanisms involved in control of breathing during various cardio-respiratory disorders and diseases.

Abbreviations

AP-5 - amino-5-phosphonovaleric acid, NMDA receptor antagonist; BötC - Böttinger Complex; E - Expiratory or Expiration; I - Inspiratory or Inspiration; KF - Kölliker-Fuse nucleus; MK801 - dizocilpine maleate, NMDA receptor antagonist; NTS - Nucleus Tractus Solitarii; PBN - ParaBrachial Nucleus; PSRs - Pulmonary Stretch Receptors; VRC - Ventral Respiratory Column; VRG - Ventral Respiratory Group.

Acknowledgements

This study was supported by the National Institutes of Health: grants R33 HL087377, R33 HL087379, R01 NS057815, and R01 NS069220.

Author details

¹Department of Mathematical Sciences, Indiana University - Purdue University Indianapolis, IN 46202, USA. ²Department of Neurobiology and Anatomy, Drexel University College of Medicine, Philadelphia, PA 19129, USA. ³Departments of Medicine and Neurosciences, Case Western Reserve University, Cleveland, OH 44106, USA.

Published: 8 July 2013

Reference

- Smith JC, Abdala AP, Koizumi H, Rybak IA, Paton JF: Spatial and functional architecture of the mammalian brain stem respiratory network: a hierarchy of three oscillatory mechanisms. *J Neurophysiol* 2007, 98:3370-3387.

doi:10.1186/1471-2202-14-S1-P338

Cite this article as: Molkov et al.: Control of breathing by interacting pontine and pulmonary feedback loops. *BMC Neuroscience* 2013 14(Suppl 1):P338.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

