




Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.



Corrigendum

Corrigendum to “Examination of seroprevalence of coronavirus HKU1 infection with S protein-based ELISA and neutralization assay against viral spike pseudotyped virus” Journal of Clinical Virology 45 (2009) 54–60

C.M. Chan^{a,b,c}, Herman Tse^{a,b,c}, S.S.Y. Wong^{a,b,c}, P.C.Y. Woo^{a,b,c}, S.K.P. Lau^{a,b,c}, L. Chen^c, B.J. Zheng^{a,b,c}, J.D. Huang^b, K.Y. Yuen^{a,b,c,*}

^a State Key Laboratory of Emerging Infectious Diseases, Department of Microbiology, Hong Kong

^b Research Center of Infection and Immunology, The University of Hong Kong, Hong Kong

^c Guangzhou Institute of Biomedicine and Health, Chinese Academy of Sciences, PR China

The authors regret that we had made an error in the production of Fig. 5. The corrected fig. 5 is shown in this corrigendum. The authors

would like to apologize for any inconvenience this error may have caused.



DOI of original article: <https://doi.org/10.1016/j.jcv.2009.02.011>.

* Corresponding author.

E-mail address: hkumicro@hkucc.hku.hk (K.Y. Yuen).

<https://doi.org/10.1016/j.jcv.2022.105295>

Available online 26 October 2022

1386-6532/© 2009 Elsevier B.V. All rights reserved.




Fig. 5. Detection of antibodies against native HCoV-HKU1 S protein expressed in BHK-21 cells by indirect immunofluorescent microscopy. Sera A and B (C1–2) are S-based ELISA negative samples. Serum C (S0) was taken from a patient who had recovered from HKU1 infection. Sera D–H and J–N are samples (S1–S8 and S10–S11) which were S-based ELISA positive with $OD \geq 0.6$ and O–Q (S12–S14) with OD between 0.495 and <0.6 .