

CORRECTION


Correction: Use of fourth-generation rapid combined antigen and antibody diagnostic tests for the detection of acute HIV infection in a community centre for men who have sex with men, between 2016 and 2019

The *PLOS ONE* Staff

The tenth and eleventh authors, Dante R. Culqui and Joan A. Caylà, should be noted as joint senior authors of this work. The publisher apologizes for the error.

Reference

1. Saz J, Dalmau-Bueno A, Meulbroek M, Pujol F, Coll J, Herraiz-Tomey Á, et al. (2021) Use of fourth-generation rapid combined antigen and antibody diagnostic tests for the detection of acute HIV infection in a community centre for men who have sex with men, between 2016 and 2019. *PLoS ONE* 16(7): e0255065. <https://doi.org/10.1371/journal.pone.0255065> PMID: 34314468



OPEN ACCESS

Citation: The *PLOS ONE* Staff (2021) Correction: Use of fourth-generation rapid combined antigen and antibody diagnostic tests for the detection of acute HIV infection in a community centre for men who have sex with men, between 2016 and 2019. *PLoS ONE* 16(10): e0258613. <https://doi.org/10.1371/journal.pone.0258613>

Published: October 11, 2021

Copyright: © 2021 The PLOS ONE Staff. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.