CORRECTION

Correction to: The use of intravenous immunoglobulin gamma for the treatment of severe coronavirus disease 2019: a randomized placebo-controlled doubleblind clinical trial

Naser Gharebaghi¹, Rahim Nejadrahim¹, Seved Jalil Mousavi¹, Sevved-Reza Sadat-Ebrahimi^{2*} and Reza Hajizadeh^{3*}

Correction to: BMC Infect Dis (2020) 20:786 https://doi.org/10.1186/s12879-020-05507-4

Following publication of the original article [1], the author identified two errors in the Results section of the Abstract and in Table 2.

The sentence currently reads:

" The in-hospital mortality rate was significantly lower in the IVIg group compared to the control group (6 [20.0%] vs. 14 [48.3%], respectively; P = 0.022). ".

The sentence should read:

" The in-hospital mortality rate was significantly lower in the IVIg group compared to the control group (6 [20.0%] vs. 14 [48.3%], respectively; P = 0.025). ".

Furthermore, the correct Table 2 is given below.

The original article [1] has been corrected.

Author details

¹Department of Infectious Diseases, Urmia University of Medical Sciences, Urmia, Iran. ²Cardiovascular Research Center, Tabriz University of Medical Sciences, Tabriz, Iran. ³Department of Cardiology, Urmia University of Medical Sciences, Urmia, Iran.

The original article can be found online at https://doi.org/10.1186/s12879-020-05507-4

* Correspondence: Sadatr@tbzmed.ac.ir; hajizadh.reza@gmail.com

BMC

²Cardiovascular Research Center, Tabriz University of Medical Sciences, Tabriz, Iran

³Department of Cardiology, Urmia University of Medical Sciences, Urmia, Iran Full list of author information is available at the end of the article

Published online: 26 November 2020

Reference

Gharebaghi N, et al. The use of intravenous immunoglobulin gamma for the treatment of severe coronavirus disease 2019: a randomized placebocontrolled double-blind clinical trial. BMC Infect Dis. 2020;20:786 https://doi. org/10.1186/s12879-020-05507-4.

BMC Infectious Diseases

which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

© The Author(s), 2020 Open Access This article is licensed under a Creative Commons Attribution 4.0 International License.

Open Access



Gharebaghi et al. BMC Infectious Diseases (2020) 20:895 https://doi.org/10.1186/s12879-020-05628-w



Table 2 The relationship between study variables and mortality of patients with severe COVID-19

		Mortality		Unadjusted OR (95% CI)	<i>P</i> -value
		No	Yes		
Treatment Group		24 (61.5)	6 (30)	0.27 (0.08, 0.85)	0.025#
Control Group		15 (38.5)	14 (70)	Ref	
Age (years)		54 (44, 60)	60 (53.5, 70)	1.05 (1.01, 1.1)	0.014
Gender n (%)	Male	27 (70)	14 (70)	0.96 (0.3, 3.12)	0.951
	Female	12 (30)	6 (30)	Ref	
HTN n (%)		8 (23.3)	5 (25)	1.29 (0.36, 4.63)	0.694
DM n (%)		11 (20)	5 (25)	0.85 (0.25, 2.9)	0.793
Chronic lung disease n (%)		1 (6.6)	1 (5)	2 (0.12, 33.76)	0.630
HR/min		95 (90, 100)	95 (89, 108)	1.02 (0.96, 1.08)	0.543
Systolic BP (mmHg)		120 (120, 130)	120 (110, 130)	0.97 (0.93, 1.01)	0.173
Diastolic BP (mmHg)		80 (70, 80)	70 (70, 80)	0.95 (0.88, 1.01)	0.120
RR /min		19 (18, 22)	20 (18, 22)	0.98 (0.93, 1.04)	0.545
BT C°		37.1 (36.7, 37.7)	37.1 (36.75, 37.65)	1.26 (0.63, 2.52)	0.518
O_2 saturation (%)		89 (87, 89)	85 (80, 88)	0.84 (0.74, 0.97)	0.015
WBC (1000/mm ³)		5.1 (4.6, 7.4)	7.2 (5.1, 11.2)	1.00 (1.00, 1.00)	0.743
Hb (g/dl)		13.9 (12.6, 15)	13.5 (12.05, 15.25)	0.95 (0.8, 1.13)	0.566
Plt (1000/mm ³)		210 (135, 247)	172.5 (139.5, 193)	1.00 (1.00, 1.00)	0.090
LDH (U/L)		520 (400, 687)	761 (560.5, 1021)	1.00 (1.00, 1.00)	0.003
BUN (mg/dl)		29 (25, 39)	64 (50, 129.5)	1.06 (1.02, 1.09)	0.001
Creatinine (mg/dl)		1 (1, 1.2)	1.2 (1.1, 1.55)	3.63 (0.95, 13.87)	0.059
K (mEq/L)		4 (3.7, 4.4)	4.2 (4.1, 4.3)	0.95 (0.8, 1.14)	0.616
Na (mEq/L)		138 (137, 139)	138 (135, 143.5)	1.04 (0.95, 1.14)	0.344
ESR		28 (20, 41)	40 (26, 49.5)	1.01 (0.99, 1.03)	0.424
AST (U/L)		31 (21, 39)	29.5 (15.5, 52.5)	1.00 (0.97, 1.02)	0.735
ALT (U/L)		34.5 (25, 41)	38.5 (29.5, 48)	1.01 (0.99, 1.02)	0.306
BS (mg/dl)		119 (105, 174)	126 (109.5, 184)	1.00 (0.99, 1.01)	0.845
PaO ₂ (mmHg)		46 (40, 50)	39.5 (34, 49)	0.92 (0.85, 0.99)	0.035
PCO ₂ (mmHg)		40 (35, 46)	38 (36, 39.5)	0.99 (0.91, 1.08)	0.798
HCO ₃ (mEq/L)		24 (22, 25)	24.5 (19.5, 26.5)	1.00 (0.89, 1.13)	0.946
рН		7.3 (7.3, 7.4)	7.3 (7.2, 7.4)	0.04 (0, 8.87)	0.243