




BMJ Open Using an integrated knowledge translation or other research partnership approach in trainee-led research: a scoping review protocol

Christine E Cassidy ¹, Amy Jane Beck,² Aislinn Conway ³,
Melissa Demery Varin,⁴ Celia Laur,⁵ Krystina B Lewis,^{6,7} Emily R Ramage ⁸,
Tram Nguyen,^{9,10} Sandy Steinwender,¹¹ Ilja Ormel,¹² Lillian Stratton,¹
Hwayeon Danielle Shin¹

To cite: Cassidy CE, Beck AJ, Conway A, *et al*. Using an integrated knowledge translation or other research partnership approach in trainee-led research: a scoping review protocol. *BMJ Open* 2021;**11**:e043756. doi:10.1136/bmjopen-2020-043756

► Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (<http://dx.doi.org/10.1136/bmjopen-2020-043756>).

Received 12 August 2020
Accepted 07 May 2021



© Author(s) (or their employer(s)) 2021. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by BMJ.

For numbered affiliations see end of article.

Correspondence to
Dr Christine E Cassidy;
ccassidy@dal.ca

ABSTRACT

Introduction Collaborative research approaches, such as co-production, co-design, engaged scholarship and integrated knowledge translation (IKT), aim to bridge the evidence to practice and policy gap. There are multiple benefits of collaborative research approaches, but studies report many challenges with establishing and maintaining research partnerships. Researchers often do not have the opportunity to learn how to build collaborative relationships, and most graduate students do not receive formal training in research partnerships. We are unlikely to make meaningful progress in strengthening graduate and postgraduate training on working collaboratively with the health system until we have a better understanding of how students are currently engaging in research partnership approaches. In response, this scoping review aims to map and characterise the evidence related to using an IKT or other research partnership approach from the perspective of health research trainees.

Methods and analysis We will employ methods described by the Joanna Briggs Institute and Arksey and O'Malley's framework for conducting scoping reviews. The reporting will follow the Preferred Reporting Items for Systematic Reviews and Meta-Analysis extension for scoping reviews checklist. We will include both published and unpublished grey literature and search the following databases: MEDLINE, Embase, CINAHL, PsycINFO, ProQuest Dissertations & Theses Global databases, Google Scholar and websites from professional bodies and other organisations. Two reviewers will independently screen the articles and extract data using a standardised data collection form. We will narratively describe quantitative data and conduct a thematic analysis of qualitative data. We will map the IKT and other research partnership activities onto the Knowledge to Action cycle and IAP2 Levels of Engagement Framework.

Ethics and dissemination No ethical approval is required for this study. We will share the results in a peer-reviewed, open access publication, conference presentation and stakeholder communications.

Strengths and limitations of this study

- We will follow established scoping review methods described by the Joanna Briggs Institute and Arksey and O'Malley and report the review using the Preferred Reporting Items for Systematic Reviews and Meta-Analysis extension for scoping reviews checklist.
- The study selection, data extraction and charting will be performed by two independent reviewers to minimise the risk of bias or errors.
- Although comprehensive, this scoping review has limitations regarding the number of databases and English language, and may limit research from low-income and middle-income countries.
- There are many different types of health research partnership approaches. Despite including a range of search terms, our strategy may not retrieve all papers related to health research partnerships.
- Although we will conduct a follow-up search of the author's information to identify trainee status, it is possible that we may not capture all trainees who have used an integrated knowledge translation or other research partnership approach in their work.

INTRODUCTION

Challenges persist in implementing and sustaining the use of evidence in healthcare practice and policy. Recent evidence suggests that on average only 60% of healthcare is consistent with evidence-based guidelines, 30% of care practices have low therapeutic value and 10% of care is harmful.¹ Collaborative research approaches, such as co-production, co-design, engaged scholarship and integrated knowledge translation (IKT),² aim to bridge the evidence to practice and policy gap by producing relevant research to address health system problems. IKT, specifically, focuses on bridging the gap through research partnerships. IKT is defined as 'a

model of collaborative research, where researchers work with knowledge users who identify a problem and have the authority to implement the research recommendations' (Kothari *et al.*,³ p299). Benefits of IKT and other research partnership approaches include improved quality of research,⁴ enhanced value for research among decision makers,⁵ increased capacity among decision makers for engaging in research⁵⁻⁷ and more impactful and useful research findings.^{4,8,9}

There are increasing expectations for researchers and knowledge users in the health system (ie, patients, families, care partner, clinicians, decision makers, policy makers and funders) to use a research partnership approach, such as IKT, to increase the relevance and use of research findings in health practice, programmes and policies.^{3,10} However, collaborative research is not without challenges; studies report many challenges with establishing and maintaining research partnerships with knowledge users.^{4,5,11} Significant time is needed to develop trusting, authentic relationships; and there may be insufficient resources to support partnership development and maintenance.¹¹ Furthermore, differing needs and priorities among researchers and health system decision makers,^{4,5,11} as well as unclear goals, roles and expectations, can hinder research partnerships.⁵

A lack of skill or understanding of the collaboration process has also been identified as an important barrier to effective research partnerships with knowledge users.⁵ Studies have shown that effectiveness in collaborative health research requires researchers to have specific knowledge and skills for working in partnership with health system decision makers.¹² Researchers often lack an understanding of the health system context and skills to engage in collaborative work.¹³ This can lead to ineffective researcher behaviour and affect the development of positive, mutually beneficial research partnerships.¹³

Researchers often do not have the opportunity to learn how to establish effective collaborative relationships with knowledge users in the health system.¹¹ Most graduate students do not receive formal training in collaborative health research approaches.^{14,15} Graduate students and postdoctoral trainees who engage in research partnerships with knowledge users are often self-motivated and supported with experiential learning opportunities or are supervised or receive mentorship from established researchers with expertise in IKT or other research partnership approaches.¹⁶ However, it is imperative that all health research trainees learn how to build trusting, effective relationships with knowledge users to foster meaningful, ethical research with relevant outcomes.¹⁷ A survey of PhD-prepared research highlighted unmet learning needs related to collaboration in research during their training.¹⁸ As such, efforts are needed to improve academic preparation for engaging in health research partnerships.^{13,16}

Given the challenges in using an IKT and other research partnership approaches, efforts are needed to support health research graduate trainees in engaging in

research partnerships with knowledge users. Currently, the research partnership literature illustrates the benefits and challenges to collaborative health research from the perspective of researchers and knowledge users.^{11,13,19-21}

However, little is known about how trainees engage in research partnership approaches, such as IKT. Therefore, the purpose of this scoping review is to map and characterise the evidence related to using an IKT approach or other research partnerships from the perspective of health research trainees in thesis and/or postdoctoral work.

METHODS

We will conduct this scoping review using the Joanna Briggs Institute (JBI) scoping review methodology²² and Arksey and O'Malley framework for conducting scoping reviews,²³ as outlined in the following five steps. We will use the Preferred Reporting Items for Systematic Reviews and Meta-Analysis (PRISMA) extension for scoping reviews²⁴ to guide the reporting of our scoping review.

Stage 1: identifying the research question

We aim to conduct a scoping review to map and characterise the available evidence related to using an IKT or other research partnership approach from the perspectives of trainees in thesis and/or postdoctoral work via the following research question:

1. How has IKT and other research partnership approaches been applied in thesis and/or postdoctoral health research?

Additional research objectives include:

- Identify IKT/research partnership principles, strategies and/or tools used in trainee-led health research.
- Identify barriers and facilitators to, and recommendations for using IKT or other research partnership approaches in trainee-led health research.
- Identify if/how outcomes were reported and evaluated in trainee-led health research using IKT or other research partnerships.

Stage 2: identifying relevant studies

To identify relevant studies, we will include key inclusion criteria based on the population, concept and context mnemonic recommended by JBI.

Participants

This review will consider literature for which health research trainees (ie, graduate students (masters, doctoral) and postdoctoral fellows) are the primary author/researcher of the article. Postdoctoral fellows may also be described as postdoctoral researchers or postdoctoral research associates. Students/fellows must be in the position of a trainee, meaning that the included studies must relate to the student or fellow's thesis/programme project/dissertation/fellowship projects.

Concept

This review will consider studies that explore IKT and other research partnership approaches in trainee-led

Table 1 Operational terms and definitions

Term	Definition
Integrated knowledge translation	'A model of collaborative research, where researchers work with knowledge users who identify a problem and have the authority to implement the research recommendations.' (Kothari <i>et al</i> , ³ p299) Research activities include but are not limited to establishing the research questions, deciding on the methodology and methods, recruiting and/or collecting the data, interpreting the results and disseminating the findings. ⁴⁰
Research partnerships	'Individuals, groups, or organizations engaged in collaborative research activity involving at least one researcher (eg, individual affiliated with an academic institution) and any stakeholder actively engaged in any part of the research process (eg, decision or policy-maker, health care administrator or leader, community agency, charities, network, patients, lived experience advisor, etc.).' ⁴¹ Examples of research partnership approaches include, but are not limited to, IKT, engaged scholarship, Mode 2 research, co-production and participatory research. ⁴² We will include patient engagement research, if the study describes the patients as active partners and/or knowledge users in the study. We will exclude studies that describe community-based interventions (not associated with the health system), practice-based quality improvement initiatives or interorganisational networks or quality improvement collaboratives that seek to disseminate knowledge or improve service delivery and outcomes but do not undertake research.
Approaches	The IKT and research partnership activities that comprise or promote collaboration in the research process. We will refer to these as 'approaches'; however, given the lack of universally accepted taxonomy, these may also be referred to in the literature as strategies, mechanisms, methods, activities or processes. Knowledge users could take part in one or more of these research functions. All studies included in the review will explicitly describe the IKT approaches.
Barrier	'A circumstance or obstacle that keeps people or things apart or prevents communication or progress.' ⁴³
Facilitator	'Someone or something that facilitates (to make easier).'44

health research. The review will include only studies that describe the trainee's experience with IKT research and related partnership approaches (ie, manuscript or thesis/dissertation chapter that provides a reflection or description of the approach, text or opinion paper describing how the partnership approach was used). Papers must explain how the research partnership approach was used, including principles, strategies and/or tools. Studies that state the use of a research partnership approach but do not describe how it was used will be excluded. Studies that describe barriers and facilitators to using an IKT or other research partnership approach will be included. Studies that evaluate the IKT approach will also be included. For the purpose of this review, we will use the following *operational terms and definitions* (table 1).

Context

This scoping review will consider literature focused on trainee-led health research. For the purpose of this review, *health research* refers to research that aims to 'increase our knowledge of health, disease, and health services, and to then apply that knowledge to help people lead healthier lives' (Government of Canada CIHR,²⁵ p5). It may include 'biomedical research, epidemiological studies, and health services research, as well as studies of behavioural, social, and economic factors that affect health' (Gostin *et al*,²⁶ para4).

Search strategy

The search strategy will be developed with a health science librarian and aims to locate both published and unpublished literature. Hoekstra and colleagues²⁷ developed a comprehensive search strategy for synthesising the

research partnership literature; we will use these search strategy findings to inform our search strategy for this scoping review. The proposed scoping review will follow the three-step process in accordance with the JBI Scoping Review Methodology.²⁸ The search strategy aims to locate both published and unpublished primary studies, reviews and text and opinion papers. We conducted an initial limited search of MEDLINE and CINAHL to identify articles on the topic. Next, we used the text words contained in the titles and abstracts of relevant articles, and the index terms used to describe the articles to develop a full search strategy. The search strategy, including all identified keywords and index terms, will be adapted for each included information source.

We will search the following databases: MEDLINE, Embase, CINAHL and PsycINFO. The final search strategy for MEDLINE can be found in online supplemental appendix 1. We will also search sources of unpublished studies and grey literature including ProQuest Dissertations & Theses Global databases and the first 50 pages of Google Scholar. Only studies published in English will be included. No date limits will be applied to allow for exploration of the use of IKT and/or other research partnership approaches in trainee-led research over time. We will search for grey literature resources including those identified in the Canadian Agency for Drugs and Technologies in Health grey literature checklist *Grey Matters: a practical tool for searching health-related grey literature*.²⁹ We will use websites of research and academic institutions and health system organisation, together with concept papers, reports and blog posts. We will search relevant websites of professional bodies or organisations such as

the Integrated Knowledge Translation Research Network (IKTRN), SPOR Units, Dissemination & Implementation, National Institute for Health Research Collaborations for Leadership in Applied Health Research and Care and KT Canada. If appropriate, we will contact individuals or groups to source additional material (ie, Twitter, IKTRN members, relevant KT listservs). We will use our professional networks in the area of IKT and collaborative health research to email relevant content experts to identify additional sources that meet the inclusion criteria. Reference chaining will also be conducted with all included articles.

Stage 3: study selection

Following the search, we will collate all identified records, upload them to Covidence³⁰ and remove duplicates. Two independent reviewers will screen the titles and abstracts against the inclusion and exclusion criteria for the review. Potentially relevant papers/theses will be retrieved in full and uploaded into the Covidence software. Next, two independent reviewers will assess the full text of selected citations in detail against the inclusion criteria. We will record and report reasons for exclusion of full text papers. Any disagreements that arise between the reviewers at each stage of the selection process will be resolved through discussion, or with a third reviewer.

We will conduct a follow-up of each primary author during the full-text assessment stage for more information about their trainee status. When papers do not mention a primary author's status, we will search the author's name and the indicated affiliation in Google. If the primary author is found to be a trainee, we will include the corresponding paper. Furthermore, we will make use of available LinkedIn profiles of the authors to identify their trainee status. When necessary, we will contact that authors to clarify their trainee status. We will report the results of the search in full in the final scoping review and present them in an adapted PRISMA flow diagram.²⁴

Public and patient involvement

There will be no public and patient engagement in this review of trainee-led research; however, as mentioned, we will consult with experts in this topic area to identify relevant sources.

Stage 4: charting the data

Two independent reviewers will use a data charting tool developed by the research team to extract data from papers included in the scoping review. A draft data charting tool is provided (see online supplementary appendix II). We will extract the following study information: author(s); year of publication; country of origin; study aim/purpose; study population; study setting; design; length of study; trainee characteristics (health/clinical discipline, affiliations with clinical institutions, stage of training); knowledge users' characteristics (level of involvement, stage

of involvement, coauthors, incentives or compensation for knowledge users); description of IKT approach; IKT principles/strategies; stage of research process; barriers and facilitators; impact/outcome; and implications/recommendations. We will define impact as 'identifiable benefit to, or positive influence on, the economy, society, public services, health, the environment, quality of life, or academia'³¹ and outcomes as 'a planned, a priori assessment described in the study methods that is used to determine a change in status as a result of interventions, can be measured or assessed as a component of the study, and is not something of futuristic benefit.'³²

We will pilot the draft data charting tool with five studies and modify as needed. Modifications will be detailed in the full scoping review. We will resolve any disagreements that arise between the reviewers through discussion with a third reviewer. Authors will be contacted to request missing or additional data, where required. Two attempts to contact authors will be made. We will wait 2 weeks before a follow-up email.

We will use several frameworks to analyse the extracted data. First, we will map included papers onto the seven phases of the Knowledge to Action cycle³³ based on the reported research purpose and objectives. Second, we will categorise the knowledge users' engagement onto the five levels of public participation of the IAP2 spectrum.³⁴ Third, we will identify the research stages that knowledge users are engaged in, including (1) development of research question, (2) development of research proposal, (3) administrative prelaunch, (4) recruitment and data collection, (5) data analysis and (6) dissemination and implementation.³⁵ Fourth, we will use the Workgroup for Intervention Development and Evaluation Research³⁶ reporting checklist to describe details about the IKT approach, including (1) content (nature and goal of the study and/or IKT partnership); (2) mode of delivery (specific types of IKT activities in which knowledge users were involved); (3) duration and/or frequency (timing of IKT activities); (4) participants (who were involved in specific IKT activities) and (5) personnel (who coordinated or led IKT activities) (scoping review objective A). Fifth, we will use the Capability, Opportunity and Motivation-Behaviour (COM-B) model³⁷ and Theoretical Domains Framework (TDF)³⁸ to characterise trainee-reported barriers and facilitators to knowledge user engagement (scoping review objective B). Both COM-B and TDF are behaviour frameworks that capture both internal and external influences on behaviour change and have been used in a range of healthcare disciplines to analyse behaviours. We will map narrative descriptions of reported barriers and facilitators onto the most appropriate domains of COM-B and TDF. Lastly, we will categorise the reported outcomes and impact of engagement to levels of patients, provider and system (scoping review objective C). As data coding is expected to be an iterative process, necessary changes

to the coding scheme will be made and reported in the full review.

Stage 5: collating, summarising and reporting the results

We will present the charted data in a tabular form that aligns with the study's objectives. In addition to the tables, we will create a figure of the barriers, facilitators, strategies, impact/outcomes and recommendations in included studies.²⁸ We will produce descriptive numerical summaries of the quantitative data (ie, frequency of barriers and facilitators, outcomes, etc). We will conduct an inductive thematic analysis on the qualitative data.³⁹ Lastly, a narrative summary will accompany these presentations and describe how the findings relate to the review's objective and subquestions.

ETHICS AND DISSEMINATION

Since the scoping review methodology aims at synthesising information from publicly available publications, this study does not require ethical approval. The goal of this scoping review is to map and characterise the evidence related to using an IKT approach or other research partnerships as a trainee in thesis and/or postdoctoral work. We anticipate the results of the scoping review will inform future research directions on exploring the trainee's experience with using an IKT and other research partnership approach. As such, we will share the results in a peer-reviewed, open access publication and relevant conference presentations. Furthermore, we expect the findings to help inform future training modernisation efforts. We will share the findings with key academic and health system training stakeholders through brief evidence summaries, informal presentations and targeted meetings.

Author affiliations

¹School of Nursing, Dalhousie University, Halifax, Nova Scotia, Canada

²Faculty of Nursing, University of Calgary, Calgary, Alberta, Canada

³BORN Ontario, CHEO, Ottawa, Ontario, Canada

⁴School of Nursing, University of Ottawa Faculty of Health Sciences, Ottawa, Ontario, Canada

⁵Institute for Health System Solutions and Virtual Care, Women's College Hospital, Toronto, Ontario, Canada

⁶School of Nursing, University of Ottawa, Ottawa, Ontario, Canada

⁷University of Ottawa Heart Institute, University of Ottawa, Ottawa, Ontario, Canada

⁸School of Health Sciences, University of Newcastle, Callaghan, New South Wales, Australia

⁹Centre for Implementation Research, Ottawa Hospital Research Institute, Ottawa, Ontario, Canada

¹⁰School of Epidemiology & Public Health, University of Ottawa, Ottawa, Ontario, Canada

¹¹Faculty of Health Sciences, Western University, London, Ontario, Canada

¹²Faculty of Medicine, McGill University, Montreal, Quebec, Canada

Twitter Amy Jane Beck @amyjanebeck, Aislinn Conway @AislinnConway and Emily R Ramage @EmilyRRamage

Acknowledgements We wish to thank the Integrated Knowledge Translation Research Network for their support of this study. We would also like to thank Dr. Ian D Graham for reviewing an earlier draft of this protocol.

Contributors CEC, AJB, AC, MDV, CL, KBL, ERR, TN and SS designed the scoping review protocol including data collection and interpretation planning. CEC, AJB, AC,

MD-V, CL, KBL, ERR, TN, SS, IO, LS and HDS drafted and revised the protocol for intellectual content and made final approval for the submission of the protocol.

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests None declared.

Patient consent for publication Not required.

Provenance and peer review Not commissioned; externally peer reviewed.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: <http://creativecommons.org/licenses/by-nc/4.0/>.

ORCID iDs

Christine E Cassidy <http://orcid.org/0000-0001-7770-5058>

Aislinn Conway <http://orcid.org/0000-0002-7566-3138>

Emily R Ramage <http://orcid.org/0000-0002-0599-7028>

REFERENCES

- Braithwaite J, Glasziou P, Westbrook J. The three numbers you need to know about healthcare: the 60-30-10 challenge. *BMC Med* 2020;18:102.
- Rycroft-Malone J, Burton CR, Bucknall T, *et al*. Collaboration and Co-Production of knowledge in healthcare: opportunities and challenges. *Int J Health Policy Manag* 2016;5:221-3.
- Kothari A, McCutcheon C, Graham ID. Defining integrated knowledge translation and moving forward: a response to recent commentaries. *Int J Health Policy Manag* 2017;6:299-300.
- Oliver K, Kothari A, Mays N. The dark side of coproduction: do the costs outweigh the benefits for health research? *Health Res Policy Syst* 2019;17:33.
- Gagliardi AR, Berta W, Kothari A, *et al*. Integrated knowledge translation (IKT) in health care: a scoping review. *Implement Sci* 2016;11:38.
- Jagosh J, Macaulay AC, Pluye P, *et al*. Uncovering the benefits of participatory research: implications of a realist review for health research and practice. *Milbank Q* 2012;90:311-46.
- Jessani NS, Valmeekananathan A, Babcock C, *et al*. Exploring the evolution of engagement between academic public health researchers and decision-makers: from initiation to dissolution. *Health Res Policy Syst* 2020;18:15.
- Walter I, Davies H, Nutley S. Increasing research impact through partnerships: evidence from outside health care. *J Health Serv Res Policy* 2003;8(Suppl 2):58-61.
- Hofmeyer A, Scott C, Lagendyk L. Researcher-decision-maker partnerships in health services research: practical challenges, guiding principles. *BMC Health Serv Res* 2012;12:280.
- IKT Research Network. Doing research with the people who use it. Available: <https://iktrn.ohri.ca/> [Accessed 12 May 2020].
- Nyström ME, Karlun J, Keller C, *et al*. Collaborative and partnership research for improvement of health and social services: researcher's experiences from 20 projects. *Health Res Policy Syst* 2018;16:46.
- Barratt H, Shaw J, Simpson L, *et al*. Health services research: building capacity to meet the needs of the health care system. *J Health Serv Res Policy* 2017;22:243-9.
- Bowen S, Botting I, Graham ID, *et al*. Experience of Health Leadership in Partnering with University-Based Researchers in Canada – A Call to "Re-imagine" Research. *Int J Health Policy Manag* 2019;8:684-99.
- Bornstein S, Heritage M, Chudak A, *et al*. Development of enriched core competencies for health services and policy research. *Health Serv Res* 2018;53(Suppl 2):4004-23.



- 15 McMahon M, Bornstein S, Brown A, *et al*. Training for impact: PhD modernization as a key resource for learning health systems. *Healthc Policy* 2019;15:10–15.
- 16 Cassidy CE, Bowen S, Fontaine G, *et al*. How to work collaboratively within the health system: workshop summary and facilitator reflection. *Int J Health Policy Manag* 2020;9:233–239.
- 17 Antes AL, Kuykendall A, DuBois JM. Leading for research excellence and integrity: a qualitative investigation of the relationship-building practices of exemplary principal Investigators. *Account Res* 2019;26:198–226.
- 18 Kyvik S, Olsen TB. The relevance of doctoral training in different labour markets. *J Education Work* 2012;25:205–24.
- 19 Zych MM, Berta WB, Gagliardi AR. Conceptualising the initiation of researcher and research user partnerships: a meta-narrative review. *Health Res Policy Syst* 2020;18:24.
- 20 Zych MM, Berta WB, Gagliardi AR. Initiation is recognized as a fundamental early phase of integrated knowledge translation (IKT): qualitative interviews with researchers and research users in IKT partnerships. *BMC Health Serv Res* 2019;19:772.
- 21 Sibbald SL, Kang H, Graham ID. Collaborative health research partnerships: a survey of researcher and knowledge-user attitudes and perceptions. *Health Res Policy Syst* 2019;17:92.
- 22 Peters M, Godfrey C, McInerney P. Methodology for JBI scoping reviews. In: *The Joanna Briggs Institute Reviewers' Manual*. The Joanna Briggs Institute, 2015: 1–24.
- 23 Arksey H, O'Malley L. Scoping studies: towards a methodological framework. *Int J Soc Res Methodol* 2005;8:19–32.
- 24 Tricco AC, Lillie E, Zarin W, *et al*. PRISMA extension for scoping reviews (PRISMA-ScR): checklist and explanation. *Ann Intern Med* 2018;169:467–73.
- 25 +Government of Canada CI of HR. Health Research in Canada and You - CIHR, 2011. Available: <https://cihr-irsc.gc.ca/e/43753.html> [Accessed 20 Jul 2020].
- 26 Gostin LO, Levit LA, Nass SJ. *Beyond the HIPAA privacy rule: enhancing privacy, improving health through research*. National Academies Press, 2009.
- 27 Hoekstra F, Mrklas KJ, Khan M, *et al*. A review of reviews on principles, strategies, outcomes and impacts of research partnerships approaches: a first step in synthesising the research partnership literature. *Health Res Policy Syst* 2020;18:51.
- 28 Peters M, Godfrey C, McInerney P. Chapter 11: Scoping Reviews (2020 version). In: Aromataris E, Munn Z, eds. *Joanna Briggs Institute Reviewer's Manual*. In: JBI, 2020. <https://reviewersmanual.joannabriggs.org/>
- 29 Canadian Agency for Drugs and Technologies in Health. Grey matters: a practical tool for searching health-related grey literature, 2020. Available: <https://www.cadth.ca/resources/finding-evidence/grey-matters>
- 30 Covidence - Better systematic review management. Available: <https://www.covidence.org/home> [Accessed 13 Dec 2019].
- 31 Research Excellence Framework. Assessment framework and guidance on submissions, 2011. Available: <https://www.ref.ac.uk/2014/media/ref/content/pub/assessmentframeworkandguidanceonsubmissions/GOS%20including%20addendum.pdf>
- 32 Definition of a health outcome. Research, 2015. Available: <https://uwaterloo.ca/research/office-research-ethics/research-human-participants/pre-submission-and-training/human-research-guidelines-and-policies-alphabetical-list/definition-health-outcome> [Accessed 6 Aug 2020].
- 33 Graham ID, Logan J, Harrison MB, *et al*. Lost in knowledge translation: time for a map? *J Contin Educ Health Prof* 2006;26:13–24.
- 34 IAP2 Canada - Public Participation Spectrum. Available: <http://iap2canada.ca/page-1020549> [Accessed 10 Oct 2017].
- 35 Albrecht L, Archibald M, Arseneau D, *et al*. Development of a checklist to assess the quality of reporting of knowledge translation interventions using the Workgroup for intervention development and evaluation research (WIDER) recommendations. *Implement Sci* 2013;8:52.
- 36 Dillon EC, Tuzzio L, Madrid S, *et al*. Measuring the impact of Patient-Engaged research: how a methods workshop identified critical outcomes of research engagement. *J Patient Cent Res Rev* 2017;4:237–46.
- 37 Michie S, Atkins L, West R. *The Behaviour Change Wheel (Behavior Change Wheel) - A Guide To Designing Interventions*. Silverback Publishing, 2014.
- 38 Atkins L, Francis J, Islam R, *et al*. A guide to using the theoretical domains framework of behaviour change to investigate implementation problems. *Implement Sci* 2017;12:77.
- 39 Braun V, Clarke V. Using thematic analysis in psychology. *Qual Res Psychol* 2006;3:77–101.
- 40 Ovretveit J, Hempel S, Magnabosco JL, *et al*. Guidance for research-practice partnerships (R-PPs) and Collaborative research. *J Health Organ Manag* 2014;28:115–26.
- 41 Hoekstra F, Mrklas KJ, Sibley KM, *et al*. A review protocol on research partnerships: a coordinated multicenter team approach. *Syst Rev* 2018;7:217.
- 42 Nguyen T, Graham ID, Mrklas KJ, *et al*. How does integrated knowledge translation (IKT) compare to other Collaborative research approaches to generating and translating knowledge? learning from experts in the field. *Health Res Policy Syst* 2020;18:35.
- 43 barrier noun - Definition, pictures, pronunciation and usage notes | Oxford Advanced Learner's Dictionary at OxfordLearnersDictionaries.com. Available: <https://www.oxfordlearnersdictionaries.com/definition/english/barrier?q=barrier> [Accessed 7 May 2020].
- 44 Facilitator | definition of facilitator by Merriam-Webster. Available: <https://www.merriam-webster.com/dictionary/facilitator> [Accessed 16 Jul 2020].