

Editorial



Three-dimensional (3D) Models of Monkey and Human

Beom Sun Chung

Department of Anatomy, Ajou University School of Medicine, Suwon, Korea



► See the article “Rise of the Visible Monkey: Sectioned Images of Rhesus Monkey” in volume 34, e66.

Received: Feb 27, 2019

Accepted: Feb 27, 2019

Address for Correspondence:

Beom Sun Chung, MD

Department of Anatomy, Ajou University
 School of Medicine, 164 World Cup-ro,
 Yeongtong-gu, Suwon 16499,
 Republic of Korea.
 E-mail: bschung@ajou.ac.kr

© 2019 The Korean Academy of Medical
 Sciences.

This is an Open Access article distributed
 under the terms of the Creative Commons
 Attribution Non-Commercial License (<https://creativecommons.org/licenses/by-nc/4.0/>)
 which permits unrestricted non-commercial
 use, distribution, and reproduction in any
 medium, provided the original work is properly
 cited.

ORCID iDs

Beom Sun Chung

<https://orcid.org/0000-0002-3644-9120>

Disclosure

The author has no potential conflicts of
 interest to disclose.

Dr. Scifun

BS Chung (anatomy.co.kr)

Three-dimensional (3D) models of monkey and human

Why did we reconstruct 3D models of monkey and human?

Sectioned images were stacked.

In order to make a movie where monkey and human star together?

Virtual experiment can be done with 3D model of monkey (A) and that of human (B).

For example, effect of electromagnetic wave can be assessed.

Actual experiment can be done with monkey (C) observing animal ethics,

while that cannot be done with human (X).

As intended, result of actual experiment with human (X) is predictable.

	Monkey	Human
Virtual	A	B
Actual	C	X

A : B = C : X

Are you confused about our similar appearance?