

## CORRECTION

# Correction: Tailored Ge-doped fibres for passive electron radiotherapy dosimetry

Siti Nurasih Mat Nawi, S. F. Abdul Sani, M. U. Khandaker, N. M. Ung, K. S. Almugren, F. H. Alkallas, D. A. Bradley

In the Funding statement, the name of the funder is spelled incorrectly. The correct spelling is Deanship of Scientific Research at Princess Nourah bint AbdulRahman University, Riyadh.

## Reference

1. Mat Nawi SN, Abdul Sani SF, Khandaker MU, Ung NM, Almugren KS, Alkallas FH, et al. (2020) Tailored Ge-doped fibres for passive electron radiotherapy dosimetry. PLoS ONE 15(7): e0235053. <https://doi.org/10.1371/journal.pone.0235053> PMID: 32673337



## OPEN ACCESS

**Citation:** Mat Nawi SN, Abdul Sani SF, Khandaker MU, Ung NM, Almugren KS, Alkallas FH, et al. (2021) Correction: Tailored Ge-doped fibres for passive electron radiotherapy dosimetry. PLoS ONE 16(9): e0258264. <https://doi.org/10.1371/journal.pone.0258264>

**Published:** September 30, 2021

**Copyright:** © 2021 Mat Nawi et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.