



Corrigendum: Low Lymphocyte Count Is Associated With Radiotherapy Parameters and Affects the Outcomes of Esophageal Squamous Cell Carcinoma Patients

Xin Wang^{1,2}, Zongxing Zhao³, Peiliang Wang^{2,4}, Xiaotao Geng^{2,4}, Liqiong Zhu^{1,2} and Minghuan Li^{2*}

¹ Department of Clinical Medicine, Shandong First Medical University and Shandong Academy of Medical Sciences, Jinan, China, ² Department of Radiation Oncology, Shandong Cancer Hospital and Institute, Shandong First Medical University and Shandong Academy of Medical Sciences, Jinan, China, ³ Department of Radiation Oncology, Liaocheng People's Hospital, Liaocheng, China, ⁴ School of Medicine, Shandong University, Jinan, China

OPEN ACCESS

Edited and reviewed by:

Sunil Krishnan,
University of Texas MD Anderson
Cancer Center, United States

*Correspondence:

Minghuan Li
Sdlmh2014@163.com

Specialty section:

This article was submitted to
Radiation Oncology,
a section of the journal
Frontiers in Oncology

Received: 18 November 2020

Accepted: 11 December 2020

Published: 12 January 2021

Citation:

Wang X, Zhao Z, Wang P, Geng X,
Zhu L and Li M (2021) Corrigendum:
Low Lymphocyte Count Is Associated
With Radiotherapy Parameters and
Affects the Outcomes of Esophageal
Squamous Cell Carcinoma Patients.
Front. Oncol. 10:630877.
doi: 10.3389/fonc.2020.630877

Keywords: radiotherapy, esophageal squamous cell carcinoma, radiation-induced lymphopenia, prognosis, immunosuppression

A Corrigendum on

Low Lymphocyte Count Is Associated With Radiotherapy Parameters and Affects the Outcomes of Esophageal Squamous Cell Carcinoma Patients

By Wang X, Zhao Z, Wang P, Geng X, Zhu L and Li M. (2020). *Front. Oncol.* 10:997. doi: 10.3389/fonc.2020.00997

In the original article, there was a mistake in **Figure 2** as published. Due to the authors' carelessness, the line colors for "high ALC nadir" group and "low ALC nadir" group in **Figure 2** were mistakenly reversed. The corrected **Figure 2** and its legend appear below.

The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Copyright © 2021 Wang, Zhao, Wang, Geng, Zhu and Li. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.




FIGURE 2 | Kaplan-Meier curves showing patient clinical outcomes: **(A)** overall survival, **(B)** progression-free survival, and **(C)** local recurrence-free (LR) survival between patients with high ALC nadir (red line) and with low ALC nadir (black line) during radiotherapy.