

CORRECTION

Correction: Multimerization strategies for efficient production and purification of highly active synthetic cytokine receptor ligands

Sofie Mossner, Hoang T. Phan, Saskia Triller, Jens M. Moll, Udo Conrad, Jürgen Scheller

Notice of republication

Incorrect versions of Figs 1, 2, 3, 4, 5, S3 and S4 were published in error. This article was republished on August 6, 2020, to correct for this error. Please download this article again to view the correct version.

Reference

1. Mossner S, Phan HT, Triller S, Moll JM, Conrad U, Scheller J (2020) Multimerization strategies for efficient production and purification of highly active synthetic cytokine receptor ligands. PLoS ONE 15(4): e0230804. <https://doi.org/10.1371/journal.pone.0230804> PMID: 32236103



OPEN ACCESS

Citation: Mossner S, Phan HT, Triller S, Moll JM, Conrad U, Scheller J (2020) Correction: Multimerization strategies for efficient production and purification of highly active synthetic cytokine receptor ligands. PLoS ONE 15(9): e0238925. <https://doi.org/10.1371/journal.pone.0238925>

Published: September 3, 2020

Copyright: © 2020 Mossner et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.