

Erratum to: The impact of low vision on activities of daily living, symptoms of depression, feelings of anxiety and social support in community-living older adults seeking vision rehabilitation services

**Gertrudis I. J. M. Kempen · Judith Ballemans ·
Adelita V. Ranchor · Ger H. M. B. van Rens ·
G. A. Rixt Zijlstra**

Published online: 5 January 2012
© Springer Science+Business Media B.V. 2012

Erratum to: Qual Life Res
DOI 10.1007/s11136-011-0061-y

The mean age of the reference population as presented in the Discussion is 70.1 years indicating that the difference with the low-vision sample was significant.

The online version of the original article can be found under doi:[10.1007/s11136-011-0061-y](https://doi.org/10.1007/s11136-011-0061-y).

G. I. J. M. Kempen (✉) · J. Ballemans · G. A. R. Zijlstra
Department of Health Services Research, and CAPHRI School
for Public Health and Primary Care, Maastricht University,
P.O. Box 616, 6200 MD Maastricht, The Netherlands
e-mail: G.Kempen@maastrichtuniversity.nl

A. V. Ranchor
Department of Health Sciences, Section Health Psychology,
University of Groningen, University Medical Center Groningen,
Groningen, The Netherlands

G. H. M. B. van Rens
Department of Ophthalmology and the Institute for Research in
Extramural Medicine (EMGO), VU University Medical Center,
Amsterdam, The Netherlands

G. H. M. B. van Rens
Department of Ophthalmology, Elkerliek Hospital Helmond,
Helmond, The Netherlands