

POSTER PRESENTATION

Open Access

Mode-locking behavior of Izhikevich neurons under periodic external forcing


AmirAli Farokhniaee^{1*}, Edward W Large^{1,2}

From 24th Annual Computational Neuroscience Meeting: CNS*2015
Prague, Czech Republic. 18-23 July 2015

Many neurons in the auditory system of the brain must encode amplitude variations of a periodic signal. These neurons under periodic stimulation display rich dynamical states including mode-locking and chaotic responses [1]. Periodic stimuli such as sinusoidal waves and amplitude modulated (AM) sounds can lead to various forms of $n:m$ mode-locked states, similar to the mode-locking phenomenon in a LASER resonance cavity. Obtaining Arnold tongues provides useful insight into the organization of mode-locking behavior of neurons under periodic forcing. In this study we obtained the regions of existence of various mode-locked states on the frequency-amplitude plane, which are called Arnold tongues, for Izhikevich neurons (see Figure 1). This study is based on the model for neurons by Izhikevich (2003), which is a reduced model of a Hodgkin-Huxley neuron [2]. This model is much simpler in terms of the dimension of the coupled non-linear differential equations compared to other existing models, but excellent for generating the complex spiking patterns observed in real neurons [3]. Hence we can describe the construction of harmonic and sub-harmonic responses in the early processing stages of the auditory system, such as the auditory nerve and cochlear nucleus.

Conclusion

Different mode-locked regions that are shown in the Arnold tongues diagram are predictors of mode-locking of auditory system neurons to sound, which in turn predict the formation of harmonics and sub-harmonics of the sound in the brain.



Acknowledgements

This work was supported by University of Connecticut College of Liberal Arts and Sciences.

Authors' details

¹Department of Physics, University of Connecticut, Storrs, CT, 06268, USA.

²Department of Psychology, University of Connecticut, Storrs, CT, 06268, USA.

Published: 18 December 2015

References

1. St-Hilaire Martin, Longtin Andre: **Comparison of Coding Capabilities of Type I and Type II Neurons.** *Journal of Computational Neuroscience* 2004, **16**:299-313.

* Correspondence: a.farok@uconn.edu

¹Department of Physics, University of Connecticut, Storrs, CT, 06268, USA

Full list of author information is available at the end of the article

2. Izhikevich MEugene : **Dynamical Systems in Neuroscience: The geometry of Excitability and Bursting**. Cambridge, Massachusetts: The MIT Press; 2007.
3. Kim Youngtae: **Identification of Dynamical States in Stimulated Izhikevich Neuron Models by Using a 0-1 Test**. *Journal of Korean Physical Society*, 2010, **57**(6):1363-1368.

doi:10.1186/1471-2202-16-S1-P140

Cite this article as: Farokhniaee and Large: **Mode-locking behavior of Izhikevich neurons under periodic external forcing**. *BMC Neuroscience* 2015 **16**(Suppl 1):P140.

**Submit your next manuscript to BioMed Central
and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit

