

POSTER PRESENTATION

Open Access

P149: Production and use of an alcohol-based handrub for hand hygiene in the point G University Hospital of Bamako Mali

L Bengaly^{1*}, A Benedetta², L Diallo¹, AT Traore¹, ZH Harouna¹, M-N Chraiti², P Bonnabry²

From 2nd International Conference on Prevention and Infection Control (ICPIC 2013)
Geneva, Switzerland. 25-28 June 2013

Introduction

Health care-associated infections constitute a public health problem. Hand hygiene is the most efficient measure for prevention and alcohol-based handrub (ABHR) is considered as the optimal measure. In setting the first World Challenge for the Patients Safety, the Point G University Hospital (PGUH) was one of the pilot sites of the OMS to implement the multimodal strategy of hand hygiene promotion. ABHR local production was initiated in this setting.

Objectives

To present the results of ABHR local production for the period of January 2007 to June 2010.

Methods

The chosen formulation of ABHR contains 80% of ethanol, 1.45% of glycerol and 0.125% of hydrogen peroxide. The concentration of the ethanol has been controlled with alcoholmeter and the dosage of the hydrogen peroxide has been performed with the potassium iodine in acidic conditions and by titration with sodium thiosulfate. ABHR samples have been sent to the Geneva University Hospital for quality controls. The ABHR quantities used have been valued from bottles delivered in care units.

Results

A total of 7000 100 ml-bottles have been produced and the production costs has been estimated to 0.29 \$US per bottle. The average concentration of ethanol was 80.51% v/v (\pm 1.89) and the one of the hydrogen peroxide at

0.123% v/v (\pm 0.0076). Controls done to Geneva reaffirmed the conformity of component concentrations to specifications of formulation and confirmed the absence of microbial contamination. The amount of ABHR global consumption increased from 7.44 ml/patient-day in 2008 to 5.31 ml/ patient-day in 2009, and reached 5.97 ml/patient-day to the first semester of 2010.

Conclusion

The principal difficulties were linked to the obtaining of bottles and caps for the ABHR bottling. Results of this survey showed that ABHR can be produced locally according to WHO recommendations with a good level of quality and stability. The example of PGUH can act as model for other hospitals in Mali and in other countries.

Disclosure of interest

None declared.

Author details

¹University Hospital of Point G, Bamako, Mali. ²Hôpitaux Universitaire de Genève, Genève, Switzerland.

Published: 20 June 2013

doi:10.1186/2047-2994-2-S1-P149

Cite this article as: Bengaly et al.: P149: Production and use of an alcohol-based handrub for hand hygiene in the point G University Hospital of Bamako Mali. *Antimicrobial Resistance and Infection Control* 2013 **2**(Suppl 1):P149.

¹University Hospital of Point G, Bamako, Mali

Full list of author information is available at the end of the article