

CORRECTION

Correction: Relationship between Body Mass Composition, Bone Mineral Density, Skin Fibrosis and 25(OH) Vitamin D Serum Levels in Systemic Sclerosis

Addolorata Corrado, Ripalta Colia, Angiola Mele, Valeria Di Bello, Antonello Trotta, Anna Neve, Francesco Paolo Cantatore

[Fig 4](#) appears incorrectly in the published article. Please see the corrected [Fig 4](#) here.



OPEN ACCESS

Citation: Corrado A, Colia R, Mele A, Di Bello V, Trotta A, Neve A, et al. (2015) Correction: Relationship between Body Mass Composition, Bone Mineral Density, Skin Fibrosis and 25(OH) Vitamin D Serum Levels in Systemic Sclerosis. PLoS ONE 10(11): e0142748. doi:10.1371/journal.pone.0142748

Published: November 6, 2015

Copyright: © 2015 Corrado et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.




Fig 4. Relationship between the degree of skin fibrosis assessed by modified Rodnan skin score and 25OHD levels in SSc patients. A significant inverse relationship between the degree of skin fibrosis and circulating levels of 25OHD ($r = -0.7$, $p < 0.05$).

doi:10.1371/journal.pone.0142748.g001

Reference

- Corrado A, Colia R, Mele A, Di Bello V, Trotta A, Neve A, et al. (2015) Relationship between Body Mass Composition, Bone Mineral Density, Skin Fibrosis and 25(OH) Vitamin D Serum Levels in Systemic Sclerosis. PLoS ONE 10(9): e0137912. doi:[10.1371/journal.pone.0137912](https://doi.org/10.1371/journal.pone.0137912) PMID: 26375284