



Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.



Commentary

Accelerating clinical trial implementation in the context of the COVID-19 pandemic: challenges, lessons learned and recommendations from DisCoVeRy and the EU-SolidAct EU response group

EU-Response investigators group, Alpha Diallo^{1,2}, Marius Trøseid³, Victoria Charlotte Simensen⁵, Anaïs Boston³, Jacques Demotes⁴, Inge Christoffer Olsen⁵, Florence Chung⁶, José Artur Paiva⁷, Maya Hites⁸, Florence Ader⁹, Jose Ramon Arribas¹⁰, Andreas Baratt-Due¹¹, Øyvind Melien¹², Evelina Tacconelli¹³, Thèrèse Staub¹⁴, Richard Greil¹⁵, Sotirios Tsiodras¹⁶, Matthias Briel¹⁷, Hélène Esperou¹⁸, France Mentré¹⁹, Joe Eustace²⁰, Juliette Saillard²¹, Christelle Delmas¹⁸, Soizic LeMestre²², Marina Dumousseaux²³, Dominique Costagliola²⁴, John-Arne Røttingen²⁵, Yazdan Yazdanpanah^{26,*}

¹) ANRS, Clinical Research Safety Department, France

²) INSERM, Clinical Research Safety Department, France

³) Oslo University Hospital, Department of Rheumatology, Dermatology and Infectious Diseases, Norway

⁴) ECRIN, Director General, France

⁵) Oslo University Hospital, Department of Research Support for Clinical Trials, Norway

⁶) Inserm Transfert SA, Department Collaborative Research Funding, France

⁷) Centro Hospitalar Universitário de São João, Department of Critical Care Medicine, Portugal

⁸) Erasmus Hospital, Infectious Diseases, Belgium

⁹) Hospices Civils de Lyon, Service de Maladies Infectieuses et Tropicales, France

¹⁰) La Paz University Hospital, Infectious Diseases Unit, Spain

¹¹) Oslo University Hospital, Department of Immunology, Norway

¹²) Norwegian Institute of Public Health, Department of Assessment of Interventions, Norway

¹³) University of Verona, Division of Infectious Diseases, University of Verona, Diagnostic and Public Health, Italy

¹⁴) Centre Hospitalier de Luxembourg, Maladies Infectieuses, Luxembourg

¹⁵) Paracelsus Medical University Salzburg, Laboratory of Immunological and Molecular Cancer Research, Austria

¹⁶) National and Kapodistrian University of Athens - Faculty of Medicine, 4th Department of Internal Medicine, Greece

¹⁷) University Hospital Basel, Clinical Research, Switzerland

¹⁸) INSERM, Pôle de Recherche Clinique, France

¹⁹) Hôpital Bichat Claude-Bernard, Epidémiologie, biostatistique et recherche clinique, France

²⁰) University College Cork, Clinical Research, Ireland

²¹) INSERM, Project Manager Clinical Microbiology and Infection, France

²²) ANRS, Soutiens structurants à la recherche Gestion budgétaire et sites cliniques, France

²³) INSERM, Project Manager, France

²⁴) Sorbonne Université, Institut Pierre Louis d'Epidémiologie et de Santé Publique (IPLESP), France

²⁵) Norwegian Institute of Public Health, Division of Infectious Disease Control, Norway

²⁶) INSERM, IAME, Hôpital Bichat - Claude-Bernard, Infectious Diseases Department, France

ARTICLE INFO

Article history:

Received 25 August 2021

Received in revised form

19 October 2021

Accepted 23 October 2021

Available online 8 November 2021

Editor: Professor L Leibovici

* Corresponding author. Yazdan Yazdanpanah

E-mail address: yazdan.yazdanpanah@inserm.fr (Y. Yazdanpanah).

Keywords:

Platform trials
EU-RESPONSE
Regulatory hurdles
Legal hurdles
Financial hurdles

Editor:

The spread of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) has triggered new approaches in clinical research. These include the conduct of adaptive platform trials, such as RECOVERY [1], REMAP-CAP and DisCoVeRy [2]. Platform trials allow the study of several target treatments in the same disease context on a perpetual basis, with therapies being allowed to enter or leave the platform based on a decision algorithm [3]. DisCoVeRy is part of a European project, EU-RESPONSE, originally set up in France as a WHO Solidarity trial add-on study [4]. EU-RESPONSE is funded by the Horizon 2020 programme to allow the expansion of DisCoVeRy to other European/associated countries, and the launch of 'EU-SolidAct', a second-generation pan-European platform trial for coronavirus disease 2019 (COVID-19)/emerging infectious diseases, implemented to extend what was initiated by DisCoVeRy. These trials have faced multiple hurdles.

Regulatory hurdles

Under the 2001/20/EC Directive, approval of multinational clinical trials in Europe requires parallel and independent submissions to the national competent authority (NCA) and ethics committee (EC) of each participating country. Since 2009, the European Medicines Agency has developed a Voluntary Harmonization Procedure (VHP) whereby a single application is sent to one reference NCA coordinating the response of all NCAs, before a national phase takes place in each country. Some Member States offer the involvement of ECs (VHP plus process).

Whereas DisCoVeRy used multiple national applications (VHP not possible because the trial received initial approval in France), EU-SolidAct opted for the VHP.

In DisCoVeRy, five countries were involved at the onset of the pandemic, in 2020. The median review times were 13 days (interquartile range (IQR) 7–17 days) and 17 days (IQR 15–21 days) for NCAs and ECs, respectively. In 2021, the new treatment arm required the submission of an amendment that applied not only to the countries already involved, but also to the eight countries that had started recruiting since the first approval. The median amendments review time was 47.5 days (IQR 34.25–63.5 days) for 10 of the 13 countries and 35.5 days (IQR 27.75–58.5 days) for 8 of the 13 countries, for NCAs and ECs, respectively. The shorter time frame observed in 2020 is related to the fast-track procedure implemented for all of these countries at the beginning of the pandemic. The fast-track procedure was withdrawn in 2021. Duplicate reviews of the protocol with similar questions/queries were requested from various countries (See Table 1).

Table 1

Assessment time (days) for (inter)national approval for DisCoVeRy

Country	First submission (2020)		Amendments (2021)	
	EC	NCA	EC	NCA
Austria	21	17	pending	pending
Belgium	15	13	28	16
Czech Republic			pending ^a	98
France	0	3	17	33
Greece			pending	pending
Hungary			27	32
Ireland			108	56
Luxembourg	17	19	28	42
Norway			49	38
Poland			pending ^a	66
Portugal	41	7	43§	67
Slovakia			pending ^a	53
Spain			87	pending
Median (IQR)	17 (15–21)	13 (7–17)	35.5 (27.75–58.5)	47.5 (34.25–63.5)

Abbreviations: EC, ethics committee; IQR, interquartile range; NCA, national competent authority

^a Some local regulations require approval by the national competent authority before submission to the ethics committee.

Table 2

Assessment time (days) for (inter)national approval for SolidAct

Country	International		National	
	VHP	VHP+	NCA	EC
Austria	x		21	Pending
Belgium	x		2	Pending
Czech Republic			44	27
France	x		19	6
Germany		x	134	Pending
Greece			14	
Hungary		x	42	42
Ireland	X		3	83
Italy	X		12	
Luxembourg	X		91	36
Norway		x	5	29
Portugal		x	33	84
Slovakia	X		20	30
Spain		x	48	35
Switzerland	X			
Turkey				
Median (IQR)	20.5 (12.5–43.5)		35 (29–42)	

Abbreviations: EC, ethics committee; IQR, interquartile range; NCA, national competent authority; VHP, voluntary harmonization procedure

For EU-SolidAct, the VHP and VHP + assessment took 56 days. However, the duration of the subsequent national phase varied from a few days to several months. The median review time was 20.5 days (IQR 12.5–43.5 days) for 14 of the 16 countries and 35 days (IQR 29–42 days) for 9 of the 16 countries, for NCAs and ECs, respectively. The time frame for substantial amendments, including adding a new arm, is expected to be 50 days (See Table 2).

The aim of these clinical trials is to urgently obtain clinically relevant results and propose therapeutic and preventive solutions. Prolonged evaluation times are therefore obstacles to finding these solutions and to the subsequent rapid development of best clinical care for patients.




Fig. 1. Flowchart highlighting the legal hurdles encountered in DisCoVeRy. Acronyms: CA, Consortium Agreement; CTA, Clinical Trial Agreement; CRO, Contract Research Organization; EN, English.

In comparison, in the UK, where the conduct of clinical trials seems to have been more successful, with the support of the competent authorities, COVID-19 studies were swiftly revised to accelerate the approval process during the health crisis. The National Institute for Health Research established a single UK-wide process to prioritize COVID-19 research as Urgent Public Health Research early in the pandemic [5–7]. This enabled the implementation of a fast-track review or process by offering reviews by the Research Ethics Committee and NCA with the submission of one application reviewed and the issue of approval within days.

There were challenges in drafting the information leaflet as well. The adaptation of each leaflet to local regulations, including the size of the document and the number of consents to be drafted per party required by ECs, led to numerous exchanges and submission extensions.

Some hurdles are expected to be reduced by the new Regulation 536/2014 on clinical trials, which is to come into force in January 2022 (see Appendix 1). This regulation will ensure that rules for conducting clinical trials are identical throughout the European Union (EU) and will also allow a coordinated assessment of clinical trial applications and especially the protocol and the product between Member States [8,9].

Nevertheless, it seems that the coordinated process under this regulation will not apply to all the steps of approval. For example, it

will not apply to patient information and consent, which will continue to be dealt with at site level. We therefore suggest the following considerations when implementing this legislation (See Table S1).

- For EU-funded platform trials during the pandemic, to reach a single decision the assessment involving NCAs and ECs must be mandatory for all Member States.
- A protocol pre-submission review involving all relevant NCAs/ECs is needed, to discuss potential grounds for non-approval early on.
- During the health crisis, enabling the implementation of a fast-track process by offering review by a research EC and an NCA, with submission of one application reviewed within 1 week.
- Amendments must be subject to fast-track review.
- Repurposing trials to test drugs with known safety profiles should be seen as low-risk trials, with shorter timelines. The definition of ‘low intervention trials’ under Regulation 536/2014 must include such trials.

Here, we have focused on inpatient studies. One should acknowledge that outpatient trials in which the logistics are challenging (e.g. test turnaround time, contacting people with a positive test, quarantine limiting study visits) will be even more

difficult to implement if national rules continue to be defined without any EU harmonization and without taking the need for trials into account.

Legal hurdles

Negotiations of agreements between the trial sponsor and sites, and translations into local languages, represent a major bottleneck. Some sites insist on using their own templates, which requires valuable time and resources in order to understand regional legislation and its legal language. The flowchart shown in Fig. 1 illustrates these hurdles.

Following this, we suggest the development of a pan-European site agreement template by the EC, which allows an electronic signature for all parties, and its translation into all European languages.

Acceptance of this template by implementing sites/institutions could be an eligibility criterion for publicly funded multinational trials in the EU.

Mention should be made on the information sheet of the sharing of individual participants' data by EU Member States participating in the trial for public health benefits.

Financial hurdles

Immediate availability of sufficient funding is critical for the success of multinational trials in a pandemic.

This pandemic has demonstrated that implementing an EU seed grant programme is critical when sponsored funding is not yet available but the problem demands immediate investigation [10]. The substantial and ambitious seed grant will allow the research to start quickly.

Bottom-up funding mechanisms based on competitive calls are too slow, and have resulted in duplication and fragmentation of trials. We propose:

- A top-down decision mechanism established at EU level that promptly releases appropriate budgets, using funding mechanisms from the Horizon Europe budget and/or ERA4Health in coordination with the European Health Emergency Preparedness and Response Authority (HERA)
- Subsequent funding of intervention arms from the same public sources, with levels of funding adapted to the nature of the trial
- Safeguards to ensure public health relevance, independence and scientific excellence.

Conclusion

Europe, despite its diversity, must be capable of responding unanimously and rapidly to any health crisis; establishing effective medical collaboration is key to responding to epidemics/pandemics. Regulatory, legal and financial hurdles have significantly slowed down the efficient conduct of clinical trials, which is unacceptable during an active pandemic. Adaptive, large clinical trials during pandemics should be considered a critical countermeasure, and the pace of regulatory approval should be consistent with the urgency of this situation. This is also applicable to non-emergencies and to multicentre clinical trials in general. There is a definite need to overcome these hurdles to prepare Europe for the next pandemic and to make United Europe of Research a reality.

Author contributions

A. Diallo, M. Trøseid, A. Boston, J. Saillard, C. Delmas, S. Le Mestre and M. Dumousseaux were in charge of data curation and accessed and verified the data. A. Diallo, M. Trøseid, VC. Simensen, A. Boston and Y. Yazdanpanah wrote the original draft of the commentary, which was reviewed and edited by A. Diallo, M. Trøseid, VC. Simensen, J-A. Røttingen and Y. Yazdanpanah. All authors contributed to refinement of and approved this manuscript. All authors had full access to all of the data in the study and had final responsibility for the decision to submit for publication.

Transparency declaration

No author declared a conflict of interest in relation to the submitted work. JD reports grants from the EU Commission (Horizon 2020, Horizon Europe, IMI), for ECRIN, outside the submitted work. ICO reports support from EU Commission, outside the submitted work. JAP reports consulting fees, lectures fees and support for attending meeting from Pfizer, outside the submitted work; consulting fees from MSD, Jansen-Cilag, outside the submitted work. MH reports grants from The Belgian Centre for Knowledge (KCE), the Fonds Erasme-COVID-Université Libre de Bruxelles, outside the submitted work; grants from the EU-Horizon programme, outside the submitted work; support for ECCMID congress 2021 from Pfizer, outside the submitted work; Co-leader of the Belgian Guidelines on Therapeutics for COVID-19, outside the submitted work; acting as a treasurer for the Belgian Society of Clinical Microbiology and Infectious Diseases, outside the submitted work. ØM acting as a Chair of Management Board for Clinical Research initiative for Global Health (CRIGH) to facilitate international collaboration in non-commercial multicentric clinical trials, outside the submitted work. DM reports grants from Janssen for Inserm, outside the submitted work; lectures fees from Janssen and Gilead, outside the submitted work. All other authors declare no competing interests.

Funding

European Union Commission, French Ministry of Health, Domaine d'intérêt majeur One Health Île-de-France, REACTing, Fonds Erasme-COVID-Université Libre de Bruxelles, Belgian Health Care Knowledge Centre, Austrian Group Medical Tumor, European Regional Development Fund, Portugal Ministry of Health, Portugal Agency for Clinical Research, Biomedical Innovation and South-Eastern Norway Regional Health Authority.

Appendix A. Supplementary data

Supplementary data to this article can be found online at <https://doi.org/10.1016/j.cmi.2021.10.011>.

References

- [1] Mullard A. COVID-19 platform trial delivers. *Nat Rev Drug Discov* 2020;19:501.
- [2] Ader F, Discovery French Trial Management Team. Protocol for the Dis-CoVeRy trial: multicentre, adaptive, randomised trial of the safety and efficacy of treatments for COVID-19 in hospitalised adults. *BMJ Open* 2020;10:e041437.
- [3] Woodcock J, LaVange LM. Master protocols to study multiple therapies, multiple diseases, or both. *N Engl J Med* 2017;377:62–70.
- [4] accessed July 2021 WHO COVID-19 solidarity therapeutics trial. World Health Organization; 2021. Available at: <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/global-research-on-novel-coronavirus-2019-ncov/solidarity-clinical-trial-for-covid-19-treatments>.

- [5] National Institute for Health Research (NIHR). – Written evidence (COV0041). Available at: <https://committees.parliament.uk/writtenevidence/8275/pdf/>. [Accessed 4 October 2021].
- [6] Fast track review guidance for COVID-19 studies. last updated May 2021. Available at: <https://www.hra.nhs.uk/covid-19-research/fast-track-review-guidance-covid-19-studies/>. [Accessed 4 October 2021].
- [7] Guidance clinical trials applications for coronavirus (COVID-19). March 2020, last updated August 2021. Available at: <https://www.gov.uk/guidance/clinical-trials-applications-for-coronavirus-covid-19>. [Accessed 4 October 2021].
- [8] European Commission. Available at: https://ec.europa.eu/health/human-use/clinical-trials/regulation_en. [Accessed 4 October 2021].
- [9] Regulation (EU) No 536/2014 Questions & Answers – draft July 2021. Available at: https://ec.europa.eu/health/sites/default/files/files/eudralex/vol-10/regulation5362014_qa_en.pdf. [Accessed 4 October 2021].
- [10] Messersmith J, Stoddart-Osumah C, Lennon M, Wirtz D. Emergency seed funding for COVID-19 research: lessons from Johns Hopkins University. *J Clin Invest* 2021;131:e14561.