



Appendix Figure 1. Leading causes of death in patients receiving kidney replacement therapy in Australia and New Zealand in 1988-2017, by modality at death, sex and age at death.




Note: Refer to Appendix Table 1 for other causes of death by sex and Appendix Table 2 for absolute counts by modality at death and sex.

Appendix Figure 2. Estimates of mortality rates (per 100,000 person-years) by age and sex (left panels) and by calendar year (right panels) for people receiving: (A) Haemodialysis; (B) Peritoneal dialysis; and people who have received (C) Deceased donor transplant; and (D) Living donor transplant.


(A) Haemodialysis




(B) Peritoneal dialysis



(C) Deceased donor transplant




(D) Living donor transplant




● Female ▲ Male

Appendix Figure 3. Estimates of standardized mortality ratios (SMR) by age and sex (left panels) and by calendar year (right panels) for people receiving: (A) Haemodialysis; (B) Peritoneal dialysis; and people who have received (C) Deceased donor transplant; and (D) Living donor transplant.


(A) Haemodialysis




(B) Peritoneal dialysis



(C) Deceased donor transplant




(D) Living donor transplant



● Female ▲ Male

Appendix Figure 4. Expected life years lost (YLL) by sex and age of: (A) Haemodialysis; (B) Peritoneal dialysis; (C) Deceased donor transplant and; (D) Living donor transplant.



Note: Age represents 5-year age bands, except where otherwise indicated.