


CORRECTION

Open Access



Correction to: Ancient polymorphisms contribute to genome-wide variation by long-term balancing selection and divergent sorting in *Boechea stricta*

Baosheng Wang^{1,2*} , Julius P. Mojica², Nadeesha Perera², Cheng-Ruei Lee³, John T. Lovell⁴, Aditi Sharma⁵, Catherine Adam⁵, Anna Lipzen⁵, Kerrie Barry⁵, Daniel S. Rokhsar⁵, Jeremy Schmutz^{4,5} and Thomas Mitchell-Olds^{2*}

Correction to: *Genome Biol* (2019) 20:126
<https://doi.org/10.1186/s13059-019-1729-9>

Following publication of the original article [1], the authors reported that the Availability of data and materials section required updating. The updated text reads as follows:

The short reads of each genotype have been deposited under GenBank accession numbers SRP054739, SRP134283-SRP134373, SRP134393-SRP134433, SRP134436-SRP134479, SRP134481-SRP134572 and SRP134581-SRP134671. All SNPs used in population genetic analyses, locations of all accessions, and custom scripts are available in the Dryad Data Archive at <https://doi.org/10.5061/dryad.574pc6n> [66]. Seeds from these accessions are available from the Arabidopsis Biological Resource Center.

Author details

¹Key Laboratory of Plant Resources Conservation and Sustainable Utilization, South China Botanical Garden, Chinese Academy of Sciences, Guangzhou 510650, China. ²Department of Biology, Duke University, Box 90338, Durham, NC 27708, USA. ³Institute of Ecology and Evolutionary Biology and Institute of Plant Biology, National Taiwan University, Taipei 10617, Taiwan, Republic of China. ⁴HudsonAlpha Institute for Biotechnology, Huntsville, AL 35806, USA. ⁵Department of Energy Joint Genome Institute, Walnut Creek, CA 94598, USA.

Published online: 09 August 2019

Reference

1. Wang B, et al. Ancient polymorphisms contribute to genome-wide variation by long-term balancing selection and divergent sorting in *Boechea stricta*. *Genome Biol.* 2019;20:126. <https://doi.org/10.1186/s13059-019-1729-9>.

* Correspondence: baosheng.wang@scbg.ac.cn; tmo1@duke.edu

¹Key Laboratory of Plant Resources Conservation and Sustainable Utilization, South China Botanical Garden, Chinese Academy of Sciences, Guangzhou 510650, China

²Department of Biology, Duke University, Box 90338, Durham, NC 27708, USA

Full list of author information is available at the end of the article

