


CORRECTION

Open Access



Correction to: M2 macrophage-derived exosomal microRNAs inhibit cell migration and invasion in gliomas through PI3K/AKT/mTOR signaling pathway

Jie Yao^{1,2†}, Zefen Wang^{3†}, Yong Cheng^{4†}, Chao Ma⁵, Yahua Zhong⁶, Yilei Xiao⁷, Xu Gao⁸ and Zhiqiang Li^{5*} 

Correction to: *J Transl Med* (2021) 19: 99

<https://doi.org/10.1186/s12967-021-02766-w>

In the original publication [1] there was an error in Fig. 3. In the experiments every sample was shot from many different visual fields. However, due to human error a wrong figure with the same group of different visual field was uploaded.

In this correction article the correct (Fig. 1) and incorrect (Fig. 2) version of Fig. 3 are published. The full captions are available via the original article. The original article has been updated.

The original article can be found online at <https://doi.org/10.1186/s12967-021-02766-w>.

*Correspondence: lizhiqiang@whu.edu.cn

[†]Jie Yao, Zefen Wang and Yong Cheng are joint first authors


⁵ Department of Neurosurgery, Zhongnan Hospital of Wuhan University,


No 169 Donghu Road, Wuhan 430071, Hubei, China

Full list of author information is available at the end of the article



© The Author(s) 2021. This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.





Author details

¹Human Genetic Resources Conservation Center of Hubei Province, Wuhan 430071, China. ²Tumor Precision Diagnosis and Treatment Technology and Translation Medicine, Hubei Engineering Research Center, Wuhan 430071, China. ³Department of Physiology, Wuhan University School of Basic Medical Sciences, Wuhan 430071, China. ⁴Department of Neurology, Hankou Hospital, General Hospital of Central Theater Command of Chinese People's Liberation Army, Wuhan 430014, China. ⁵Department of Neurosurgery, Zhongnan Hospital of Wuhan University, No 169 Donghu Road, Wuhan 430071, Hubei, China. ⁶Department of Oncology, Zhongnan Hospital of Wuhan University, Wuhan 430071, China. ⁷Department of Neurosurgery, Liaocheng People's Hospital, Liaocheng 252000, China. ⁸Department of Neurosurgery, General Hospital of Northern Theater Command of People's Liberation Army, Shenyang 110000, China.

Reference

1. Yao J, Wang Z, Cheng Y, Ma C, Zhong Y, Xiao Y, Gao X, Li Z. M2 macrophage-derived exosomal microRNAs inhibit cell migration and invasion in gliomas through PI3K/AKT/mTOR signaling pathway. *J Transl Med*. 2021;19:99. <https://doi.org/10.1186/s12967-021-02766-w>.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.