



Correction

Correction: Gostev et al. In Vivo Stability of Polyurethane-Based Electrospun Vascular Grafts in Terms of Chemistry and Mechanics. *Polymers* 2020, 12, 845

Alexander A. Gostev ^{1,*} , Inna K. Shundrina ^{2,3}, Vitaliy I. Pastukhov ^{2,3}, Alexey V. Shutov ^{3,5}, Vera S. Chernonosova ⁴ , Andrey A. Karpenko ¹ and Pavel P. Laktionov ^{1,4}

¹ Meshalkin National Medical Research Center, Ministry of Health of the Russian Federation, 630055 Novosibirsk, Russia; andreikarpenko@rambler.ru (A.A.K.); lakt@niboch.nsc.ru (P.P.L.)

² Vorozhtsov Novosibirsk Institute of Organic Chemistry, Siberian Branch, Russian Academy of Sciences, 630090 Novosibirsk, Russia; i.shundrina@nsu.ru (I.K.S.); v.pastukhov@nsu.ru (V.I.P.)

³ Novosibirsk State University, ul. Pirogova, 2, 630090 Novosibirsk, Russia; a.shutov@g.nsu.ru

⁴ Institute of Chemical Biology and Fundamental Medicine, Siberian Branch, Russian Academy of Sciences, 630090 Novosibirsk, Russia; vera_mal@niboch.nsc.ru

⁵ Lavrentiev Institute of Hydrodynamics, Siberian Branch, Russian Academy of Sciences, 630090 Novosibirsk, Russia

* Correspondence: dr.gostev@gmail.com

The authors wish to make a change to the published paper [1]. In the original manuscript, the authors made a mistake in Figure 1. The tecoflex graft image in the first week of observation moved to the place of the pellethane graft image at the 12th week of observation. Additionally, the image of the pellethane graft at the 12th week of observation moved to the place of the image of the tecoflex graft in the first week of observation. The corrected Figure 1 is presented below.



Citation: Gostev, A.A.; Shundrina, I.K.; Pastukhov, V.I.; Shutov, A.V.; Chernonosova, V.S.; Karpenko, A.A.; Laktionov, P.P. Correction: Gostev et al. In Vivo Stability of Polyurethane-Based Electrospun Vascular Grafts in Terms of Chemistry and Mechanics. *Polymers* 2020, 12, 845. *Polymers* 2022, 14, 2263. <https://doi.org/10.3390/polym14112263>

Received: 28 June 2021

Accepted: 24 April 2022

Published: 1 June 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).




Figure 1. The vascular graft (VG) view during explantation at different points of observation (Carl Zeiss OPMI Pico surgical microscope). The arrows demonstrate the ingrowth of tissues from the outer VG side.

The authors apologize for any inconvenience caused, and the change does not affect the scientific results. The manuscript will be updated.

Reference

1. Gostev, A.A.; Shundrina, I.K.; Pastukhov, V.I.; Shutov, A.V.; Chernonosova, V.S.; Karpenko, A.A.; Laktionov, P.P. In Vivo Stability of Polyurethane-Based Electrospun Vascular Grafts in Terms of Chemistry and Mechanics. *Polymers* **2020**, *12*, 845. [[CrossRef](#)]