

## CORRECTION


# Correction: Association of nefopam use with postoperative nausea and vomiting in gynecological patients receiving prophylactic ramosetron: A retrospective study

Sun-Kyung Park, Seokha Yoo, Won Ho Kim, Young-Jin Lim, Jae-Hyon Bahk, Jin-Tae Kim

There was an error in the affiliation for the authors. Sun-Kyung Park, Seokha Yoo, Won Ho Kim, Young-Jin Lim, Jae-Hyon Bahk, and Jin-Tae Kim are all affiliated with: Department of Anesthesiology and Pain Medicine, Seoul National University College of Medicine, Seoul National University Hospital, Seoul, Republic of Korea.

## Reference

1. Park S-K, Yoo S, Kim WH, Lim Y-J, Bahk J-H, Kim J-T (2018) Association of nefopam use with postoperative nausea and vomiting in gynecological patients receiving prophylactic ramosetron: A retrospective study. PLoS ONE 13(6): e0199930. <https://doi.org/10.1371/journal.pone.0199930> PMID: 29953514



---

## OPEN ACCESS

**Citation:** Park S-K, Yoo S, Kim WH, Lim Y-J, Bahk J-H, Kim J-T (2018) Correction: Association of nefopam use with postoperative nausea and vomiting in gynecological patients receiving prophylactic ramosetron: A retrospective study. PLoS ONE 13(7): e0201084. <https://doi.org/10.1371/journal.pone.0201084>

**Published:** July 17, 2018

**Copyright:** © 2018 Park et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.