

## Complete Genome Sequence of a Novel WU Polyomavirus Isolate from Arkansas, USA, Associated with Acute Respiratory Infection

# J. L. Kennedy,<sup>a,b</sup> J. L. Denson,<sup>c</sup> K. S. Schwalm,<sup>c,d</sup> A. N. Stoner,<sup>a</sup> J. C. Kincaid,<sup>a</sup> T. J. Abramo,<sup>a</sup> T. M. Thompson,<sup>a</sup> E. M. Ulloa,<sup>a</sup> S. W. Burchiel,<sup>c</sup> D. L. Dinwiddie<sup>d,e</sup>

Department of Pediatrics, Arkansas Children's Research Institute, University of Arkansas for Medical Sciences, Little Rock, Arkansas, USA<sup>3</sup>; Clinical and Translational Sciences Center, University of Arkansas for Medical Sciences, Little Rock, Arkansas, USA<sup>b</sup>; Department of Pharmaceutical Sciences, University of New Mexico College of Pharmacy, Albuquerque, New Mexico, USA<sup>c</sup>; Department of Pediatrics, University of New Mexico Health Sciences Center, Albuquerque, New Mexico, USA<sup>d</sup>; Clinical Translational Science Center, University of New Mexico Health Sciences Center, Albuquerque, New Mexico, USA<sup>e</sup>

**ABSTRACT** We report here the complete genome sequence of a WU polyomavirus (WUPyV) isolate, also known as human polyomavirus 4, collected in 2016 from a patient in Arkansas with an acute respiratory infection. Isolate hPyV4/USA/AR001/2016 has a double-stranded DNA genome of 5,229 bp in length.

Respiratory tract infections are one of the leading causes for hospitalization in infants and young children. Studies have detailed clinical diseases caused by the most important respiratory tract pathogens, including respiratory syncytial virus, influenza, parainfluenza, rhinovirus, and coronavirus. However, only recently have auxiliary infectious agents of the upper and lower respiratory tract—including human bocavirus (1) and, most recently, WU polyomavirus (WUPyV) (2), also known as human polyomavirus 4 (ICTV species) (3)—gained clinical interest. Most reports of WUPyV have been coinfections or reported in immunosuppressed patients (4–7). However, studies have shown 50% seroconversion WUPyV in the general population by 18 months of age, and others have detected it in children with acute respiratory symptoms (6–10). WUPyV has a double-stranded DNA genome of ~5,200 bp and high sequence identity (4, 11, 12). It is important to document novel nucleotide sequences of all viruses, including WUPyV, to aide researchers and clinicians in the diagnosis and treatment of diseases caused by these potential pathogens.

Here, we describe a novel WUPyV isolate from a nasopharyngeal swab collected from a 13-month-old male (hPyV4/USA/AR001/2016) with no significant past medical history who was seen in the emergency department (ED) of Arkansas Children's Hospital in Little Rock, Arkansas, USA, on 15 March 2016. His symptoms included nonproductive cough, wheezing, and increased work of breathing. The patient was afebrile, had a heart rate of 160, respiratory rate of 36, and  $S_AO_2$  at 95%. He was given vaponephrine and albuterol in the ED. He improved and was able to be discharged home with albuterol as needed.

A nasopharyngeal swab was collected and stored in transport media (Puritan UniTranz-RT; Puritan Diagnostics, USA) after consent was obtained from the parents under a study approved by the University of Arkansas for Medical Sciences Institutional Review Board. An Illumina stranded-RNA sequencing library was created from isolated RNA (Zymo Direct-zol; Zymo Research, USA), and hybridization-based enrichment was performed using the University of New Mexico (UNM) ResVir (respiratory viral) panel probe set designed to be complementary to coding sequence regions of 24 human

### Received 28 October 2016 Accepted 1 November 2016 Published 12 January 2017

**Citation** Kennedy JL, Denson JL, Schwalm KS, Stoner AN, Kincaid JC, Abramo TJ, Thompson TM, Ulloa EM, Burchiel SW, Dinwiddie DL. 2017. Complete genome sequence of a novel WU polyomavirus isolate from Arkansas, USA, associated with acute respiratory infection. Genome Announc 5:e01452-16. https:// doi.org/10.1128/genomeA.01452-16.

**Copyright** © 2017 Kennedy et al. This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International license.

Address correspondence to J. L. Kennedy, kennedyjoshual@uams.edu.

J.L.K and J.L.D. contributed equally to this article.



#### VIRUSES

respiratory viruses. Next-generation sequencing was performed (2  $\times$  75 bp) using V3 sequencing chemistry on an Illumina MiSeq platform. A total of 95,605 reads aligned to the reference sequence NC\_009539 and resulted in 99.3% coverage of the reference genome. Generation of a consensus genome sequence of the isolate was performed using CLC Genomics Workbench version 9 and annotated using the VIPR Genome Annotator (13). The 36 missing base pairs of the AR001 genome were completed using PCR and Sanger sequencing.

Alignment of hPyV4/USA/AR001/2016 to NC\_009539 revealed a total of 10 variants, of which three were predicted to be nonsynonymous. Phylogenetic analysis of the novel isolate was conducted using neighbor-joining with 1,000 bootstraps to 71 known WUPyV genomes and revealed isolate AR001 grouping closely to isolates W33, NP360, B8649, and B41 with GenBank accession numbers GU296367, GU296402, GU296386, and GU296385. Alignment of our isolate to the closest related sequence, GU296367, showed a total of three variants, of which one was nonsynonymous. The amino acid changing variant was detected in protein ADD50952 (p.Glu89Gln).

**Accession number(s).** The whole-genome sequence of the hPyV4/USA/AR001/2016 isolate has been deposited in GenBank under the accession number KX787894.

#### **ACKNOWLEDGMENTS**

This project was supported in part by the National Center for Research Resources and the National Center for Advancing Translational Sciences of the National Institutes of Health (NIH) through grant numbers UL1TR000041 and KL2TR000089 to D. Dinwiddie, and UL1TR000039 and KL2TR000063 to J. Kennedy, as well as the Centers for Translational Science Award Western Consortium Grant. J. Kennedy also has support from the NIH National Institute of Allergy and Infectious Disease (K08AI121345) and the Arkansas Biosciences Institute. The content is solely the responsibility of the authors and does not necessarily represent the official views of the NIH or other funding agencies.

#### REFERENCES

- Allander T, Tammi MT, Eriksson M, Bjerkner A, Tiveljung-Lindell A, Andersson B. 2005. Cloning of a human parvovirus by molecular screening of respiratory tract samples. Proc Natl Acad Sci U S A 102:12891–12896. https://doi.org/10.1073/pnas.0504666102.
- Gaynor AM, Nissen MD, Whiley DM, Mackay IM, Lambert SB, Wu G, Brennan DC, Storch GA, Sloots TP, Wang D. 2007. Identification of a novel polyomavirus from patients with acute respiratory tract infections. PLoS Pathog 3:e64. https://doi.org/10.1371/journal.ppat.0030064.
- Polyomaviridae Study Group of the International Committee on Taxonomy of Viruses, Calvignac-Spencer S, Feltkamp MC, Daugherty MD, Moens U, Ramqvist T, Johne R, Ehlers B. 2016. A taxonomy update for the family *Polyomaviridae*. Arch Virol 161:1739–1750. https://doi.org/ 10.1007/s00705-016-2794-y.
- Bialasiewicz S, Rockett R, Whiley DW, Abed Y, Allander T, Binks M, Boivin G, Cheng AC, Chung JY, Ferguson PE, Gilroy NM, Leach AJ, Lindau C, Rossen JW, Sorrell TC, Nissen MD, Sloots TP. 2010. Whole-genome characterization and genotyping of global WU polyomavirus strains. J Virol 84:6229–6234. https://doi.org/10.1128/JVI.02658-09.
- Sharp CP, Norja P, Anthony I, Bell JE, Simmonds P. 2009. Reactivation and mutation of newly discovered WU, KI, and Merkel cell carcinoma polyomaviruses in immunosuppressed individuals. J Infect Dis 199:398–404. https://doi.org/10.1086/596062.
- Bialasiewicz S, Whiley DM, Lambert SB, Jacob K, Bletchly C, Wang D, Nissen MD, Sloots TP. 2008. Presence of the newly discovered human polyomaviruses KI and WU in Australian patients with acute respiratory tract infection. J Clin Virol 41:63–68. https://doi.org/10.1016/ j.jcv.2007.11.001.

- Rockett RJ, Bialasiewicz S, Mhango L, Gaydon J, Holding R, Whiley DM, Lambert SB, Ware RS, Nissen MD, Grimwood K, Sloots TP. 2015. Acquisition of human polyomaviruses in the first 18 months of life. Emerg Infect Dis 21:365–367. https://doi.org/10.3201/eid2102.141429.
- Neske F, Blessing K, Ullrich F, Pröttel A, Wolfgang Kreth H, Weissbrich B. 2008. WU polyomavirus infection in children, Germany. Emerg Infect Dis 14:680–681. https://doi.org/10.3201/eid1404.071325.
- Lin F, Zheng MY, Li H, Zheng CH, Rao GF, Zheng MQ, Wu F, Zeng AP, Li XY, Hou JY. 2008. Discovery and identification of WU polyomavirus in children from Zhejing region. Bing Du Xue Bao 24:69–71.
- Dinwiddie DL, Dehority WN, Schwalm KC, Young JM, Gross SM, Schroth GP, Young SA. 2016. Complete genome sequence of a novel human WU polyomavirus isolate associated with acute respiratory infection. Genome Announc 4(3):e00177-16. https://doi.org/10.1128/ genomeA.00177-16.
- Van Ghelue M, Khan MT, Ehlers B, Moens U. 2012. Genome analysis of the new human polyomaviruses. Rev Med Virol 22:354–377. https:// doi.org/10.1002/rmv.1711.
- Kleines M, Häusler M, Krüttgen A, Scheithauer S. 2009. WU polyomavirus (WUPyV): a recently detected virus causing respiratory disease? Viruses 1:678–688. https://doi.org/10.3390/v1030678.
- Pickett BE, Sadat EL, Zhang Y, Noronha JM, Squires RB, Hunt V, Liu M, Kumar S, Zaremba S, Gu Z, Zhou L, Larson CN, Dietrich J, Klem EB, Scheuermann RH. 2012. ViPR: an open bioinformatics database and analysis resource for virology research. Nucleic Acids Res 40:D593–D598. https://doi.org/10.1093/nar/gkr859.