

CORRECTION

Correction: 3D VMAT Verification Based on Monte Carlo Log File Simulation with Experimental Feedback from Film Dosimetry

A. R. Barbeiro, A. Ureba, J. A. Baeza, R. Linares, M. Perucha, E. Jiménez-Ortega, S. Velázquez, J. C. Mateos, A. Leal

The following information is missing from the Funding section: This work was supported by the Andalusian Health Service (reference project CTS 2482).

Reference

1. Barbeiro AR, Ureba A, Baeza JA, Linares R, Perucha M, Jiménez-Ortega E, et al. (2016) 3D VMAT Verification Based on Monte Carlo Log File Simulation with Experimental Feedback from Film Dosimetry. PLoS ONE 11(11): e0166767. doi:[10.1371/journal.pone.0166767](https://doi.org/10.1371/journal.pone.0166767) PMID: [27870878](https://pubmed.ncbi.nlm.nih.gov/27870878/)



OPEN ACCESS

Citation: Barbeiro AR, Ureba A, Baeza JA, Linares R, Perucha M, Jiménez-Ortega E, et al. (2017) Correction: 3D VMAT Verification Based on Monte Carlo Log File Simulation with Experimental Feedback from Film Dosimetry. PLoS ONE 12(2): e0172378. doi:[10.1371/journal.pone.0172378](https://doi.org/10.1371/journal.pone.0172378)

Published: February 13, 2017

Copyright: © 2017 Barbeiro et al. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.