Journal of Clinical and Translational Science

www.cambridge.org/cts

Implementation, Policy and Community Engagement Special Communications

Cite this article: Grumbach K, Cottler LB, Brown J, LeSarre M, Gonzalez-Fisher RF, Williams CD, Michener JL, Nease DE, Tandon D, Varma DS, and Eder M. It should not require a pandemic to make community engagement in research leadership essential, not optional. *Journal of Clinical and Translational Science* **5**: e95, 1–7. doi: 10.1017/cts.2021.8

Received: 3 December 2020 Revised: 14 January 2021 Accepted: 29 January 2021

Keywords:

Community engagement; translational science; equity

Address for correspondence:

K. Grumbach, MD, Hellman Endowed Professor and Chair, Department of Family and Community Medicine, University of California San Francisco, Box 0900, San Francisco, CA 94143, USA. Email: kevin.grumbach@ucsf.edu

Email: kevin.grumbach@ucsi.edu

On behalf of Partners for the Advancement of Community Engaged Research (PACER), Association of Clinical and Translational Science, January 12, 2021

© The Author(s), 2021. Published by Cambridge University Press on behalf of The Association for Clinical and Translational Science. This is an Open Access article, distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike licence (http:// creativecommons.org/licenses/by-nc-sa/4.0/), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the same Creative Commons licence is included and the original work is properly cited. The written permission of Cambridge University Press must be obtained for commercial re-use.





It should not require a pandemic to make community engagement in research leadership essential, not optional

Kevin Grumbach¹, Linda B. Cottler², Jen Brown³, Monique LeSarre⁴, Ricardo F. Gonzalez-Fisher⁵, Carla D. Williams⁶, J. Lloyd Michener⁷, Donald E. Nease⁸, Darius Tandon⁹, Deepthi S. Varma¹⁰ and Milton Eder¹¹

¹Department of Family and Community Medicine and Clinical and Translational Science Institute, University of California, San Francisco, CA, USA; ²Department of Epidemiology and Clinical and Translational Science Institute, University of Florida, Gainesville, FL, USA; ³Alliance for Research in Chicagoland Communities and Clinical and Translational Sciences Institute, Northwestern University, Evanston, IL, USA; ⁴Rafiki Coalition and African American Community Health Equity Council, San Francisco, CA, USA; ⁵Servicios de La Raza, Metropolitan State University of Denver, Denver, CO, USA; ⁶Georgetown-Howard University Center for Clinical and Translational Science, Washington, DC, USA; ⁷Department of Family Medicine and Community Health, Duke School of Medicine, Durham, NC, USA; ⁸Department of Family Medicine and the Colorado Clinical and Translational Sciences Institute, University of Colorado – Anschutz Medical Campus, Aurora, CO, USA; ⁹Department of Medical Social Sciences and Center for Community Health, Northwestern University Feinberg School of Medicine, Chicago, IL, USA; ¹⁰Department of Epidemiology, University of Florida, Gainesville, FL, USA and ¹¹Department of Family Medicine and Cranslational Science Institute, University Health, Clinical and Translational Science Institute, Medicine and Community Health, Clinical American Community, Health, University of Minnesota, Minneapolis, MN, USA

Abstract

Efforts to move community engagement in research from marginalized to mainstream include the NIH requiring community engagement programs in all Clinical and Translational Science Awards (CTSAs). However, the COVID-19 pandemic has exposed how little these efforts have changed the dominant culture of clinical research. When faced with the urgent need to generate knowledge about prevention and treatment of the novel coronavirus, researchers largely neglected to involve community stakeholders early in the research process. This failure cannot be divorced from the broader context of systemic racism in the US that has contributed to Black, Indigenous, and People of Color (BIPOC) communities bearing a disproportionate toll from COVID-19, being underrepresented in COVID-19 clinical trials, and expressing greater hesitancy about COVID-19 vaccination. We call on research funders and research institutions to take decisive action to make community engagement obligatory, not optional, in all clinical and translational research and to center BIPOC communities in this process. Recommended actions include funding agencies requiring all research proposals involving human participants to include a community engagement plan, providing adequate funding to support ongoing community engagement, including community stakeholders in agency governance and proposal reviews, promoting racial and ethnic diversity in the research workforce, and making a course in community engaged research a requirement for Masters of Clinical Research curricula.

Introduction

Systemic racism is deeply embedded in biomedical and health research in the US. It dates to performance of experimental gynecologic surgery on unanesthetized enslaved Black women in the pre-Civil War era, with prominent 20th Century examples including the Tuskegee syphilis study conducted by the US Public Health Service and the exploitation of Henrietta Lacks in the development of the HeLa cell line [1]. It remains a feature of the broader medical culture, as evidenced by the recent revelation of coerced gynecologic operations performed on immigrant women at a US detention center [2] and a 2016 study documenting false beliefs among white physician trainees about Blacks feeling less pain than whites [3]. Structural racism also finds expression in the insufficient engagement of patient and community stakeholders, particularly those from Black, Indigenous, and People of Color (BIPOC) communities, as full partners in the conduct of clinical and translational science [4]. Lack of community engagement not only diminishes the social accountability of research, but also undermines the quality of the science [5–7]. This is particularly true for clinical trials, which often fail to enroll participants representative of the nation's demographic diversity, take account of the feasibility and acceptability of adopting study interventions in real world practice, or address research questions and interventions that community members consider most salient [7-10]. Examples of efforts to

move community engagement in research from marginalized to mainstream include the NIH Clinical and Translational Science Awards (CTSAs), which require a community engagement program, and the Patient Centered Outcomes Research Institute (PCORI), which mandates that all sponsored studies include stakeholder engagement.

The COVID-19 pandemic has exposed how little these efforts have changed the dominant culture of clinical research. When faced with the urgent need to generate knowledge about prevention and treatment of the novel coronavirus, researchers and the organizations that sponsor their research largely neglected to involve community stakeholders early in the research process. The result is predictable and repeats past failings. BIPOC populations bear a disproportionate toll of COVID-19 cases and deaths, driven by manifestations of structural racism such as living in crowded housing, being incarcerated and having a low paying job as an essential front line worker [11,12]. Between January and October 2020, the number of excess deaths relative to mortality rates in 2015-19 were 54% higher among Latinx, 37% higher among Asians, 33% higher among Black persons, and 29% higher among American Indians and Alaska Natives, in comparison to 12% higher among whites [13]. Although it would be logical to focus COVID-19 research on the populations most heavily impacted by COVID-19, BIPOC populations are underrepresented in COVID-19 clinical trials [14,15]. Despite high levels of interest in medical science among BIPOC populations, their underrepresentation in clinical research reflects entrenched norms of study design, recruitment, and retention that have historically excluded BIPOC populations, as well as deficits in the trustworthiness of researchers and research institutions [4,11,16–18].

Too Little, Too Late?

Noting the concerning lack of diversity among participants in COVID-19 clinical trials, in September, 2020 the NIH launched the Community Engagement Alliance (CEAL) Against COVID-19 Disparities program, allocating \$11 million to fund academiccommunity partnership consortia in 11 states to "promote and facilitate the inclusion and participation of these [underrepresented] groups in vaccine and therapeutic clinical trials" and conduct COVID-19 outreach and education [19]. Most of these CEAL consortia include members of CTSA community engagement programs. The recognition of the importance of community engagement in COVID-19 clinical research is welcome. But is it too little, too late?

One risk is that corrective efforts may emphasize opportunistic recruitment of more diverse study participants without appreciating the importance of long-term investment in trusting and empowering community partnerships. The fall-out from researchers rushing onto the COVID-19 field without first getting community members on board is evident to many of us working in community engagement programs at research institutions across the US. Investigators struggling in mid-study to recruit the number of participants needed for their studies are seeking assistance from our community engagement programs. Many clinical trialists are discovering that their research teams are ill-equipped to succeed in recruitment when the majority of people in their community infected by SARS CoV2 are BIPOC. Research groups conducting COVID-19 cohort and population studies find their studies being populated with participants from more socially advantaged populations rather than populations at highest risk of COVID-19. Research teams belatedly realize that they lack the

cultural and linguistic competency necessary for successfully connecting with individuals from the populations most affected by COVID-19 – expertise held by members of the targeted communities and the local organizations serving those communities. Researchers often fail to include in their grant budgets appropriate levels of funding for community partners [20].

Approaching community members for help late in the process engenders an understandable backlash [21]. Many community members express frustration about being asked to rescue studies in midstream instead of being invited early on to collaborate in designing the project and have ongoing involvement as respected partners. They take note of multi-million-dollar budgets for clinical trials and the small fraction of expenses allocated to community partners, and see tokenism rather than genuine commitment. Deep wounds of distrust from a history of exploitation in research are reopened and deepened among BIPOC [11,18].

A prime example of this predicament is occurring with COVID-19 vaccine trials. At trial inception, there was neither an explicitly articulated goal by Pharma or an NIH mandate to recruit participants in proportion to the distribution of COVID-19 cases among different racial-ethnic groups, or even proportionate to their share of the population. Many vaccine trials reached the halfway mark in participant recruitment and had their sponsors and investigators wake up, partly at the prodding of the NIH and community activists, to the need to address the underrepresentation of people of color in the trials [22]. Although the CEAL networks are now focusing on this issue, many of our community partners react with alarm at terms in the informed consent process. For example, informed consent documents for some vaccine trials place extreme limits on financial liability for adverse vaccine events. Community members question why the trials do not assure provision of free health care to participants who become infected with SARS CoV2 during the trial when many of the very people they wish to include lack sufficient access to health care services. When community partners or their trusted ambassadors were not invited to be at the table when study protocols were created, should we be surprised if they lack enthusiasm to promote trial participation among their constituents?

Why Community Engagement Matters

Lack of engagement compromises the scientific validity and relevance of clinical research [3,4,9]. Cohort studies that do not recruit populations at high risk of COVID-19 will not give an accurate picture of disease patterns and trends. Therapeutic and vaccine trials may produce misleading findings about efficacy if they fail to include participants from diverse social contexts that influence vulnerability to or resilience against infection. Engaged stakeholders are a powerful force for dissemination of research findings, especially to lay communities, facilitating translation of discovery into practices to improve health. Reduced public confidence in clinical science undermines translational benefit when therapeutics, vaccines, and other interventions become publicly available. For example, Black Americans, compared to whites, report less confidence in medical scientists acting in the public interest, which contributes to Blacks being less likely than whites to say that they would definitely or probably get a COVID-19 vaccine when available to the public [23,24].

Community engagement is also essential for social accountability. In addition to being a necessary component of restorative truth and reconciliation to address a shameful history of exploitation of BIPOC in research, engagement shifts the paradigm to a "for us, by us" model that promotes sharing of power to dismantle racial and class inequities. Community engagement demonstrates respect to communities by recognizing community values and interests that matter to community members as people. This model privileges community voice about who benefits from and is impacted by research and the potential positive and negative consequences of a study. Social justice requires that research be at a minimum bi-directionally transactional, and ideally relational [5,6,11,18].

Mid-Course Corrections and Best Practices

Community engagement requires investment of time as well as money. In a research culture that considers community engagement optional rather than essential, it may be understandable that the pressure for "warp speed" progress on COVID-19 clinical research contributed to investigators neglecting due diligence in engaging stakeholders early on in research projects. As noted above, through efforts such as the CEAL program, the NIH is attempting to make up for some lost ground. The NIH's COVID-19 Prevention Network (CoVPN) is building on established networks among BIPOC leaders and communities to develop and disseminate tools and resources targeted to these populations. The CoVPN has endorsed guidelines developed by one of its member groups, the HIV Vaccine Trials Network, to "effectively involve communities as key players in research;" the guidelines recommend establishing Community Advisory Boards for all trial sites [25]. The NIH has also earmarked a portion of the funding for its recent Rapid Acceleration of Diagnostics (RADx) COVID-19 testing initiative to community engaged research.

Many COVID-19 community-based participatory research projects across the nation are demonstrating the power of authentic partnerships with BIPOC communities (Table 1). For example, Howard University, a Historically Black University, and the University of California, San Francisco (UCSF) have taken similar approaches to collaborating with local agencies and coalitions. Both partnered with the local health department and community-based groups to open COVID-19 testing sites in underserved communities. In San Francisco, community coalitions are using the findings from testing studies to advocate with local government to target new resources to meet unmet needs for prevention and social services [26]. Howard faculty partnered with a community led coalition to develop community-level responses to COVID-19 disparities. Community engagement programs at both institutions have developed COVID-19-focused community advisory councils. Howard University's community advisory board provides guidance on local COVID-19 vaccine trial implementation, ensuring funding for community partner participation and multi-lingual research resources. The UCSF COVID-19 Patient and Community Advisory Board proactively reaches out to UCSF investigators to provide consultation on community engagement strategies for a variety of COVID-19 studies, and has consulted on more than 20 studies to date. CTSA-funded institutes at both universities have dedicated pilot grant funding for new community-engaged COVID-19 studies and social justice research projects. In Colorado, the Partnership of Academicians and Communities for Translation council worked with the COVID-19 equity advisory board to draft a document that Governor Polis signed and sent to researchers to increase awareness of the need for community involvement in COVID-19 vaccine trial decision-making. Many other members of the Association for Clinical and Translational

3

 Table 1. Types of community engaged COVID-19 research activities conducted by PACER members

Activities	Example	How CE programs can facilitate
Cohort Discovery	Creating patient registries of persons who test positive for COVID-19 and who are hospitalized for COVID-19.	Collaborating with community partners in recruitment and retention of participants.
COVID-19 Vaccine and Treatment Uptake	Vaccinating millions of people of all SES, race/ ethnicities and with varying trust levels.	Co-creating with community partners educational materials; holding listening sessions; serving as liaisons between community and providers.
Maintaining Trust	Community advisory boards bringing voice of the community to the table	Building on extensive foundation of community advisory boards in existing community engagement programs
COVID-19 Testing	Standing up mobile testing sites to reach underserved populations	Community engagement programs involving community partners in early planning phases to avoid "helicopter projects"
Bidirectional Communication	Town Hall meetings	Facilitating programs like Our Community, Our Health bring researchers and community together to hear each other and share questions and information.

PACER, Partners for the Advancement of Community Engaged Research group; Association for Clinical and Translational Science; CE, community engagement; SES, socieconomic status.

Science Partners for the Advancement of Community Engaged Research (PACER) group (https://www.actscience.org/About/ Special-Interest-Groups) are helping to lead similar efforts in their communities.

Making Community Engagement Obligatory, Not Optional

COVID-19 has been a wake-up call on many fronts - it was a pandemic on top of multiple epidemics, including racism. It is requiring new ways of thinking about disaster preparedness and control, working and delivering care remotely, and health and social inequities. It makes evident the need for a transformational shift in culture, policy, and structure across the research enterprise among both funders and research institutions to support and value community leadership in research. This engagement must center members of BIPOC communities that repeatedly bear the brunt of health disparities, whether from COVID-19 or non-communicable diseases, and acknowledge the need for reparation of the injustices that have contributed to these inequities. It should not have required a pandemic to make community engagement in research leadership a priority. Community engagement must be integrated as an integral operating principle for all types of research and throughout the research enterprise. It should be as essential to the research enterprise as Institutional Review Boards (IRBs).

We call on research funders and institutions to take the following actions (Table 2):

Table 2. Recommendations for action

Recommendations to funders

- Require all proposals for research awards involving human participants to include a section addressing community and stakeholder engagement
- Include community stakeholders in agency governance and proposal reviews.
- 3. Increase investment in the local infrastructure for community engaged research.
- Recommendations to research institutions
- 1. Develop and implement a strategic plan at each research institution to achieve greater racial and ethnic diversity among the institution's research workforce.
- Modify Institutional Review Board policies to require that protocol submissions for all human participant research and research on community health include a section addressing the study's community engagement plan.
- 3. Make a course in community engaged research a required rather than elective course for all clinical research training programs.

Funders

PCORI has established a strong precedent for institutionalizing stakeholder engagement as a core operating principle. PCORI includes patient and stakeholder engagement as one of its six merit review criteria, with scoring elements for this criterion including extent and authenticity of engagement and adequacy of resources budgeted for engagement [27,28]. Moreover, PCORI merit review committees include patients and stakeholders in addition to scientists. Evaluations have demonstrated the feasibility and benefits of PCORI's approach, with stakeholder participation in the review process complementing rather than detracting from consideration of a proposal's scientific merit [21,29,30]. The NIH, CDC, AHRQ, SAMSA, and other federal agencies funding research should follow PCORI's precedent. We urge these agencies to:

- 1. Require all proposals for research awards involving human participants to include a section addressing community and stakeholder engagement. Review criteria could be modeled after those used by PCORI and include assessments of the quality of the community engagement plan and adequacy of the budget allocated to community partners for their planned contributions. A first step would be for the NIH to immediately implement this policy for all new COVID-19 clinical research funding opportunities.
- 2. Include community stakeholders in agency governance and proposal reviews. Community advisory boards at the agency and/or institute level should be invited to provide guidance on prioritization and design of initiatives and funding opportunities. Indeed, the NCATS Advisory Council Working Group on the IOM Report called in 2014 for "full and effective integration of all stakeholders at all levels of governance" of the CTSA program [31]. For proposal review committees, community member participation would bring valuable perspectives and insights complementing those of traditional committee members.
- 3. Increase investment in the local infrastructure for community engaged research. A starting point would be for NCATS to conduct a systematic assessment of the community engagement programs among CTSA awardees, including an inventory of the amount of award dollars invested by recipients in these

programs. An early assessment by the Resources Workgroup of the community engagement Key Function Committee a decade ago revealed inadequate support for CE cores before the Institute of Medicine in its review of the CTSA initiative recommended expanding community engagement responsibilities to encompass the full spectrum of clinical and translational research [32,33]. Such an assessment should determine whether the budgets for community engagement programs are sufficient for the desired aims. NCATS could use the findings from this evaluation to decide if the institute should specify a minimum proportion of awards to be budgeted to the community engagement cores.

Because many clinical trials are sponsored by pharmaceutical companies and not government agencies, the federal government should also consider how its regulatory powers might influence industry sponsored clinical research to promote greater community engagement. For example, the FDA might place more emphasis in the vaccine, drug, and device review process on the representativeness of study participants and inclusion of community advisory boards in clinical trials.

Research Institutions

Wilkins and Alberti have previously called on academic health centers to "establish the necessary infrastructure to support long-term community partnerships, adapt policies to support and reward engaged scholarship and teaching, and consider new ways of integrating community members in roles as advisors and collaborators [34]." In addition to endorsing these and other recommendations [4], we urge all research institutions to:

- 1. Develop and implement a strategic plan at each research institution to achieve greater racial and ethnic diversity among the institution's research workforce. Many studies have demonstrated the important role BIPOC investigators and research staff play in earning community trust and strengthening community collaboration and participation in research studies [4,8,35]. In response to the profound underrepresentation of BIPOC individuals among research faculty, agencies such as the NIH have launched initiatives in partnership with research and educations institutions to promote careers in research among BIPOC populations [36]. Although a comprehensive review of all the barriers and facilitators to diversity in the research workforce [37,38] is beyond the scope of this commentary, we emphasize two priorities. First, every institution should have an explicit strategic plan for research workforce diversity, with measurable objectives and timelines and clearly articulated tactics to achieve the objectives. Community members should participate in the develop and implementation of these plans. Second, the plans should focus not only on doctoral-degree investigators, but also on front-line staff such as clinical research coordinators and research nurses who are usually the members of the research team who have the most interaction with study participants and community members and have a key role in building trusting relationships. Diversity can be further enhanced through exposure and mentorship into many of the other roles within the research enterprise such as informaticians, data analysts, research administration, and regulatory professionals.
- 2. <u>Modify IRB policies to require that protocol submissions</u> for all human participant research and research on community

health include a section addressing the study's community engagement plan. The intent would not be punitive and lack of a robust community engagement plan would not necessarily jeopardize IRB approval of a protocol. Rather, this policy would serve to call attention to the importance of community engagement and provide an opportunity for the IRB to refer investigators to helpful resources such as an institution's CTSA community engagement program.

- 3. <u>Make a course in community engaged research a required</u> rather than elective course for all clinical research training programs. For example, a community engaged research course should be required for all Masters of Clinical Research training programs. Moreover, institutions should include community partners in prominent roles as educators for such courses and recognize their contributions with formal "community faculty" titles. Basic training must then be reinforced for researchers at all stages of their careers through ongoing experiential learning with ready opportunities for consultation, such as that provided by community engagement consultation services.
- 4. Establish standing community advisory boards for institutional offices of research and major research institutes such as those funded by CTSA awards.

Conclusion

Myriad inequities require that the nation's research enterprise overcome its past failures and become a more trustworthy partner. In seeking to increase diversity among clinical trial participants, what would an approach informed by social justice look like? While social justice is undeniably promoted by policy at the national and state levels, it finds its ultimate expression at the local, community level where individuals interact on a daily basis. Absent a thriving, continuous dialogue between events on the ground and regional and national policy, efforts to promote social justice risk being at best tone deaf and, at worse, re-enacting systemic racism and reifying social, political, and institutional inequities. A social justice framework calls for researchers to focus both on individuals and the community and move beyond transactional interactions to transformational relationships. Where bridges and relationships between academic health centers and communities have been built with investments of time and money, they foster trust and mutual understanding to ensure not only the success of vaccine trials, but more importantly, the success of subsequent efforts to reach the most vulnerable communities with COVID-19 vaccines and other effective preventive and therapeutic interventions. Funders and research institutions must take decisive action to make community engagement obligatory, not optional, in clinical and translational research.

Acknowledgements. The following members of the PACER group who did not participate in the writing of this commentary endorse the content of this article:

Name	Affiliation
Jurran Wilson, CCRP	Program Lead and Project Manager, Informatics Core, Clinical and Translational Science Institute at Children's National
Leonor Corsino, MD, MHS, FACE	Associate Professor; Duke University School of Medicine; Co-Director; Duke

	CTSI Community Engaged Research Initiative
Jennifer M. Gierisch, PhD, MPH	Associate Professor; Duke University School of Medicine; Co-Director; Duke CTSI Community Engaged Research Initiative
Rosa M. Gonzalez-Guarda, PhD, MPH, CPH, RN, FAAN	Associate Professor; Duke University School of Nursing; Co-Director; Duke CTSI Community Engaged Research Initiative
Irene Jillson, PhD	Assistant Professor of Nursing and Health Studies, Georgetown University
Penny A. Ralston, PhD	Professor, Dean Emeritus & Director, Center on Better Health and Life for Underserved Populations, Florida State University
Eugenia Millender, PhD, RN, PMHNP-BC, CDE	Associate Professor of Nursing; Co-Founder and Associate Director, Center for Population Sciences and Health Equity, Florida State University
Gina Claxton, MPH, RD	Program Manager, Community Health Partnerships, Indiana Clinical and Translational Sciences Institute
Dennis Savaiano, PhD	Meredith Professor of Nutrition Policy and Director, Purdue CTSI Nutrition Clinical Research Center, Purdue University; Associate Director, Community Health Partnerships, Indiana Clinical and Translational Sciences Institute
Sarah E. Wiehe, MD, MPH	Associate Professor of Pediatrics; Associate Dean for Community and Translational Research, Director of Community Health Partnerships, and Co-Director of Indiana Clinical and Translational Sciences Institute
Namratha Kandula, MD, MPH	Professor of Medicine and Preventive Medicine; Co-Director, Center for Community Health, Feinberg School of Medicine, Northwestern University
Jackilen Shannon, PhD	Professor of Public Health; Associate Director, Community Outreach and Engagement, OHSU Knight Cancer Institute; Associate Director, Oregon Clinical and Translational Research Institute, Oregon Health and Science University
Andrea Murray	Community Engagement Coordinator, PennState Clinical and Translational Science Institute
Natalia M. Rodriguez, PhD, MPH	Assistant Professor, Department of Public Health, Purdue University
M. Kathryn (Kate) Stewart, MD, MPH	Professor of Health Policy and Management; Faculty Director, Community Engagement, Translational Research Institute, University of Arkansas Medical Sciences
Elizabeth Vasile, PhD	Associate Director, Community Engagement Core, Clinical and Translational Science Center, University of California Davis Health
Robynn Zender, MS	Community Health Research Manager, Institute for Clinical and Translational Science, University of California, Irvine
Michael Potter, MD	Professor of Family and Community Medicine; Clinical and Translational Science Institute, University of

	California, San Francisco; Director,
	San Francisco Bay Area Collaborative Research Network
Catherine W. Striley, PhD, MSW, MPE	Associate Professor of Epidemiology; Co-Director, HealthStreet Community Engagement, Clinical and Translational Science Institute, University of Florida
Marc S. Atkins, PhD	Professor of Psychiatry and Psychology; Director, Community Engagement and Collaboration, Center for Clinical Translational Science, University of Illinois at Chicago
Suzanne B. Cashman, ScD, MS	Professor and Director of Community Health, University of Massachusetts Medical School
Susan Murphy, ScD, OTR/L	Associate Professor of Physical Medicine and Rehabilitation; Director, Clinical Trials Development, University of Michigan
Tricia Piechowski, MPH, MSW, MA	Administrative Program Director, Community Engagement, Michigan Institute for Clinical and Health Research, University of Michigan
Lori Carter-Edwards, PhD	Associate Professor, Public Health Leadership Program, University of North Carolina ; Director of Community and Stakeholder Engagement Program, North Carolina Translational and Clinical Sciences Institute
Elizabeth Miller, MD, PhD	Edmund R. McCluskey Chair and Professor of Pediatrics, Public Health; Co-Director, Community Engagement, Clinical and Translational Science Institute, University of Pittsburgh
Jacquelyn Fede, PhD	Assistant Professor of Psychology, University of Rhode Island
Nancy M. Bennett, MD, MS	Professor of Medicine and Public Health Sciences; Director, Center for Community Health and Prevention; Co-director, Clinical and Translational Science Institute, University of Rochester School of Medicine and Dentistry
Louisa A. Stark, PhD	Professor, Department of Human Genetics; Associate Director, Utah Center for Clinical and Translational Science (CCTS); Co-Director, CCTS Community Collaboration and Engagement Team, University of Utah
B. Heather Brown, MEd	Program Manager, Community Collaboration and Engagement Team, Center for Clinical and Translational Science, University of Utah
Angela L. Brown, MD	Associate Professor of Medicine; Director, Center for Community Health Partnership & Research, Institute of Clinical and Translational Sciences, Washington University in St. Louis
Hilary Broughton, MSW	Manager, Center for Community Health Partnership & Research, Institute of Clinical and Translational Sciences, Washington University in St. Louis
Tynesia Fields	Community Engagement and Outreach Coordinator, Louisiana Clinical and Translational Science Center, Xavier University

Debbie Humphries, PhD, MPH	Clinical Instructor of Public Health Practice, Yale University School of Public Health
Paula Fleisher, MA	Associate Director, Center for Community Engagement, UCSF .

The authors acknowledge funding from the following sources: National Center for Advancing Translational Sciences, National Institutes of Health, through Grant Number #UL1 TR001872 to the UCSF CTSI; #UL1 TR002494 to UMN CTSI; #UL1 TR001427 to UF/FSU CTSI; #UL1 TR002535 to Colorado CTSI; #UL1 TR001422 to Northwestern CATS; and #UL1 TR001409 to Georgetown-Howard CCTS.

The contents of this article are solely the responsibility of the authors and do not necessarily represent the official views of the NIH.

Disclosures. The authors have no conflicts of interest to declare.

References

- Gamble VN. Under the shadow of Tuskegee: African Americans and health care. American Journal of Public Health 1997; 87: 1773–1778.
- Washington J, Olivares J. Number of women alleging misconduct by ICE gynecologist nearly triples. *The Intercept* [Internet], October 27, 2020. (https://theintercept.com/2020/10/27/ice-irwin-women-hysterectomiessenate/)
- Hoffman KM, Trawalter S, Axt JR, Oliver MN. Racial bias in pain assessment and treatment recommendations, and false beliefs about biological differences between blacks and whites. *Proceedings of the National Academy of Sciences of the United States of America* 2016; 113(16): 4296–4301. doi: 10.1073/pnas.1516047113.
- George S, Duran N, Norris K. A systematic review of barriers and facilitators to minority research participation among African Americans, Latinos, Asian Americans, and Pacific Islanders. *American Journal of Public Health* 2014; 104(2): e16–e31. doi: 10.2105/AJPH.2013.301706.
- Wallerstein N, Duran B. Community-based participatory research contributions to intervention research: the intersection of science and practice to improve health equity. *American Journal of Public Health* 2010; 100(Suppl 1): S40–S46. doi: 10.2105/AJPH.2009.184036.
- Michener L, Cook J, Ahmed SM, Yonas MA, Coyne-Beasley T, Aguilar-Gaxiola S. Aligning the goals of community-engaged research: why and how academic health centers can successfully engage with communities to improve health. *Academic Medicine* 2012; 87(3): 285–291. doi: 10.1097/ACM.0b013e3182441680.
- Jagosh J, Macaulay AC, Pluye P, *et al.* Uncovering the benefits of participatory research: implications of a realist review for health research and practice. *Milbank Quarterly* 2012; **90**(2): 311–346. doi: 10.1111/j.1468-0009.2012.00665.x.
- Oh SS, Galanter J, Thakur N, *et al.* Diversity in clinical and biomedical research: a promise yet to be fulfilled. *PLoS Medicine* 2015; 12(12): e1001918. doi: 10.1371/journal.pmed.1001918.
- De las Nueces D, Hacker K, DiGirolamo A, Hicks LS. A systematic review of community-based participatory research to enhance clinical trials in racial and ethnic minority groups. *Health Services Research* 2012; 47(3 pt 2): 1363–1386.
- Woolf SH. The meaning of translational research and why it matters. The Journal of the American Medical Association 2008; 299(2): 211–213. doi: 10.1001/jama.2007.26.
- Cooper LA, Crews DC. COVID-19, racism, and the pursuit of health care and research worthy of trust. *Journal of Clinical Investigation* 2020; 130(10): 5033–5035. doi: 10.1172/JCI141562.
- Webb Hooper M, Nápoles AM, Pérez-Stable EJ. COVID-19 and racial/ ethnic disparities. *The Journal of the American Medical Association* 2020; 323(24): 2466–2467. doi: 10.1001/jama.2020.8598.
- Rossen LM, Branum AM, Ahmad FB, Sutton P, Anderson RN. Excess deaths associated with COVID-19, by age and race and ethnicity – United States, January 26–October 3, 2020. Morbidity and Mortality Weekly Report 2020; 69: 1522–1527.

- Borno HT, Zhang S, Gomez S. COVID-19 disparities: an urgent call for race reporting and representation in clinical research. *Contemporary Clinical Trials Communications* 2020; 19: 100630. doi: 10.1016/j.conctc. 2020.100630.
- Chastain DB, Osae SP, Henao-Martinez AF, Franco-Paredes C, Chastain JS, Young HN. Racial disproportionality in COVID clinical trials. *The New England Journal of Medicine* 2020; 383(9): e59.
- Milani SA, Swain M, Otufowora A, Cottler LB, Striley CW. Willingness to participate in health research among community-dwelling middle-aged and older adults: does race/ethnicity matter? *Journal of Racial and Ethnic Health Disparities* 2020: 1–10. doi: 10.1007/s40615-020-00839-y. Epub ahead of print.
- 17. Otufowora A, Liu Y, Varma DS, Striley CW, Cottler LB. Correlates related to follow-up in a community engagement program in North Central Florida. *Journal of Community Psychology* 2020. doi: 10.1002/ jcop.22450. Epub ahead of print.
- Wilkins CH. Effective engagement requires trust and being trustworthy. Medical Care 2018; 56(10 Suppl 1): S6–S8. doi: 10.1097/MLR.0000000 000000953.
- (https://www.nih.gov/news-events/news-releases/nih-funds-communityengagement-research-efforts-areas-hardest-hit-covid-19).
- Freeman E, Seifer SD, Stupak M, Martinez LS. Community engagement in the CTSA program: stakeholder responses from a national Delphi process. *Clinical and Translational Science* 2014; 7(3): 191–195. doi: 10. 1111/cts.12158.
- Natafgi N, Tafari AT, Chauhan C, Bekelman JE, Mullins CD. Patients' early engagement in research proposal development (PEER-PD): patients guiding the proposal writing. *Journal of Comparative Effectiveness Research* 2019; 8(6): 441–453. doi: 10.2217/cer-2018-0129.
- Nania R. Older Adults, Minorities Underrepresented in COVID-19 Vaccine Trials. AARP [Internet], September 28, 2020. (https://www.aarp. org/health/conditions-treatments/info-2020/range-of-subjects-in-vaccinetrials.html)
- Gramlich J, Funk C. Black Americans face higher COVID-19 risks, are more hesitant to trust medical scientists, get vaccinated. Pew Research Center [Internet], June 4, 2020. (https://www.pewresearch.org/fact-tank/ 2020/06/04/black-americans-face-higher-covid-19-risks-are-more-hesitantto-trust-medical-scientists-get-vaccinated/)
- Altman D. Black Americans are more skeptical of a coronavirus vaccine. Kaiser Family Foundation [Internet], October 20, 2020. (https://www.kff. org/coronavirus-covid-19/perspective/black-americans-are-more-skepticalof-a-coronavirus-vaccine/)
- Good participatory practice: Guidelines for biomedical HIV prevention trials 2011 (https://www.hvtn.org/content/dam/hvtn/Science/ethics/JC18 53_GPP_Guidelines_2011_en.pdf).
- Kerkhoff AD, Sachdev D, Mizany S, et al. Evaluation of a novel community-based COVID-19 'Test-to-Care' model for low-income populations. *PLoS One* 2020; 15(10): e0239400. doi: 10.1371/journal.pone.0239400.

- 27. **PCORI**. Merit Review Criteria for Broad PFA, [Internet] April 14, 2020. (https://www.pcori.org/funding-opportunities/merit-review-process/merit-review-criteria/merit-review-criteria-broad-pfa)
- Sheridan S, Schrandt S, Forsythe L, Hilliard TS, Paez KA; Advisory Panel on Patient Engagement (2013 inaugural panel). The PCORI Engagement Rubric: Promising Practices for Partnering in Research. Annals of Family Medicine 2017; 15(2): 165–170. doi: 10.1370/ afm.2042.
- Forsythe LP, Frank LB, Tafari AT, et al. Unique review criteria and patient and stakeholder reviewers: analysis of PCORI's approach to research funding. Value Health 2018; 21(10): 1152–1160. doi: 10.1016/j. jval.2018.03.017.
- Forsythe LP, Frank LB, Hemphill R, et al. Researchers, patients, and stakeholders evaluating comparative-effectiveness research: a mixed-methods study of the PCORI reviewer experience. Value Health 2018; 21(10): 1161–1167. doi: 10.1016/j.jval.2018.03.018.
- NCATS. Advisory Council Working Group on the IOM Report: The CTSA Program at NIH, 2014. (https://ncats.nih.gov/files/CTSA-IOM-WGreport-5-2014.pdf).
- 32. Committee to Review the Clinical and Translational Science Awards Program at the National Center for Advancing Translational Sciences; Board on Health Sciences Policy; Institute of Medicine. The CTSA program at NIH: Opportunities for advancing clinical and translational research. Washington, DC: The National Academies Press, 2013.
- 33. Michener L, Scutchfield FD, Aguilar-Gaxiola S, et al. Clinical and translational science awards and community engagement: now is the time to mainstream prevention into the nation's health research agenda. American Journal of Preventive Medicine 2009; 37(5): 464–467.
- 34. Wilkins CH, Alberti PM. Shifting academic health centers from a culture of community service to community engagement and integration. *Academic Medicine* **2019**; **94**(6): 763–767 doi: 10.1097/ACM.0000000 000002711.
- Sierra-Mercado D, Lázaro-Muñoz G. Enhance diversity among researchers to promote participant trust in precision medicine research. *American Journal of Bioethics* 2018; 18(4): 44–46. doi: 10.1080/15265161.2018.14 31323.
- Great Minds Think Differently: NIH Scientific Workforce Diversity Strategic Plan 2016–2020. National Institutes of Health. (https://diversity. nih.gov/sites/coswd/files/images/2018-06/SWD_StrategicPlan_layout_final_ links-508c.pdf)
- 37. National Academy of Sciences; National Academy of Engineering; Institute of Medicine. Expanding Underrepresented Minority Participation: America's Science and Technology Talent at the Crossroads. Washington, DC: The National Academies Press; 2011.
- Kaplan SE, Raj A, Carr PL, Terrin N, Breeze JL, Freund KM. Race/ ethnicity and success in academic medicine: findings from a longitudinal multi-institutional study. *Academic Medicine* 2018; 93(4): 616–622. doi: 10.1097/ACM.000000000001968.