
# iScience



# Article

# Breed, age, and social environment are associated with personality traits in dogs



Check for

# **iScience**

### Article

# Breed, age, and social environment are associated with personality traits in dogs

Milla Salonen,<sup>1,2,3,4,\*</sup> Salla Mikkola,<sup>1,2,3</sup> Julia E. Niskanen,<sup>1,2,3</sup> Emma Hakanen,<sup>1,2,3</sup> Sini Sulkama,<sup>1,2,3</sup> Jenni Puurunen,<sup>1,2,3</sup> and Hannes Lohi<sup>1,2,3,5,\*</sup>

#### **SUMMARY**

Personality in pets and other domesticated animals is important for their well-being and it can also influence human-animal relationships. Genetic and environmental factors influencing unwanted behavior in dogs are somewhat well known, but the factors influencing dog personality remain understudied. Here we examined environmental and demographic factors associated with seven broad personality traits in a survey of over 11,000 dogs. We utilized linear models and extensive model validation to examine the factors that have the most significant influences on personality and calculated effect sizes to assess the importance of these variables. Breed and age had the strongest associations with dog personality traits. Some environmental factors, especially puppyhood socialization, were also associated with personality. All factors had small effect sizes, highlighting that a lot of variation in personality remains unexplained. Our results indicate that personality traits are complex and strikingly similar in dogs, humans, and other nonhuman animals.

#### INTRODUCTION

Animal personality is often defined as behavioral differences between individuals that are relatively stable in time and across contexts.<sup>1,2</sup> Personality is highly important for welfare and well-being, as it is a predictor of mortality and physical and mental health in both humans and nonhuman animals.<sup>3–8</sup> In companion animals, such as pet dogs, personality can also influence the pet-owner relationship.<sup>9–11</sup> Undesirable behavior can even lead to relinquishment to a shelter or euthanasia.<sup>12–14</sup> As personality is shared by at least most of the animal kingdom,<sup>15–17</sup> the study of dog personality can deepen the understanding of personality throughout species. Furthermore, the study of dog personality traits may improve the well-being of both the pet and its owner.

Personality traits are highly genetic, as heritability estimates in humans and across the animal kingdom often range between 40 and 50%.<sup>18–21</sup> However, some variance in personality is explained by the environmental component as well.<sup>2,22–25</sup> The influence of early life environment on personality seems to be especially pronounced. For example, early life adversity is known to heighten fear-related traits and anxiety in humans and rodents.<sup>26–29</sup> Even though personality traits are relatively stable after ontogeny, they also change with age. In humans, conscientiousness and agreeableness often increase whereas neuroticism and extraversion decrease with age.<sup>30–32</sup>

Dog personality has interested researchers for a long time and previous studies have examined the structure of personality, which in many studies consists of traits such as fearfulness/insecurity, energy/activity, training focus, aggressiveness, and sociability.<sup>33–41</sup> Despite this knowledge on personality structure, the factors influencing dog personality are still mostly undiscovered. Previous studies have indicated that, for example, breeds differ in personalities<sup>36,42–45</sup> and that dogs show similar age differences in personality as humans.<sup>10,36,46</sup> Nevertheless, one recent study challenged these breed differences by showing that breed explains only a small part of behavioral variation.<sup>47</sup>

Here, we utilized a reliable and validated dog personality survey<sup>35</sup> and a large dataset of more than eleven thousand pet dogs to examine the demographic and environmental factors associated with seven dog personality traits. We fit general and generalized linear models to assess the independent influence of variables and performed extensive model validation to include only variables with a large effect in the models.

<sup>1</sup>Department of Medical and Clinical Genetics, University of Helsinki, Uusimaa, 00014 Helsinki, Finland

<sup>2</sup>Department of Veterinary Biosciences, University of Helsinki, Uusimaa, 00014 Helsinki, Finland

<sup>3</sup>Folkhälsan Research Center, Uusimaa, 00290 Helsinki, Finland

<sup>4</sup>Department of Biology, University of Turku, Turku, 20014 Southwest Finland, Finland

<sup>5</sup>Lead contact

\*Correspondence: milla.salonen@utu.fi (M.S.), hannes.lohi@helsinki.fi (H.L.) https://doi.org/10.1016/j.isci. 2023.106691

1



### CellPress OPEN ACCESS

	Insecurit	у	Training	focus	Energy		Perseve	erance	
Variable	F	p value	F	p value	F	p value	F	p value	DF
Sex	48.90	4.18e-11	44.48	3.46e-10	23.81	6.37e-06	2.24	0.206	1
Age	0.00	0.981	145.84	5.28e-15	1426.80	5.28e-15	62.69	5.73e-14	1
Age <sup>2</sup>	16.36	2.16e-04	36.31	1.69e-08			42.47	8.96e-10	1
Breed/breed group	9.00	5.28e-15	6.37	5.28e-15	28.45	5.28e-15	11.89	5.28e-15	51
Level of socialization	58.45	5.28e-15	26.09	5.28e-15					4
Sterilization status	106.86	5.28e-15	52.27	8.41e-12					1
Dog experience	63.25	5.28e-15	24.75	1.37e-14					3
Main reason for ownership/use of the dog	25.79	9.19e-11					59.49	5.28e-15	2
Frequency of hobbies	12.92	1.95e-09	40.09	5.28e-15	23.29	5.28e-15			4
Daily exercise			19.86	1.24e-11					3
Average time spent alone			12.19	7.13e-09					4
Other dogs in the household when acquired					45.30	2.35e-10	69.23	5.28e-15	1
	Aggress	siveness/dom	ninance	Huma	n sociabilit	:у	Dog sociał	oility	
Variable	F	р	value	F	р	value	F	p value	DF
Sex	125.41	5.	.28e-15	7.79	0.0	)13	194.46	5.28e-15	1
Age	448.82	5.	28e-15	145.58	5.2	28e-15	1141.59	5.28e-15	1
Age <sup>2</sup>	257.57	5.	28e-15				315.55	5.28e-15	1
Breed/breed group	19.90	5.	28e-15	12.20	5.2	28e-15	11.35	5.28e-15	51
Level of socialization	16.46	3.	20e-12	12.85	2.2	22e-09	9.95	3.68e-07	4
Main reason for ownership/use of the dog				37.94	5.2	28e-15			2

#### Table 1. Association of explanatory variables with 7 personality traits in the generalized linear models

All p values are controlled for false discovery rate. Significant p values are indicated in bold. N = 11 418. F = F-test statistic, DF = degrees of freedom, age<sup>2</sup> = age as a quadratic explanatory variable. Supplementary items.

#### RESULTS

We used a dog personality questionnaire and previously reduced 63 adjective statements into seven dog personality traits: insecurity, training focus, aggressiveness/dominance, energy, human sociability, dog sociability, and perseverance. In this present study, we fit general and generalized linear models to study the environmental and demographic factors associated with these dog personality traits. The possible explanatory variables included the dog's sex, age, and breed, and 12 variables related to the dog's past or present environment. We performed stringent model selection and validation to include only the most important variables in the models and also calculated the absolute and relative effect sizes of variables. Final models of all seven traits included all demographic variables (dog's age, sex, and breed) and one to six environmental variables (Table 1).


#### Study cohort

Our study cohort included 11,418 dogs. The age of the dogs varied between 0.18 years and 17.13 years, with a mean of 5.18 years (SD = 3.44 years). Of these dogs, 53% were female and most dogs (76%) were intact. The dogs belonged to 52 breeds or breed groups, the most prevalent breed being the Finnish Lapponian Dog (480 dogs). For ranges, means, and standard deviations of the personality traits, see Table S11. A detailed description of the study cohort can be found in Table S12.

#### **Effect sizes**

Age was the most important variable based on relative importance in models of insecurity, training focus, energy, and dog sociability, whereas breed/breed group was the most important variable in models of aggressiveness/dominance, human sociability, and perseverance (Figures 1C, 1D, and S1). In all traits except dog sociability, sex was the least important variable.





# Figure 1. Breeds differ in personality traits and some personality traits are also associated with age and social environment

(A) Breed differences expressed as a heatmap, where colored circles indicate the difference between breed mean of a trait and population mean of the trait. Size of the circle indicates the magnitude of difference (between the breed mean factor score and population mean factor score) and color indicates the direction (blue = lower than average dog, red = higher than average dog). Small gray circles indicate that the breed mean score did not differ from trait mean (95% confidence limits including the mean).

(B) Distributions of the highest and lowest scoring breeds in human sociability. Lines indicate breed mean scores.

(C) Scaled variance-based variable importance (relative effect size) and Cohen's f2 (absolute effect size) in insecurity.(D) Scaled variance-based variable importance (relative effect size) and Cohen's f2 (absolute effect size) in energy.

(E) Association of age with dog sociability. Gray area indicates 95% confidence limits.

(F) Association of the level of socialization experiences with insecurity. Error bars indicate 95% confidence limits. N = 11418.





•				
Α	Shetland Sheepdog -		B Other breed -	! ⊷•
	Spanish Water Dog -	·	Labrador Retriever -	
	Miniature Pinscher – Chinese Crested Dog –		Border Collie - Spanish Water Dog -	
Gern	nan spitz related breeds -	<b>⊢</b> ⊷⊣	Rough Collie -	
M	- Australian Shepherd - liddle European herders		- Golden Retriever - Poodles	
141	Mixed breed -	<b>⊢</b> ⊷⊣	Shetland Sheepdog -	
	Teacup dogs -	<b>→</b> →→	Nova Scotia Duck Tolling Retriever -	-
	Lagotto Romagnolo - Belgian shepherd dogs -		- Lagotto Romagnolo Welsh Corgis	
	Rough Collie -	<b>—</b> •—	Teacup dogs -	
	Bichon type dogs -		Asian primitive breeds -	
	Border Collie – Poodles –		Dachshunds - English herders -	
	Other companion dogs -	<b>⊢</b> •−1	Lapponian Herder -	-
Whi	ite Swiss Shepherd Dog – Schapendoes –		Middle European utility dogs - Smooth Co∎e -	
	Lapponian Herder -	<b>⊢</b> •−1	German Shepherd Dog -	
	<ul> <li>Primitive sighthounds –</li> <li>English herders –</li> </ul>	H • •	- Retrievers/Flushing dogs - Pointers	
	Dachshunds -	<b>—</b>	Bernese Mountain Dogs -	
	Yard terriers -	H•-1	Belgian shepherd dogs -	4 4.
	Parson type terriers - European sighthounds -		Other companion dogs - Australian Shepherd -	
	Miniature Schnauzer -	<b>—</b> •—	Bichon type dogs -	
	Smooth Collie - Whippet -		White Swiss Shepherd Dog -	
Nort	- hern companion spitzes		- German spitz related breeds - Finnish Lapponian Dog	
	Pointers -	<b>⊢</b> •−1	Schapendoes -	
E	<ul> <li>Bernese Mountain Dogs</li> <li>Other breed</li> </ul>		- Miniature Pinscher - Mixed breed	
Nova Scoti	a Duck Tolling Retriever -		Hunting terriers -	
	Jack Russell Terrier –		Whippet -	
R	<ul> <li>Retrievers/Flushing dogs –</li> <li>Scenthounds –</li> </ul>		<ul> <li>Miniature Schnauzer - Mastiff type dogs -</li> </ul>	
	Pinschers/Schnauzers -	<b>⊢</b> •1	Yard terriers -	i+i
L	Livestock guardian dogs – Northern hunting spitzes –		Jack Russell Terrier -	
Midd	le European utility dogs -	H+	Livestock guardian dogs - Northern hunting spitzes -	
	Mastiff type dogs -	<b>⊢</b> ●−	Brachycephalic dogs -	
	Finnish Lapponian Dog - Golden Retriever -		Middle European herders - European sighthounds -	
	Labrador Retriever -	H#1	Chinese Crested Dog -	
	German Shepherd Dog - Welsh Corgis -		Northern companion spitzes - Fighting dogs -	
	Sled dogs -		Scenthounds -	
	Hunting terriers -	H#H	Primitive sighthounds -	
	<ul> <li>Fighting dogs –</li> <li>Asian primitive breeds –</li> </ul>		Pinschers/Schnauzers - Parson type terriers -	
	Brachycephalic dogs -	<b>⊢</b> ●	Sled dogs -	
	Bull type terriers -		Bull type terriers -	
		-0.5 0.0 0.5	-0	0.5 0.0 0.5
		Insecurity score	_	Training focus score
С			D	
	Eighting dogs -	· · · · · · · · · · · · · · · · · · ·	Pareon type terriere -	
	Fighting dogs - German Shepherd Dog -		Parson type terriers - Belgian shepherd dogs -	
	German Shepherd Dog - Parson type terriers -		Parson type terriers - Belgian shepherd dogs - English herders -	
	German Shepherd Dog - Parson type terriers - Asian primitive breeds -		Parson type terriers - Belgian shepherd dogs - English herders - Australian Shepherd -	
	German Shepherd Dog – Parson type terriers – Asian primitive breeds – Miniature Pinscher – Belgian shepherd dogs –	III III III	Parson type terriers Belgian shepherd dogs English herders - Australian Shepherd Border Collie Lagotto Romagnolo -	
м	German Shepherd Dog – Parson type terriers – Asian primitive breeds – Miniature Pinscher – Belgian shepherd dogs – liddle European herders –	TITE TE	Parson type terriers Belgian shepherd dogs - English herders Australian Shepherd - Border Collie Lagotto Romagnolo - Middle European herders-	
м	German Shepherd Dog – Parson type terriers – Asian primitive breeds – Miniature Pinscher – Belgian shepherd dogs – Iiddle European herders – Jack Russel Terrier –	IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Parson type territers Belgian shepherd dogs English herders Australian Shepherd Lagotto Romagnobo Midde European herders Miniature Pinscher- Jack Russel Terrisc-	
м	German Shepherd Dog – Parson type terriers – Asian primitive breeds – Miniature Pinscher – Belgian shepherd dogs – Iddle European herders – Jack Russell Terrier – Lapponian Herder –		Parson type territers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Middle European herders Miniature Pinscher Jack Russel Territer Nova Scotia Duck Tolling Retriever	
м	German Shepherd Dog – Parson type terriers – Asian primitive breeds – Miniature Pinscher – Belgian shepherd dogs – Iiddle European herders – Jack Russel Terrier –	<u>IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII</u>	Parson type territers Belgian shepherd dogs English herders Australian Shepherd Lagotto Romagnobo Midde European herders Miniature Pinscher- Jack Russel Terrisc-	
м	German Shepherd Dog- Parson type terriers Asian primitive breeds - Miniature Pinscher - Bedjan shepherd dogs Iddle European herders - Ide European utility dogs Jack Russell Terrier - Lapponian Herder- Australian Shepherd Chinese Crested Dog - Primitive sighthounds	IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Parson type territers Belgian shepherd dogs English herders Australian Shepherd Border Collie Lagotto Romagnolo Middle European herders Miniature Pinscher- Jack Russell Territer- Nova Scotia Duck Tolling Retriever Spanish Water Dog- Northern companion spitzes German Shepherd Dog-	
м	German Shepherd Dog Parson type terriers - Asian primitive breeds - Miniature Pinscher Belgian shepherd dogs liddle European utility dogs Jack Russell Terrier - Lapponian Herder - Australian Shepherd - Chinese Crested Dog Primitive sighthounds - Mixed breed	<u><u></u></u>	Parson type terriers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Mindature Pinscher Jack Russel Terrier Nova Scotia Duck Tolling Retriever Spanish Water Dog- Northern companion spitzes German Shepherd Dog- Schapendoes	
M Midd	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs- liddle European Interders – lidde European utility dogs – Jack Russel Terrier – Lapponian Herder – Chinese Created Dog – Primitive sighthounds – Mixed breed – Brachycephalic dogs – Yard terriers –	ŢŢ ŢŢŢŢŢŢŢŢŢŢŢŢŢŢ	Parson type territers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Mindature Pinscher Jack Russel Territer Nova Scotia Duck Tolling Retriever Spanish Water Dog- Norther companion spitzes German Shepherd Dog- Schapendoes Retrievers/Flushing dogs Poodles	الا المحمد المحمد والمحمد المحمد
M Midd	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs – Midel European utility dogs – Jack Russel Tarrier – Lapponian Herder – Australian Shepherd – Chinese Created Dog – Primitive sighthounds – Mixed breed – Brachycephalic dogs – Yard terriers – Varthern hunting spitzes –	IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Parson type territers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Miniature Pinscher Jack Russell Territer Nova Scotia Duck Tolling Retritever Spanish Water Dog Northern companion spitzes German Shepherd Dog Schapendoes Retrivers/Flushing dogs Poodles Yard territers	
M Midd	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs- lickle European Herders – Lapponian Herder – Lapponian Herder – Chinese Created Dog – Primitive sighthounds – Mixed breed – Brachycephalic dogs – Yard terriers – Suff yeb terriers – Bull type terriers –	I I I I I I I I I I I I I I I I I I I	Parson type territers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Mindature Pinscher Jack Russel Territer Nova Scotia Duck Tolling Retriever Spanish Water Dog Northern companion spitzes German Shepherd Dog Schapendoes Retrievers/Flushing dogs Poodles Poodles Poodles Pinscher/Schanuzzers	
M Midd	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs- lidde European herders – Jack Russel Terrier – Lapponian Herder – Australan Shepherd – Chinese Created Dog Primitive sighthounds – Mixed breed – Brachycephalic dogs – Yard terriers – Suftwen hunting spitzes – Bull type terriers – English herders –	ŦŦŦŦŦŦŦŦŦŦŦŦŢŢŢ	Parson type territers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Mindature Pinscher Jack Russel Territer Nova Scotia Duck Tolling Retriever Spanish Water Dog Northern companion spitzes German Shepherd Dog Schapendoes Retrievers/Flushing dogs Schapendoes Poodles Poodles Pinschers/Schanuzers Pinscher/Schanuzers Sheland Sheepdog	ा मिन्द्र मिन्द्र मिन्द्र मिन्द्र मिन्द्र मिन्द्र मिन्द्र मिन्द्र मिन्द्र मिन्द्र मिन्द्र
M Midd	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs – Midel European utility dogs – Jack Russel Terrier – Lapponian Herders – Australian Shepherd –Australian Shepherd –Chinese Crested Dog –Pirmitive sighthounds – Mixed breed – Brachycephalic dogs – Yard terriers – Bull type terriers – Bull type terriers – Pinschers/Schanuzers – Welsh Acrogis –	ĨĮĮĮĮĮĮĮĮĮĮĮĮĮĮĮ	Parson type territers Belgian shepherd dogs English herdres Australian Shepherd Border Colie Lagotto Romagnolo Mindature Pinscher Jack Russell Territer Nova Scotia Duck Toling Retriever Spanish Water Dog- Northern companion spitzes German Shepherd Dog Schapendoes Retrievers/Fushing dogs Poodles Yard terries Pinschers/Schnauzers Shelland Sheepdog Shoiters Schaland Sheepdog Smooth Colie	Image:         Image:<
M Midd	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs – Midel European utility dogs – Jack Russel Terrier – Lapponian Herders – Australian Shepherd – Australian Shepherd – Chinese Crested Dog – Primitive sighthounds – Mixed breed – Brachycephalic dogs – Yard terriers – Bull type terriers – Bull type terriers – Bullsh herders – Welsh Corgis – Welsh Corgis – Border Collie –	ŦŢŢŦŢŢŢŢŢŢŢŢŢŢŢ	Parson type territers Belgian shepherd dogs English herdres Australian Shepherd Border Colie Lagotto Romagnolo Mindature Pinscher Jack Russell Territer Nova Scotia Duck Toling Retriever Spanish Water Dog Northern companion spilzes German Shepherd Dog Schapendoses Retrievers/Fushing dogs Poodles Yard territers Pinschers/Schnauzers Steland Sheepdog Smoth Colie German spitz related breeds White Swiss Shepherd Dog	
M Midd	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs- tilde European utility dogs- lide European Nerders – Lapponian Herders – Australian Shepherd Chinese Crested Dog- Primitive sighthounds – Mixed breed – Brachycephalic dogs- Yard terriers – Varker hunting spitzes – Bull type terriers – Bull type terriers – English herders – English herders – Berder Callie – Teacup dogs – Border Callie – Hunting terriers	ŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ	Parson type terriers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Mindature Pinscher Jack Russel Terrier Nova Scotia Duck Tolling Retriever Spanish Water Dog- Norther companion spitzes German Shepherd Dog- Schapendoes Retrievers/Flushing dogs Schapendoes Pooles Pooles Pooles Pinscher/Schanuzers Sheland Sheepdog Smooth Colle German spitz related breeds White Swiss Shepherd Dog- Middle European utilly dogs	
Midd Midd	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs- lidde European herders – Lapponian Herder – Lapponian Herder – Australan Shepherd – Chinese Created Dog – Primitive sighthounds – Mixed breed – Brachycephalic dogs – Yard terriers – Suthern hunting spitzes – Bull type terriers – Bull type terriers – Bulls be terriers – Bulls be terriers – Burder Collie – Hunting terriers – Spanish Water Dog – Poodes –	ŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ	Parson type territers Belgian shepherd dogs English herders Australian Shepherd Border Colie Lagotto Romagnolo Mindature Pinscher Jack Russell Territer Nova Sotta Duck Tolling Retriever Spanish Water Dog Northern companion spitzas German Shepherd Dog Schapenders Retrievers/Fuhsing dogs Poodles Prinschers/Schnauzers Sheltand Sheepdog Smoth Colie German spitz related breeds White Swiss Shepherd Dog Midde European utility dogs	
Midd Midd	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs – Midel European utility dogs – Mack Russel Terrier – Lapponian Herders – Mustralian Shepherd – Australian Shepherd – Chinese Crested Dog – Primitive sighthounds – Mixed breed – Brachycephalic dogs – Welsh Corgis – Welsh Corgis – Budret Collie – Hunting terriers Spanish Water Dog – Poodless Espanish Water Dog – Poodless	ĬŧŧŧŧĬţţţţţţţţţţţţ	Parson type terriers - Belgian shepherd dogs - English herders - Australian Shepherd - Border Colle - Lagotto Romagnolo - Mindature Pinscher - Jack Russell Terrier - Nova Scotta Duck Tolling Retriever - Spanish Water Dog Okorthert companion spitzes - German Shepherd Dog Shependoss - Pinschers/Schnauzers - Pinschers/Schnauzers - Sheland Sheepdog Smoth Colle - German spitz related breeds - White Ewiss Shepherd Dog Middle European utility dogs - Middle European utility dogs - Bull type terriers - Bull type terriers -	
Midd Midd Whi	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs- tilde European utility dogs- tilde European nerders – tilde European Utility dogs- Australian Shepherd Chinese Crested Dog Primitive sighthounds – Make Neuse I former – Make Oreed – Brachycephalic dogs- Ball type terriers – Bull type terriers – Bull type terriers – Bull type te	EIFEEFTIFFFFFFFFFFFFFFFFFFFFFFFFFFFFFFF	Parson type terriers - Belgian shepherd dogs - English herders - Australian Shepherd - Border Colle - Lagotto Romagnolo - Mindature Pinscher - Jack Russel Terrier - Nova Scotia Duck Tolling Retriever - Spanish Water Dog - Northern companion spitzes - German Shepherd Dog - Schapendoes - Pooldes - Pooldes - Pooldes - Pooldes - Pinscher/Schauzers - Pointers - Sheland Sheepdog - Smooth Colle - German spitz related breeds - White Swiss Shepherd Dog - Midde European utilly dogs - Midde European utilly dogs - Hunting dogs - Bull type terriers -	
M Midd Whi Germ	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs- tilde European utility dogs- tilde European nerders – tilde European Utility dogs- Australian Shepherd Chinese Crested Dog Primitive sighthounds – Make Neuse Crested Dog Primitive sighthounds – Make Uredet – Brachycephalic dogs- Ball type terriers – Bull type terriers – Bull type terriers – Bull ty	ŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ	Parson type terriers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Mindature Pinscher Jack Russel Terrier Nova Scotia Duck Tolling Retriever Spanish Water Dog- Rottner companion spitzes German Shepherd Dog- Schapendoes Retrievers/Flushing dogs Schapendoes Retrievers/Flushing dogs Schapendoes Poolles Poolles Brischer/Schanuzers Sheland Sheepdog German spitz related breeds White Swiss Shepherd Dog- Middle European utilly dogs Midde European utilly dogs Bull type terriers Belland there Bull type terriers Hunting terriers Lapponian Herder- Labrador Retriever-	
M Midd Whi Germ	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs – Miniature Pinscher – Belgian shepherd dogs – Jack Russel Terrier – Lapponian Herders – Australian Shepherd – Australian Shepherd – Chinese Crested Dog – Primitive sighthounds – Mixed breed – Brachycephalic dogs – Yard terriers – Bull type terriers – Buscher Schnauzers – Welsh Corgis – Border Collie – Hunting terriers – Spanish Water Dog – Poodles – twiss Shepherd Dog – Miniature Schnauzer – Inseptiz Felted breeds – Livestock guardian dogs –	ŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ	Parson type terriers- Belgian shepherd dogs- English herders- Australian Shepherd- Border Colle- Lagotto Romagnolo- Mindure Pinscher- Jack Russell Terrier- Nova Scotta Duck Tolling Retriever- Spanish Water Dog- Northern companion spitzes- German Shepherd Dog- Schapendoss- Pointers- Pointers- Pointers- Pointers- Pointers- Shelland Sheepdog- Smoto Colle- German spitz related breeds- White Eviss Shepherd Dog- Middle European utility dogs- Bull type terriers- Hunting terriers- Laporain Herder- Labrador Retriever-	
M Midd Whi Germ	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs- tilde European utility dogs- tilde European herders – tilde European Herders – Jack Russel Terrier – Lapponian Herder – Australian Shepherd Chinesa Crested Dog Primitive sighthounds Mixed breed – Mark Uterriers – Varthern hunting spitzes – Yard terriers – Vorthern hunting spitzes – Bull type terriers – Burder Collier – Teacup dogs Border Collier – Hunting terriers – Spanish Water Dog – Poodles – te Swiss Shepherd Dog – Winiature Schauzzer – Mastiff type dogs –	ŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ	Parson type terriers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Mindature Pinscher Jack Russel Terrier Nova Scotia Duck Tolling Retriever Spanish Water Dog- Rorther companion spitzes German Shepherd Dog- Schapendoes Retrievers/Flushing dogs Schapendoes Poodles Poodles Poodles Ward terriers Sheland Sheepdog Smooth Colle German spitz related breeds White Swiss Shepherd Dog- Middle European utilly dogs Midde European utilly dogs Bull type terriers Bellut greise Hunting terriers Lapponian Herder- Labrador Retriever- Northern hunting spitzes	
M Midd Whi Germ L Nova Scoti	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs- tilde European utility dogs- tilde European Horders – tilde European Horders – Jack Russel Terrier – Lapponian Herder – Australian Shepherd – Chinese Created Dog- Primitive sighthounds – Mixed bread Brachycephalic dogs – Yard terriers – Vorthern hunting spitzes – Bull type terriers – Bull type togs – Border Collier – Hunting terlete breeds – a Duck Tolling Retriever – Mastiff type dogs – Dachshunds –	ŢŢ ŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ	Parson type terriers - Belgian shepherd dogs - English herders - Australian Shepherd - Border Colle - Lagotto Romagnolo - Mindature Pinscher - Jack Russel Terrier - Jack Russel Terrier - Nova Scotia Duck Tolling Retriever - Spanish Water Dog - Northern companion spitzes - German Shepherd Dog - Schapendoes - Pooldes - Pooldes - Pooldes - Pooldes - Pooldes - Pooldes - Pooldes - Breat Deredo - Sinder Doredo - Sinder Deredo - Pooldes - Pointers - Sheland Sheepdog - Sinder Doredo - Fighting dogs - Bull type terriers - Hunting terriers - Lapponian Herder - Labrador Retriever - Northern hunting spitzes - Welsk Corgis - Miniature Schnauzer - Golden Retriever - Golden Retriever -	
M Midd Whi Germ L Nova Scoti	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs – Miniature Pinscher – Belgian shepherd dogs – Jack Russel Terrier – Lapponian Herders – Mustralian Shepherd – Australian Shepherd – Chinese Crested Dog – Primitive sighthounds – Mixed breed – Brachycephalic dogs – Welsh Corgis – Welsh Corgis – Budret Collie – Hunting terriers – Border Collie – Hunting terriers – Spanish Water Dog – Poodles – Border Collie – Hunting terriers – Spanish Water Dog – Poodles – Border Collie – Hunting terriers – Spanish Water Dog – Miniature Schnauzer – Mestift fiber dogs – Duck Toling Refriever – Mastiff tipe dogs – Dachshunds – Finnish Lapponian Dog – Smoth Collie –	ŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ	Parson type terriers- Belgian shepherd dogs- English herders- Australian Shepherd- Border Colle- Lagotto Romagnolo- Minidure Pinscher- Jack Russell Terrier- Nova Scotta Duck Tolling Retriever- Spanish Water Dog- Northern companion spitzes- German Shepherd Dog- Schapendoes- Schapendoes- Yard terriers- Pinscher/Schnauzers- Pinscher/Schnauzers- Pointers- Shetland Sheepdog Smoth Colle- German spitz related breado- White Swiss Shepherd Dog- Middle European utility dogs- Middle European utility dogs- Bull type terriers- Hunting terriers- Laporain Herder- Labrador Retriever- Northern hunting spitzes- Weish Corgis- Shinature Schnauzer- Niniature Schnauzer- Octher breed-	
M Midd Whi Gern L Nova Scoti	German Shepherd Dog- Parson type terriers - Miniature Pinscher - Belgian shepherd dogs- tilde European Herders - Ide European utility dogs - Jack Russel Terrier - Lapponian Herder - Australian Shepherd - Australian Shepherd - Chinese Crested Dog - Primitive sighthounds - Mixed breed - Brachycephalic dogs - Yard terriers - Bull type terriers - Buscher Schnauzers - Pinschers/Schnauzers - Pinschers/Schnauzers - Berder Colle - Hunting terriers - Spanist Water Dog - Poodles - te Sviss Shepherd Dogs - Miniature Schnauzer - Dachshunds - Finnien Lapponian Dog - Smotor Colle - Sted dogs - Schot hype dogs -	╶╶╻╴┙╸┙┙┙┙┙┙┙┙┙┙	Parson type terriers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Miniature Pinscher Jack Russell Terrier Nova Scotta Duck Tolling Retriever Spanish Water Dog Northern companion spitzes German Shepherd Dog Schapendoes Retrievers/Flushing dogs Schapendoes Pointes Pointes Shetland Sheepdog German spitz related breeds White Swiss Shepherd Dog Middle European utility dogs Bull type terriers Hunting terriers Laporan Herder Labrador Retriever Northern Nutring spitzes Welsh Corgis Miniature Schauzer Golden Retriever	
M Midd Whi Gern L Nova Scoti	German Shepherd Dog- Parson type terriers – Asian primitive breeds – Miniature Pinscher – Belgian shepherd dogs – tidele European utility dogs – Maxistalian Shepherd – Australian Shepherd – Australian Shepherd – Chinese Crested Dog – Primitive sighthounds – Mixed breed – Brachycephelle dogs – Yard terriers – Bull type terriers – Bult type dogs – Dachshunds – Smooth Cellie – Sled dogs – Bichon type dogs	╶╶┙┙╖┑┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙	Parson type terriers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Mindature Pinscher- Jack Russel Terrier- Nova Scotia Duck Tolling Retriever- Spanish Water Dog- Rother companion spitzes German Shepherd Dog- Schapendoes Retrievers/Flushing dogs Schapendoes Retrievers/Flushing dogs Schapendoes Poodles Poodles Poodles Poodles Water terriers Sheland Sheepdog Smooth Colle German spitz related breeds White Swiss Shepherd Dog- Middle European utilly dogs Middle European utilly dogs Bull type terriers Hunting terriers Lapponian Herder- Labrador Retriever- Golden Retriever- Golden Retriever- Golden Retriever- Golden Retriever- Golden Retriever- Cother Berliever- Golden Retriever- Cother Retriever- Cother Retriever- Cother Berliever- Berliever- Steld dogs Rough Colle- Finnish Lapponian Dog-	
M Midd Whi Germ L Nova Scoti	German Shepherd Dog- Parson type terriers - Miniature Pinscher - Belgian shepherd dogs- tilde European Herders - Ide European utility dogs - Jack Russel Terrier - Lapponian Herders - Muster - Australian Shepherd - Chinese Crested Dog - Primitive sighthounds - Mixed breed - Primitive sighthounds - Mixed breed - Brachycephalic dogs - Yard terriers - Bull type terriers - Buscher Colle - Hunting terriers - Border Colle - Hunting terriers - Dachshunds - Einnish Lapponian Dog - Smotoh Colle - Slichon type dogs - Bichon type dogs - Bardort Colle Slichon type dogs - Bardort Colle - Sladd type dogs - Bardort Colle - Sladd type dogs - Smotoh Colle - Sladd type dogs - Lagotte Romagnob -	ŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ	Parson type terriers- Belgian shepherd dogs- English herders- Australian Shepherd- Border Colle- Lagotto Romagnolo- Minidure Pinscher- Jack Russell Terrier- Nova Scota Duck Tolling Retriever- Spanish Water Dog- Northern companion spitzes- German Shepherd Dog- Schapendoes- Schapendoes- Schapendoes- Pinscher/Schnauzers- Pinscher/Schnauzers- Pointers- Shetland Sheepdog Smoth Colle- German spitz related breado- White Swiss Shepherd Dog- Middle European utility dogs- Middle European utility dogs- Bull type terriers- Hunting terriers- Laporain Herder- Laborador Retriever- Northern hunting spitzes- Weish Corgis- Shatador Schnauzer- Octher breed- Sidd dogs- Rough Colle- Finnish Lapponian Dog- Primitive sighthounds -	
M Midd Whi Germ L Nova Scoti	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs- tilde European Herders – Idele European utility dogs – Jack Russel Terrier – Lapponian Herders – Australian Shepherd – Australian Shepherd – Chinese Crested Dog / Primitive sighthounds – Mixed breed – Kardhycehalic dogs – Welsh Corgis – Brachycephalic dogs – Welsh Corgis – Brachycephalic dogs – Ninscher/Sichanuzers – Pinscher/Sichanuzers – Bull type terriers – Bull type terriers – Bult prote terriers – Bult prote Collie – Hunting terriers – Spanish Water Dog – Poodles – Border Collie – Hunting terriers – Dachshunds – Finnish Lapponian Dog – Smotoh Collie – Steid dogs – Sadtohunds – Steid dogs – Lagoto Romagnob – tetrievers/Flushing dogs – Pointers –	╶╶╖┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙	Parson type terriers- Belgian shepherd dogs- English herders- Australian Shepherd- Border Colle- Lagotto Romagnolo- Minidure Pinscher- Jack Russell Terrier- Nova Scota Duck Tolling Retriever- Spanish Water Dog- Northern companion spitzes- German Shepherd Dog- Schapendoes- Schapendoes- Yard terriers- Pinscher/Schnauzers- Pinscher/Schnauzers- Pointers- Shetland Sheepdog Smooth Colle- German spitz related breado- White Swiss Shepherd Dog- Middle European utility dogs- Middle European utility dogs- Bull type terriers- Hunting terriers- Laporain Herder- Laborador Retriever- Northern hunting spitzes- Weish Corgis- Shadang Colle- Finnish Lapponian Dog- Primitive sightourds- Colnese Crested Dog- Primitwe sightourds-	
M Midd Whi Germ L Nova Scoti	German Shepherd Dog- Parson type terriers – Asian primitive breeds – Miniature Pinscher – Belgian shepherd dogs – Idde European utility dogs – Jack Russel Terrier – Lapponian Herders – Australian Shepherd – Chinese Crested Dog- Primitive sighthounds – Mixed breed – Australian Shepherd – Chinese Crested Dog- Primitive sighthounds – Mixed breed – Brachycephelle dogs – Brachycephelle dogs – Buditype terriers – Bull type terriers – Burster – Numitive Schmauzer – Mesh Corg – Miniature Schmauzer – Miniature Schmauzer – Mastift pe dogs – Border Collier – Mastift pe dogs – Bachshunds – Endish Lapponian Dog – Smooth Colling Retriever – Mastift pe dogs – Bichon type dogs – Bichon type dogs – Bichon type dogs – Bichon spitzes – Lagoto Romagnobo – Steivers/Fluking dogs – Chirevers/Fluking dogs – Other companion dogs –	╶╶┙┙╖┑┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙	Parson type terriers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Mindature Pinscher- Jack Russel Terrier- Nova Scotia Duck Tolling Retriever- Spanish Water Dog- Rother companion spitzes German Shepherd Dog- Schapendoes Retrievers/Flushing dogs Schapendoes Retrievers/Flushing dogs Schapendoes Poolles Poolles Poolles Proster Shefand Sheepdog Smooth Colle German spitz related breeds White Swiss Shepherd Dog- Middle European utilly dogs Middle European utilly dogs Bull type terriers Hunting terriers Lapponian Herder- Labrador Retriever- Golden Retriever- Golden Retriever- Golden Retriever- Golden Retriever- Golden Retriever- Golden Retriever- Cother breed- Finnish Lapponian Dog- Primitive sighthounds Chinese Created Dog- Teacup dogs	
M Midd Whi Germ L Nova Scoti	German Shepherd Dog- Parson type terrisers - Miniature Pinscher - Belgian shepherd dogs- tilde European Herders - Ide European utility dogs - Jack Russel Terrier - Lapponian Herders - Muster - Australian Shepherd - Chinese Crested Dog - Primitive sighthounds - Mixed breed - Brachycephalic dogs - Yard terriers - Budl type terriers - Budl type terriers - Budl type terriers - Budl type terriers - Budler Collie - Hunting terriers - Budret Collie - Hunting terriers - Border Collie - Hunting terriers - Border Collie - Hunting terriers - Border Collie - Hunting terriers - Dachshunds - Finnish Lapponian Dog - Smotor Collie - Steid dogs - Lagoto Romagnob - tetrievers/Fushing dogs - Pointers - Other companion dogs - Pointers - Other companion dogs - Pointers -	ŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ	Parson type terriers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Miniature Pinscher Jack Russell Terrier Nova Scotta Duck Tolling Retriever Spanish Water Dog Northern companion spitzes German Shepherd Dog Schapendoes Retrievers/Fushing dogs Schapendoes Retrievers/Fushing dogs Schapendoes Shetland Sheepdog Smooth Colle German spitz related bread White Swiss Shepherd Dog- Middle European utility dogs Middle European utility dogs Buil type terriers Hunting terriers Lapponian Herder Lapadon Herder Lapadon Herder Lapadon Herder Colden Retriever Nother hunting spitzes Weish Corgis Ruiature Schauzer Gidden Retriever Nother hunting spitzes Weish Corgis Rough Colle Finnish Lapponian Dog Primitive sighthounds Chinese Crested Dog Teacup dogs Biblicy ed gos Shon type dogs Biblicy ed gos Biblichon type dogs	
Midd Whi Germ L Nova Scoti Nova R	German Shepherd Dog- Parson type terriers - Miniature Pinscher - Belgian shepherd dogs- tilde European Herders - Ide European utility dogs - Jack Russel Terrier - Lapponian Herders - Mustralian Shepherd - Australian Shepherd - Chinese Crested Dog - Primitive sighthounds - Mixed breed - Brachycephalic dogs - Yard terriers - Bull type terriers - Bulty - Bull type torgs - Bulty - Bull type torgs - Bulty - Bulty - Bulty - Bulty - Bulty - Bulty - Bulty - Bulty - Bulty - Bulty - Bulty - Smoth Celle - Steid dogs - Pointers - Other companion dogs - Pointers - Other companion dogs - Pointers - Other companion dogs - Bulty	ŦŦĸĸĸŦŦŦŦŦŦŦŦŢĸţŢĸţŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ	Parson type terriers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Miniature Pinscher Jack Russell Terrier Nova Scotta Duck Tolling Retriever Spanish Water Dog Northern companion spitzes German Shepherd Dog Schapendoes Retrievers/Fushing dogs Schapendoes Retrievers/Fushing dogs Schapendoes Shetland Sheepdog Smooth Colle German spitz related bread White Swiss Shepherd Dog- Middle European utility dogs Middle European utility dogs Buil type terriers Hunting terriers Lapponian Herder Labrador Retriever Nathar Australing Spitzes Weish Corgis Rough Colle Finnish Lapponian Dog Primitive sighthounds Chinese Crested Dog Teacup dogs Biot nybe dogs Biot nybe dogs Biot nybe dogs Biot nybe dogs Biot nybe dogs Bioton type dogs Bioton type dogs Bioton type dogs Bioton type dogs	
Midd Whi Germ L Nova Scoti Nova R	German Shepherd Dog- Parson type terriers – Asian primitive breeds – Miniature Pinscher – Belgian shepherd dogs – Idde European utility dogs – Jack Russel Terrier – Lapponian Herders – Mastralian Shepherd – Australian Shepherd – Chinese Crested Dog Primitive sighthounds – Mixed breed – Australian Shepherd – Chinese Crested Dog Primitive sighthounds – Mixed breed – Brachycephelk dogs – Brachycephelk dogs Brachycephelk forgis – Weish Corgis – Budi type terriers – Bonster Collien – Border Collien – Border Colling Felriever Bunisture Shepherd Dog Miniature Schnauzer – Manstir pe dogs – Bunster Jonder Collien – Shanish Chaling Retriever Mastir type dogs – Bichon type dogs – Bichon type dogs – Shensen Dollars – Shanish Qage – Bichon type dogs – Sheirevs/Fikushing dogs – Bichon spitzes – Lagoto Romagnob – Schapendoes – Bernese Mountain Dogs – Other breed –	╶╶╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴	Parson type terriers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Mindature Pinscher- Jack Russel Terrier- Nova Scotia Duck Tolling Retriever- Spanish Water Dog- Rother companion spitzes German Shepherd Dog- Schapendoes Retrievers/Flushing dogs Schapendoes Pooldes Pooldes Pooldes Pooldes Pooldes Brischerds/Schauzers Shedand Sheepdog Smooth Colle German spitz related breeds White Swiss Shepherd Dog- Middle European utilly dogs Middle European utilly dogs Bull type terriers Hunting terriers Lapponian Herder- Labrador Retriever- Golden Retriever- Golden Retriever- Golden Retriever- Golden Retriever- Golden Retriever- Golden Retriever- Golden Retriever- Chinese Created Dog- Primitive sighthounds Chinese Created Dog- Prace dogs Bichon type dogs Bichon type dogs Brachycephalc dogs Brachycephalc dogs	ŦŦŦŦŦĔŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦ
Midd Whi Germ L Nova Scoti Nova R	German Shepherd Dog- Parson type terriers - Miniature Pinscher - Belgian shepherd dogs- tilde European Herders - Ide European utility dogs - Jack Russel Terrier - Lapponian Herders - Mustralian Shepherd - Australian Shepherd - Chinese Crested Dog - Primitive sighthounds - Mixed breed - Brachycephalic dogs - Yard terriers - Bull type terriers - Bulty - Bull type torgs - Bulty - Bull type torgs - Bulty - Bulty - Bulty - Bulty - Bulty - Bulty - Bulty - Bulty - Bulty - Bulty - Bulty - Smoth Celle - Steid dogs - Pointers - Other companion dogs - Pointers - Other companion dogs - Pointers - Other companion dogs - Bulty	ŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ	Parson type terriers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Mindature Pinscher- Jack Russel Terrier- Nova Scotia Duck Tolling Retriever- Spanish Water Dog- Rother companion spitzes German Shepherd Dog- Schapendoes Retrievers/Flushing dogs Schapendoes Retrievers/Flushing dogs Schapendoes Poolles Poolles Poolles Proster Siste Jack Tolling dogs Shedand Sheepdog Smooth Colle German spitz related breeds White Swiss Shepherd Dog- Middle European utilly dogs Middle European utilly dogs Middle European utilly dogs Bull type terriers Lapponian Herder- Labrador Retriever- Golden Retriever- Golden Retriever- Colden Retriever- Golden Retriever- Colden Retriever- Golden Retriever- Colden Retriever- Berenye dogs Bichon type dogs Bichon type dogs Beracyucaphic dogs Beracyucaphic dogs Beracyucaphic dogs Beracyucaphic dogs Berense Mountain Dogs Berense Mountain Dogs	ŦŦŦŦŦĔŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦ
Midd Whi Germ L Nova Scoti Nova R	German Shepherd Dog- Parson type terrisers - Miniature Pinscher - Belgian shepherd dogs- tilde European Herders - Ide European utility dogs - Jack Russel Terrier - Lapponian Herders - Mustralian Shepherd - Australian Shepherd - Chinese Crested Dog - Primitive sighthounds - Mixed breed - Brachycephalic dogs - Yard terriers - Bull type terriers - Bulty terriers - Bulty - Bull type terriers - Bulty - Bulty - Smotot Colle - Shithourd Shertiever - Mastiff type dogs - Dointers - Other companion dogs - Pointers - Other companion dogs - Bernese Mountain Dogs - Other breed - Whippet - Rough Collie - Shetand Sheepdog -	ŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ	Parson type territers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Mindature Pinscher Jack Russell Territer Nova Scotta Duck Tolling Retriever Spanish Water Dog Korthern companion spitzes German Shepherd Dog Schapendoes Retrievers/Flushing dogs Schapendoes Retrievers/Flushing dogs Schapendoes Yard territers Pinscher/Schanuzers Pinscher/Schanuzers Brischer/Schanuzers Brischer/Schanuzers Brischer/Schanuzers Mindel European utility dogs Midde European utility dogs Midde European utility dogs Bull type territers Hunting territers Laponain Herder Labrador Retriever Colden Retriever Bull type territers Minature Schanuzer Golden Retriever Colden Retriever Colden Retriever Colden Schanuzer Golden Retriever Colther bunding spitzes Miniature Schanuzer Colden Retriever Colther breed Sted dogs Brankucphalcolags Bischon type dogs Brachycophalc dogs Bernese Mountain Dogs Dachshunds	ŦŦŦŦŦĔŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦ
Midd Whi Germ L Nova Scoti Nova R	German Shepherd Dog- Parson type terrines – Asian primitive breeds – Miniature Pinscher – Belgian shepherd dogs – lidde European Herdes – Idde European Utiliv dogs – Australian Shepherd – Australian Shepherd – Chinese Crested Dog – Primitive sights – Shepherd – Australian Shepherd – Chinese Crested Dog – Primitive sights – Brachycepherik oglizes – Vard terriers – Vard terriers – Brachycepher But Brachycepher Australian Schmauzers – Pinschers (Schmauzers – Pinschers (Schmauzers – Brachycepher Berder But byte terriers – Brachycepher Bodges – Brachycepher Bodges – Brachycepher Bodges – Barder Collise – Hunting terriers – Spanish Water Dog – Shether Kongis – Bodges – Bodges – Bodges – Bodges – Bodges – Bodges – Bodges – Bodges – Barder Galles – Mastiff yed dogs – Bichon type dogs – Schapendoss – Bernese Mountain Dogs – Schapendoss – Bernese Mountain Dogs – Schapendoss – Bernese Mountain Dogs – Schapendoss – Bernese Mountain Dogs – Schapendoss – Chter breed – Whippet – Rough Cellie – Stedand Sheepdog – Scenhounds –	╶╻╴┙╸┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙┙	Parson type terriers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Mindature Pinscher- Jack Russel Terrier- Nova Scotia Duck Tolling Retriever- Spanish Water Dog- Rother companion spitzes German Shepherd Dog- Schapendoes Retrievers/Flushing dogs Schapendoes Retrievers/Flushing dogs Schapendoes Poolles Poolles Poolles Proster Siste Shepherd Dog- Schapendoes Water terriers Shefland Sheepdog Smooth Colle German spitz related breeds White Swiss Shepherd Dog- Middle European utilly dogs Minde European utilly dogs Minde European utilly dogs Bull type terriers Lapponian Herder- Labrador Retriever- Golden Retriever- G	ŦŦŦŦŦĔŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦŦ
Midd Whi Germ L Nova Scoti Nova R	German Shepherd Dog- Parson type terrisers - Miniature Pinscher - Belgian shepherd dogs- tilde European Herders - Ide European utility dogs - Jack Russel Terrier - Lapponian Herders - Mustralian Shepherd - Australian Shepherd - Chinese Crested Dog - Primitive sighthounds - Mixed breed - Brachycephalic dogs - Yard terriers - Bull type terriers - Bulty terriers - Bulty - Bull type terriers - Bulty - Bulty - Smotot Colle - Shithourd Shertiever - Mastiff type dogs - Dointers - Other companion dogs - Pointers - Other companion dogs - Bernese Mountain Dogs - Other breed - Whippet - Rough Collie - Shetand Sheepdog -	ŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ	Parson type territers Belgian shepherd dogs English herders Australian Shepherd Border Colle Lagotto Romagnolo Mindature Pinscher Jack Russell Territer Nova Scotta Duck Tolling Retriever Spanish Water Dog Korthern companion spitzes German Shepherd Dog Schapendoes Retrievers/Flushing dogs Schapendoes Retrievers/Flushing dogs Schapendoes Yard territers Pinscher/Schanuzers Pinscher/Schanuzers Brischer/Schanuzers Brischer/Schanuzers Brischer/Schanuzers Mindel European utility dogs Midde European utility dogs Midde European utility dogs Bull type territers Hunting territers Laponain Herder Labrador Retriever Colden Retriever Bull type territers Minature Schanuzer Golden Retriever Colden Retriever Colden Retriever Colden Schanuzer Golden Retriever Colther bunding spitzes Miniature Schanuzer Colden Retriever Colther breed Sted dogs Brankucphalcolags Bischon type dogs Brachycophalc dogs Bernese Mountain Dogs Dachshunds	ŦŦŦŦĔŦĔŦĔŦĔŢŦŢŦŢŦŢŦŢŦŢŦŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ
Midd Whi Germ L Nova Scoti Nova R	German Shepherd Dog- Parson type terriers – Miniature Pinscher – Belgian shepherd dogs- tilde European Herders – Idele European utility dogs- tack Russel Terrier – Lapponian Herders – Jack Russel Terrier – Lapponian Herder – Australian Shepherd – Chinese Crested Dog – Primitive sighthounds – Mixed breed – Brachycephalic dogs – Yard terriers – Bull type terriers – Bult terriers – Bucker Collie – Hunting terriers – Spanish Water Dog – Bocker Collie – Hunting terriers – Dastitr Hored breeds – Livestock guardian dogs – Dickshunds – Finnish Lapponian Dog – Dickshunds – Schapendoes – Pointers – Other companion dogts – Schapendoes – Beinten type dogs – Bernese Mountain Dogs – Other breed – Whippet – Rough Cellie – Steensendon togs – Cher Rough Cellie – Steentounds – Scenthounds – Scenthounds –		Parson type terriers- Belgian shepherd dogs- English herders- Australian Shepherd- Border Colle- Lagotto Romagnolo- Mindature Pinscher- Jack Russell Terrier- Nova Scotta Duck Tolling Retriever- Spanish Water Dog- Schapendoes- Retrievers/Flushing dogs- Schapendoes- Retrievers/Flushing dogs- Schapendoes- Poorles- Poorles- Poorles- Borter State Dreeds- White Swiss Shepherd Dog- Sinster Schanauzers- Pointers- Shealand Sheepdog Smooth Colle- German spitz related breeds- White Swiss Shepherd Dog- Middle Europaon utilly dogs- Middle Europaon utilly dogs- Bull type terriers- Hunting terriers- Laporolan Jerges- Miniature Schnauzer- Other breed Sted dogs- Miniature Schnauzer- Other breed Sted dogs- Binishunds- Chinese Crested Dog- Printive sighthounds Chinese Costed Dog- Teacoup dogs Bichon type dogs- Bichon type dogs- Bichon type dogs- Bernese Mountain Dogs Dachshunds- Masit rivge dogs- Bains primitive breeds- Asian primitive breeds-	ŦŦŦŦĔŦĔŦĔŦĔŢŦŢŦŢŦŢŦŢŦŢŦŢŢŢŢŢŢŢŢŢŢŢŢŢŢŢ



# Figure 2. Association of breed group with personality traits insecurity, training focus, aggressiveness/ dominance, and energy

(A–D) Association of the dog's breed/breed group with (A) insecurity, (B) training focus, (C) aggressiveness/dominance, and (D) energy in the general and generalized linear models. Error bars indicate 95% confidence limits. N = 11 418.

Cohen's f<sup>2</sup> estimates ranged between <0.001 and 0.128. Based on Cohen's suggested cut-offs (small = 0.02, medium = 0.15, large = 0.35), all effects sizes were small or less than small.<sup>48</sup> When comparing estimates between variables, breed/breed group obtained the highest value in all traits except dog sociability, in which age had the highest Cohen's f<sup>2</sup> (Figures 1C, 1D, and S1). Environmental variables, sterilization, and sex did not reach the cut-off for small effect sizes, except that socialization reached this cut-off in insecurity (f<sup>2</sup> = 0.021).

#### Sex, age, and sterilization status

Sex was significantly associated with all personality traits except perseverance (Table 1, Figures S2A–S2G). However, the difference between female and male dogs was relatively small in many traits. The largest difference between sexes was discovered in dog sociability (z = 13.94, df = 1, p = 1.14e-41). Female dogs had higher mean scores in insecurity, training focus, and human sociability, and male dogs had higher mean scores in energy, aggressiveness/dominance, and dog sociability. For all pairwise contrasts, see Supplementary Information.

Age was significantly associated with all personality traits except insecurity, which, however, included a significant quadratic effect (Table 1, Figures 1E and S3). The model fit of age was improved by including the quadratic age effect also in training focus, perseverance, aggressiveness/dominance, and dog sociability. Mean score of training focus increased with age, whereas the mean scores of insecurity, energy, dog sociability, and human sociability decreased with age. Aggressiveness/dominance showed a nonlinear effect, with the highest mean score at 9 years of age. In contrast, the mean score in perseverance was lowest in 8-year-old dogs and highest in younger and older dogs.

Sterilization status was included in the insecurity and training focus models (Table 1, Figures S2H–S2I). Compared to intact dogs, neutered dogs had a higher mean score in insecurity (z = 10.21, df = 1, p = 1.14e-22) and a lower mean score in training focus (z = 7.23, df = 1, p = 7.93e-12).

#### Breed and breed group differences

Breed group was highly associated with all personality traits (Table 1) and breeds differed in all traits (Figures 1A, 1B, 2, and 3). The highest mean insecurity score was observed in Shetland Sheepdog and lowest in Bull-type terriers (difference: z = 8.69, df = 1, p = 1.11e-16). The highest mean training focus score was observed in the "other breed" group and the lowest in Bull-type terriers (difference: z = 6.47, df = 1, p = 1.16e-9). The highest mean energy score was detected in Parson-type terriers and the lowest in Livestock guardian dogs (difference: z = 15.69, df = 1, p = 1.55e-52). The highest mean perseverance score was obtained by Miniature Pinscher and the lowest by Golden Retriever (difference: z = 10.77, df = 1, p = 3.91e-25). In aggressiveness/dominance, there was also a significant difference between the highest-scoring breed group, fighting dogs, and the lowest-scoring breed, Golden Retriever (z = 13.27, df = 1, p = 8.51e-38). The highest mean human sociability score was discovered in Bull-type terriers and the lowest in Livestock guardian dogs (difference: z = 12.46, df = 1, p = 2.16e-33). Finally, in dog sociability, the highest mean score was obtained by Finnish Lapponian Dog and the lowest by Border Collie (difference: z = 13.80, df = 1, p = 7.41e-41). For all pairwise contrasts, see supplemental information.

When comparing distributions of trait scores in breeds with highest and lowest mean scores, these distributions mostly overlap, with both breeds including individuals in both ends of the distribution (Figures 1B and S4). However, in many traits, the majority of individuals resided in different parts of the distribution, but this divergence between breeds was highly dependent of the trait. Aggressiveness/dominance, energy, human sociability, and perseverance seemed to have the larger differences between breeds that had the highest and lowest scores in these traits, whereas insecurity, training focus, and dog sociability showed smaller differences.


#### Socialization

Level of socialization experiences in puppyhood (between 7 weeks and 4 months of age) was included in the models of insecurity, training focus, aggressiveness/dominance, human sociability, and dog sociability





		-			
Α		В	:	С	
Bull type terriers -		Finnish Lapponian Dog -	Her	Miniature Pinscher -	
Teacup dogs -		Mastiff type dogs -	H=H	Asian primitive breeds –	
Golden Retriever –		Scenthounds -		Parson type terriers -	· · • · ·
Jack Russe Terrier -		Golden Retriever –		Dachshunds –	
Dachshunds –		Whippet -		Fighting dogs –	
Brachycephalic dogs -		Primitive sighthounds -	H#H	Scenthounds -	·•
Whippet-		Labrador Retriever -	H+H	Primitive sighthounds -	
Chinese Crested Dog -	i	Other breed -		Jack Russel Terrier -	
Northern companion spitzes -	. j	Northern companion spitzes -	i i i i i i i i i i i i i i i i i i i	Sled dogs -	
Retrievers/Flushing dogs -		Sled dogs -		Livestock guardian dogs -	
Parson type terriers -		Yard terriers -		Welsh Corgis -	
Schapendoes -	ي ا	Weish Corgis -		Lagotto Romagnolo -	H•
Australian Shepherd -		Pinschers/Schnauzers -		Northern hunting spitz -	<b>—</b>
Pointers -		European sighthounds -		Pinschers/Schnauzers -	
Poodles -	H+1	Rough Collie -		Hunting terriers -	
Bichon type dogs -	H=-1	Livestock guardian dogs -		Middle European utility dogs -	
Mastiff type dogs -		Bernese Mountain Dogs -	┸┸┺┺┲┲┲┲╺	Brachycephalic dogs -	
English herders –	╶╶╶╶╴╸╸╶╶╶╴╴╴╴╴╴╴╴╴╴╴╴╴╴╴	Smooth Collie -	H H	Teacup dogs -	╪╪╤╼╼╼╼╼╼╼╼ ┲╼╼╼╼╼╼╼╼╼╼ ┲╼╼╼╼╼╼
Welsh Corgis –		White Swiss Shepherd Dog -	H.	Bull type terriers -	ii••i
Fighting dogs -	i i•−i	Retrievers/Flushing dogs -	He-1	German Shepherd Dog -	H.
Labrador Retriever -	i i i i i i i i i i i i i i i i i i i	Schapendoes -	<b>⊢•</b> ∔	Pointers -	<b>.</b>
Other breed -		Mixed breed -	H#i	Mixed breed -	Hini I.
Hunting terriers -	<u>н</u>	Brachycephalic dogs -	<b>⊢</b> ••	Yard terriers -	He H
Other companion dogs -		Parson type terriers -		Northern companion spitzes -	L L
Miniature Pinscher -		Hunting terriers -	H++	Australian Shepherd -	
Border Collie -	L 11	Northern hunting spitzes -		Middle European herders -	
Lagotto Romagnolo -		Middle European utility dogs -	H#H	Retrievers/Flushing dogs -	
Bernese Mountain Dogs -		Jack Russell Terrier		Belgian shepherd dogs	
Rough Collie -		Lapponian Herder -	<b>⊢</b> •(	Bernese Mountain Dogs -	
Shetland Sheepdog -		Poodes -	H#-1	Spanish Water Dog -	H
Scenthounds -		Miniature Schnauzer -	H+	English herders –	H.
Belgian shepherd dogs –	H.	Pointers -	H+H	Miniature Schnauzer -	H•
Yard terriers -	H•ii	Australian Shepherd -	Heri	Other companion dogs -	<b>→</b>
Mixed breed -	i ⊢e)	Bichon type dogs -	H#H	Lapponian Herder -	<b>—</b>
German spitz related breeds -		Miniature Pinscher -	H+H	Nova Scotia Duck Tolling Retriever	<b>⊢</b> •–-i
Spanish Water Dog -	i interiori	Dachshunds -	H+H	European sighthounds -	H•
White Swiss Shepherd Dog -	<b>⊢</b> •••	Belgian shepherd dogs -	H#H	German spitz related breeds -	H+H
European sighthounds -		Fighting dogs -	<b>HH</b>	Whippet -	<b>—</b> •–1
Miniature Schnauzer -		Bull type terriers -	H#H	Mastiff type dogs -	Here I
Finnish Lapponian Dog -	Heri	English herders -	H#H	Labrador Retriever -	H#H
Lapponian Herder		Other companion dogs -	H+H	Poodles -	
Middle European utility dogs -	Heri			Border Collies -	H+H
		Teacup dogs -			
Smooth Collie -	<b>⊢</b> ●−1	Asian primitive breeds	H#H	Rough Collie -	H•H
Middle European herders -	H#H	Lagotto Romagnolo -	H#H	Bichon type dogs -	H+H
lova Scotia Duck To∎ing Retriever -		Nova Scotia Duck Tolling Retriever -	H+++ 1	Finnish Lapponian Dog –	HeH
German Shepherd Dog -	+++	Middle European herders -	H#H	Schapendoes -	<b>—</b> •—
Pinschers/Schnauzers -	H+++	Spanish Water Dog -	H+H	Chinese Crested Dog -	<b>⊢</b> •−1 :
Sled dogs -	H+-1	Shetland Sheepdog -	H#H	White Swiss Shepherd Dog -	H+++ 1
Northern hunting spitzes -		German spitz related breeds -	HHH .	Smooth Collie -	<b>⊢</b> •−1
Primitive sighthounds -	H#H	German Shepherd Dog -	Hell	Shetland Sheepdog -	H•-1
Asian primitive breeds -	H#H	Chinese Crested Dog -	. <b>⊢</b> ⊷⊣ .	Other breed -	<b>→</b> •→
Livestock guardian dogs -	<b>—</b>	Border Collie -	HeH	Golden Retriever -	<b>⊢</b> •,
		20.0010	- i - i		
	-1.0 -0.5 0.0 0.5		-0.5 0.0	0.5	-0.5 0.0 0.5



(Table 1, Figures 1F and 4A–4E). Higher level of socialization was associated with lower insecurity and aggressiveness/dominance and higher training focus, human sociability, and dog sociability. The largest difference between the poorest socialization level (Q1) and the highest socialization level (Q4) was observed for insecurity (z = 13.02, df = 1, p = 2.05e-36). Most pairwise comparisons between socialization levels reached significance in all traits, and the largest differences were always observed between the poorest socialization level (training focus: z = 9.40, df = 1, p = 2.43e-19; aggressiveness/dominance: z = 7.33, df = 1, p = 3.82e-12; human sociability: z = 6.42, df = 1, p = 1.56e-9; dog sociability: z = 5.39, df = 1, p = 5.26e-7). For all pairwise contrasts, see supplemental information.


#### **Other environmental factors**

The main reason for ownership/use of the dog was included in the final models of insecurity, perseverance, and human sociability (Table 1, Figures 4F–4H). The highest mean insecurity score was discovered in pet dogs and the lowest in dogs acquired for hobbies or work (z = 6.90, df = 1, p = 7.25e-11). Pet dogs were also more insecure than dogs considered family members (z = 2.66, df = 1, p = 0.018), which were, in turn, more insecure than hobby/working dogs (z = 6.16, df = 1, p = 7.71e-9). The highest mean perseverance score was obtained by hobby/working dogs and the next highest in dogs considered family members (difference: z = 7.95, df = 1, p = 3.94e-14). The lowest score was obtained by pet dogs (hobby/working dogs vs. pet dogs: z = 10.79, df = 1, p = 3.30e-25; family member dogs vs. pet dogs: z = 5.68, df = 1, p = 4.13e-8) and hobby/working dogs (z = 7.51, df = 1, p = 1.12e-12). There was no difference in human sociability between pet and hobby/working dogs (z = 1.12, df = 1, p = 0.358).

The frequency of hobbies was included as an explanatory variable for insecurity, training focus, and energy (Table 1, Figures S5A–S5C). The highest mean insecurity score was obtained by dogs that never participated in hobbies and the lowest by dogs that participated in hobbies infrequently (z = 5.64, df = 1, p = 1.40e-7). Mean training focus was highest in dogs participating in hobbies actively and lowest in dogs never









(A–H) Association of the level of socialization experiences between 7 weeks and 4 months of age with (A) insecurity, (B) training focus, (C) aggressiveness/dominance, (D) human sociability, (E) dog sociability, and association of main reason/ use with (F) insecurity, (G) human sociability, (H) perseverance in the general and generalized linear models. Error bars indicate 95% confidence limits.  $N = 11\,418$ .



participating in hobbies (z = 11.82, df = 1, p = 4.21e-30), and these groups obtained also the highest and lowest mean energy score (z = 8.68, df = 1, p = 1.24e-16). For all pairwise contrasts, see Supplementary Information.

Dog experience was included in the models of insecurity and training focus (Table 1, Figures S6A and S6B). The highest mean insecurity score was obtained by owners' first dogs and the lowest by dogs that were owners' fifth dogs or more (z = 12.55, df = 1, p = 7.25e-34). In contrast, the highest training focus score was observed in dogs that were owners' fifth dogs or more and lowest in second dogs (z = 7.79, df = 1, p = 1.41e-13). For all pairwise contrasts, see Supplementary Information.

The variable "other dogs in the household when acquired" was included in the final models of energy and perseverance (Table 1, Figures S6C and S6D). Dogs that had dog company when they entered the household were more energetic (z = 6.73, df = 1, p = 2.25e-10) but less persevering (z = 8.32, df = 1, p = 2.36e-15) than dogs that were only dogs at that time.

Daily exercise and average time spent alone were included in the final model of training focus (Table 1, Figures S5D and S5E). Dogs exercising over 3 h per day on average had the highest mean training focus, whereas dogs exercising less than 1 h per day had the lowest mean score (z = 7.18, df = 1, p = 1.15e-11). Furthermore, dogs that spent, on average, less than 1 h alone during a typical workday obtained the highest mean training focus, whereas dogs spending over 8 h alone obtained the lowest score (z = 5.33, df = 1, p = 7.06e-7). For all pairwise contrasts, see Supplementary Information.

#### DISCUSSION

Although many studies have examined the associations of demographic and environmental factors with canine behavior problems and undesirable behavior, less is known about factors influencing dog personality. We utilized our validated dog personality questionnaire<sup>35</sup> to examine the association of environmental and demographic variables with seven personality traits: insecurity, training focus, energy, aggressiveness/dominance, human sociability, dog sociability, and perseverance. We discovered that dog breeds notably differed in all personality traits and that age was also highly associated with personality. Some environmental factors, such as the level of socialization in puppyhood, frequency of hobbies, and the main reason for dog ownership were also associated with personality traits. However, their effect sizes were small, indicating a limited association between environment and personality.

Breeds and breed groups differed in personality trait mean scores. Many breeds and breed groups we included have not been studied before, but our results were mostly in line with previous studies. Breed differences in training focus, <sup>36,42,43,45,49</sup> insecurity, <sup>10,42–46,50</sup> energy, <sup>36,42,44,45</sup> aggressiveness/ dominance, <sup>44,45,51,52</sup> dog sociability, <sup>43</sup> and human sociability <sup>42,44,45</sup> highly paralleled previous studies. Furthermore, to our knowledge, breed differences in perseverance have not previously been reported. In a validation study of the Monash Canine Personality Questionnaire, <sup>36</sup> breed differences in motivation (closely resembling our perseverance) were not detected. Breeds that reached the highest mean score in perseverance (Miniature Pinscher, followed by Asian primitive breeds, Parson-type terriers, Dachshunds, and fighting dogs) are often described as stubborn.<sup>53</sup> Furthermore, a previous study discovered that perseverance was weakly associated with fear-aggression, <sup>54</sup> and these perseverance (including Golden Retriever, Shetland Sheepdog, and Smooth Collie) are all known to be adaptable and compliant.<sup>53</sup>

We compared the distributions of breeds whose mean scores most differed and showed that even though the distributions mostly overlapped, breeds showed differences in where the majority of individuals resided on the trait score distribution. Therefore, a dog's breed is not a predictor of its personality, but the probability of showing certain personality traits differs between breeds. Breeds of other domesticated animals also differ in behavior and personality.<sup>55–60</sup> In conclusion, breed differences in personality seem to be quite stable throughout studies and populations, but many uncommon breeds have not been adequately studied to reliably describe their typical personalities. These breed differences suggest that genetic differences could underlie these differences in behavior between breeds.

Other demographic variables, sex, age, and sterilization status were also associated with personality. Cross-sectional age differences were comparable to breed differences. In contrast, associations of sex



and sterilization status were smaller. As discovered in previous studies, the highest mean energy level was found in young dogs, whereas age was nonlinearly related to aggressiveness/dominance, with the highest mean aggressiveness in 8–10-year-old dogs.<sup>10,36,46</sup> Similarly to our study, one previous study discovered that dog sociability was highly negatively associated with age.<sup>39</sup> We discovered that insecurity was negatively related to age, contrary to some previous studies.<sup>39,61</sup> We also noted that training focus was positively associated with age. Some previous studies, including one longitudinal study, agree with our results, <sup>36,62</sup> whereas some studies have discovered the opposite association.<sup>10,39</sup> These age differences in dogs show parallels to humans and other nonhuman animals.<sup>6,7,31,32,63–66</sup> This could mean that personality traits share a similar genetic and evolutionary background leading to similar development through life or that similar environmental factors shape personality in both humans and other animals. Female dogs were more focused on training and insecure than male dogs, whereas males were more aggressive/dominant, dog sociable, and energetic, agreeing with previous studies.<sup>39,44,46,61</sup> Neutered dogs were more insecure, as found in some earlier studies<sup>42,61</sup> and less focused on training than intact dogs. Neutering may cause unwanted changes in behavior or, on the other hand, more insecure and less trainable dogs may be more likely to be neutered. Similarly to age, these sex differences parallel those of humans and other nonhuman animals,<sup>7,59,67–69</sup> possibly indicating a common effect of sex hormones on personality and behavior.

The level of socialization experiences in puppyhood was the most important environmental variable, based on visual inspection of variable level differences and relative and absolute effect sizes. Poorly socialized dogs had higher mean scores in insecurity and aggressiveness/dominance and lower scores in training focus, dog sociability, and human sociability than well-socialized dogs. Dogs obtained after the socialization period, at more than 4 months of age, were similar to poorly socialized dogs in all traits. Of these dogs, 44% were rescues or obtained from a previous owner. Therefore, the results indicate that dogs obtained as rescues or from a previous owner likely have more undesirable characteristics in their personalities, as has been discovered previously.<sup>46,70</sup> Early life experiences seem to associate with fearful and aggressive behavior in dogs,<sup>50,71–75</sup> but also trainability.<sup>75</sup> Overall, early life experiences are important for subsequent personality, behavior, and mental health in dogs, humans, and other animals.<sup>26,28,76–80</sup> However, it is also possible that owners willing to socialize their puppies choose the puppy and its breeder more carefully.

Dogs acquired for hobbies and dogs practicing actively were less insecure and more focused on training, energetic, and persevering, as was discovered in earlier studies.<sup>10,39,46,50,72,81-83</sup> Boldness, training focus, high energy level, and, to some extent, perseverance are important characteristics for hobby dogs that likely make them easier to train and more successful in competitions. Therefore, owners who actively participate in hobbies may select puppies with a certain personality and stop participating with the dog if it proves unsuitable for the hobby. However, it is also possible that participating in hobbies could improve behavioral characteristics.<sup>84</sup> Hobbies likely provide environmental enrichment, which has been shown to influence behavior in dogs and other animals as well.<sup>84–86</sup>

Surprisingly, we discovered differences between dogs regarded as pets or family members: pet dogs scored higher in insecurity and lower in human sociability and perseverance than dogs considered family members. Similarly, one previous study found that non-family member dogs were less dog sociable than family member dogs.<sup>39</sup> This phenomenon may be related to attachment to the dog, as previous studies have indicated that owners of well-behaving dogs are more satisfied with and attached to them<sup>9–11</sup> and owners perceiving their dogs as pets had a higher probability of unsuccessful ownership.<sup>87</sup> It is also possible that attitude toward dogs, in general, influences the selection of the dog, the owner's perception of the dog's behavior or their care of the dog.

Other environmental variables, dog experience, living in a multi-dog household when acquired, daily exercise, and average time spent alone during a typical workday showed significant but small associations with personality traits. These parallel previous studies (dog experience,<sup>72,83</sup> rearing with conspecifics,<sup>88,89</sup> daily exercise, and time spent alone<sup>83</sup>). However, the reason for these small associations is not known. Due to the parallels of these variables with previous studies and their small importance, we will not speculate on these associations further.

Breed/breed group and age were the most important variables, both relatively and absolutely. Despite their importance, Cohen's f<sup>2</sup> values were small, agreeing with a recent study of behavioral differences



between breeds.<sup>47</sup> However, effect size estimates in individual differences are commonly small and should only be compared with other studies, not with arbitrary cut-offs.<sup>90</sup> Indeed, studies have suggested that correlation cut-offs should be lowered to small = 0.10, medium = 0.20, and large = 0.30.<sup>90,91</sup> These cut-points would correspond to Cohen's f<sup>2</sup> estimates of 0.02, 0.05, and 0.10, respectively.<sup>48</sup> If following these suggested estimates, the breed would have a large effect size in energy and a medium effect size in aggressiveness/dominance, human sociability, dog sociability, and perseverance. The effect size of the breed would remain small in insecurity and training focus, possibly highlighting a more complex background in these traits. As personality traits are strikingly complex, it is not expected that any variables would explain a large portion of the variance in these traits. Therefore, the variables included in the models, especially breed has an important association with personality traits, and therefore, despite obtaining highly similar results to Morrill et al.,<sup>47</sup> we argue that dog breeds do differ.

In conclusion, we discovered many interesting associations between demographic and environmental variables and seven personality traits. The associations of breed and age of the dog with personality traits were more extensive than environmental factors. This was hardly surprising, as the environmental variables mostly considered the current environment of largely adult individuals. This was also paralleled in effect size estimates, which were much higher for breed and age than for environmental variables. Significant breed differences in personality traits indicate that personality is influenced by the individual's genetic background. They also suggest that different behavioral characteristics are preferred and selected for in different dog breeds. Overall, our results show that personality traits are complex and are likely influenced by the genetic background of the individual and life experiences. This is reflected in the small effect sizes of all explanatory variables. Humans as breeders have a large impact on the personality and well-being of dogs, but our results indicate that individual owners can also influence the development of personality by socializing puppies carefully. Finally, our results show that associations of age, sex, and environment with dog personality resemble those in humans and other nonhuman animals. This similarity indicates that either patterns of personality development are evolutionary very old or due to parallel evolution in dogs and humans. Thus, our findings improve the wider understanding of factors that influence animal and human personalities.

#### Limitations of the study

Our study has limitations. First, this study is cross-sectional, and therefore causal relationships between explanatory variables and personality traits cannot be inferred. Second, the data is a convenience sample collected online and young, enthusiastic dog owners may be more likely to answer. Third, it is possible that owners of, for example, different breeds perceive their dogs differently. However, the survey used in the study was shown to have good validity and reliability.<sup>35</sup> Fourth, to preserve the large sample size and variability in the background of dogs, we created an "obtained after the socialization period" socialization category instead of performing listwise deletion, which could create additional bias. Fifth, we could not collect many variables that would likely be important for the development of personality, including, for example, maternal stress during gestation, quality of maternal care, and socialization experiences before weaning. Future longitudinal studies would be needed to examine the effect of environment on personality.

#### **STAR\*METHODS**

Detailed methods are provided in the online version of this paper and include the following:

- KEY RESOURCES TABLE
- RESOURCE AVAILABILITY
  - O Lead contact
  - Materials availability
  - O Data and code availability
- EXPERIMENTAL MODEL AND SUBJECT DETAILS
- METHOD DETAILS
  - Questionnaire
  - O Subjects
  - Variables
- QUANTIFICATION AND STATISTICAL ANALYSIS
  - Model fit and extraction of results
  - O Effect size





#### SUPPLEMENTAL INFORMATION

Supplemental information can be found online at https://doi.org/10.1016/j.isci.2023.106691.

#### **ACKNOWLEDGMENTS**

We are grateful to the dog owners who participated in the study. We thank Petsofi Ltd. for developing and providing the survey platform. H.L. is a member of HiLIFE. M.S., S.M., E.H., J. E.N., and H.L. are members of Helsinki One Health. This research was funded by the Academy of Finland (grant no. 308887) and the Jane and Aatos Erkko Foundation.

#### **AUTHOR CONTRIBUTIONS**

Conceptualization: M.S., S.M., and H.L.; software: J.E.N.; validation: M.S.; formal analysis: M.S.; investigation: M.S., S.M., E.H., S.S., and J.P.;, data curation: M.S., S.M., J.E.N., E.H., and S.S.; writing - original draft: M.S.; writing - review & editing: all authors; visualization: M.S.; supervision: H.L.; project administration: H.L.; funding acquisition: H.L.

#### **DECLARATION OF INTERESTS**

H.L. was a co-founder and E.H. an employee of Petsofi Ltd., which provided the survey platform for collecting data. The authors declare no other competing interests.

Received: November 16, 2022 Revised: March 14, 2023 Accepted: April 13, 2023 Published: April 19, 2023

#### REFERENCES

- Carere, C., and Maestripieri, D. (2013). Animal personalities: who cares and why? In Animal Personalities: Behavior, Physiology, and Evolution, C. Carere and D. Maestripieri, eds. (University of Chicago Press), pp. 1–10.
- Stamps, J., and Groothuis, T.G.G. (2010). The development of animal personality: relevance, concepts and perspectives. Biol. Rev. 85, 301–325. https://doi.org/10.1111/j. 1469-185X.2009.00103.x.
- Strickhouser, J.E., Zell, E., and Krizan, Z. (2017). Does personality predict health and well-being? A metasynthesis. Health Psychol. 36, 797–810. https://doi.org/10. 1037/hea0000475.
- Anglim, J., Horwood, S., Smillie, L.D., Marrero, R.J., and Wood, J.K. (2020). Predicting psychological and subjective well-being from personality: a metaanalysis. Psychol. Bull. 146, 279–323. https:// doi.org/10.1037/BUL0000226.
- Kotov, R., Gamez, W., Schmidt, F., and Watson, D. (2010). Linking "Big" personality traits to anxiety, depressive, and substance use disorders: a meta-analysis. Psychol. Bull. 136, 768–821. https://doi.org/10.1037/ a0020327.
- Weiss, A., Inoue-Murayama, M., Hong, K.W., Inoue, E., Udono, T., Ochiai, T., Matsuzawa, T., Hirata, S., and King, J.E. (2009). Assessing chimpanzee personality and subjective well-being in Japan. Am. J. Primatol. 71, 283–292. https://doi.org/10. 1002/ajp.20649.

- Altschul, D.M., Hopkins, W.D., Herrelko, E.S., Inoue-Murayama, M., Matsuzawa, T., King, J.E., Ross, S.R., and Weiss, A. (2018). Personality links with lifespan in chimpanzees. Elife 7, e33781. https://doi. org/10.7554/ELIFE.33781.
- Smith, B.R., and Blumstein, D.T. (2008). Fitness consequences of personality: a meta-analysis. Behav. Ecol. 19, 448–455. https://doi.org/10.1093/beheco/arm144.
- Cavanaugh, L.A., Leonard, H.A., and Scammon, D.L. (2008). A tail of two personalities: how canine companions shape relationships and well-being. J. Bus. Res. 61, 469–479. https://doi.org/10.1016/j. jbusres.2007.07.024.
- Chopik, W.J., and Weaver, J.R. (2019). Old dog, new tricks: age differences in dog personality traits, associations with human personality traits, and links to important outcomes. J. Res. Pers. 79, 94–108. https:// doi.org/10.1016/j.jrp.2019.01.005.
- Herwijnen, I.R.v., van der Borg, J.A.M., Naguib, M., and Beerda, B. (2018). Dog ownership satisfaction determinants in the owner-dog relationship and the dog's behaviour. PLoS One 13, e0204592. https:// doi.org/10.1371/journal.pone.0204592.
- Kwan, J.Y., and Bain, M.J. (2013). Owner attachment and problem behaviors related to relinquishment and training techniques of dogs. J. Appl. Anim. Welfare Sci. 16, 168–183. https://doi.org/10.1080/10888705. 2013.768923.

- O'Neill, D.G., Church, D.B., McGreevy, P.D., Thomson, P.C., and Brodbelt, D.C. (2013). Longevity and mortality of owned dogs in England. Vet. J. 198, 638–643. https://doi. org/10.1016/J.TVJL.2013.09.020.
- New, J.C., Salman, M.D., King, M., Scarlett, J.M., Kass, P.H., and Hutchison, J.M. (2000). Characteristics of shelter-relinquished animals and their owners compared with animals and their owners in U.S. pet-owning households. J. Appl. Anim. Welfare Sci. 3, 179–201. https://doi.org/10.1207/ S15327604JAWS0303 1.
- Gosling, S.D. (2008). Personality in nonhuman animals. Soc. Personal. Psychol. Compass 2, 985–1001. https://doi.org/10. 1111/j.1751-9004.2008.00087.x.
- Gosling, S.D. (2001). From mice to men: what can we learn about personality from animal research? Psychol. Bull. 127, 45–86. https://doi.org/10.1037/0033-2909. 127.1.45.
- Mather, J.A., and Logue, D.M. (2013). The bold and the spineless: invertebrate personalities. In Animal Personalities: Behavior, Physiology, and Evolution, C. Carere and D. Maestripieri, eds. (University of Chicago Press), pp. 12–35. https://doi. org/10.7208/CHICAGO/9780226922065. 003.0002.
- Polderman, T.J.C., Benyamin, B., De Leeuw, C.A., Sullivan, P.F., Van Bochoven, A., Visscher, P.M., and Posthuma, D. (2015). Meta-analysis of the heritability of human traits based on fifty years of twin studies.



Nat. Genet. 47, 702–709. https://doi.org/10. 1038/ng.3285.

- Røysamb, E., Nes, R.B., Czajkowski, N.O., and Vassend, O. (2018). Genetics, personality and wellbeing. A twin study of traits, facets and life satisfaction. Sci. Rep. 8, 12298. https://doi.org/10.1038/s41598-018-29881-x.
- Dochtermann, N.A., Schwab, T., and Sih, A. (2015). The contribution of additive genetic variation to personality variation: heritability of personality. Proc. Biol. Sci. 282, 2014;2201. https://doi.org/10.1098/rspb.2014.2201.
- Vukasović, T., and Bratko, D. (2015). Heritability of personality: a meta-analysis of behavior genetic studies. Psychol. Bull. 141, 769–785. https://doi.org/10.1037/ bul0000017.
- Bleidorn, W., Hopwood, C.J., and Lucas, R.E. (2018). Life events and personality trait change. J. Pers. 86, 83–96. https://doi.org/ 10.1111/jopy.12286.
- Kandler, C., Waaktaar, T., Mõttus, R., Riemann, R., and Torgersen, S. (2019). Unravelling the interplay between genetic and environmental contributions in the unfolding of personality differences from early adolescence to young adulthood. Eur. J. Pers. 33, 221–244. https://doi.org/10. 1002/PER.2189.
- Bouchard, T.J., and Loehlin, J.C. (2001). Genes, evolution, and personality. Behav. Genet. 31, 243–273. https://doi.org/10. 1023/A:1012294324713.
- Shelton, D.S., and Martins, E.P. (2017). Behavioral variation, adaptation, and evolution. In APA handbook of comparative psychology: Basic concepts, methods, neural substrate, and behavior, J. Call, G.M. Burghardt, I.M. Pepperberg, C.T. Snowdon, and T. Zentall, eds. (American Psychological Association), pp. 219–236. https://doi.org/ 10.1037/0000011-011.
- Loman, M.M., and Gunnar, M.R.; Early Experience, Stress, and Neurobehavioral Development Center (2010). Early experience and the development of stress reactivity and regulation in children. Neurosci. Biobehav. Rev. 34, 867–876. https://doi.org/10.1016/j.neubiorev.2009. 05.007.
- 27. Shonkoff, J.P., Garner, A.S., Committee on Psychosocial Aspects of Child and Family Health; Committee on Early Childhood Adoption and Dependent Care; Section on Developmental and Behavioral Pediatrics, McGuinn, L., Pascoe, J., Wood, D.L., High, P.C., Donoghue, E., et al. (2012). The lifelong effects of early childhood adversity and toxic stress. Pediatrics 129, e232–e246. https:// doi.org/10.1542/peds.2011-2663.
- Maestripieri, D., and Carroll, K.A. (1998). Child abuse and neglect: usefulness of the animal data. Psychol. Bull. 123, 211–223. https://doi.org/10.1037/0033-2909.123. 3.211.
- 29. Kikusui, T., and Mori, Y. (2009). Behavioural and neurochemical consequences of early

weaning in rodents. J. Neuroendocrinol. 21, 427–431. https://doi.org/10.1111/j.1365-2826.2009.01837.x.

- Roberts, B.W., and Mroczek, D. (2008). Personality trait change in adulthood. Curr. Dir. Psychol. Sci. 17, 31–35. https://doi.org/ 10.1111/j.1467-8721.2008.00543.x.
- Bleidorn, W., Schwaba, T., Zheng, A., Hopwood, C.J., Sosa, S.S., Roberts, B.W., and Briley, D.A. (2022). Personality stability and change: a meta-analysis of longitudinal studies. Psychol. Bull. 148, 588–619. https:// doi.org/10.1037/BUL0000365.
- Roberts, B.W., Walton, K.E., and Viechtbauer, W. (2006). Patterns of meanlevel change in personality traits across the life course: a meta-analysis of longitudinal studies. Psychol. Bull. 132, 1–25. https://doi. org/10.1037/0033-2909.132.1.1.
- **33**. Jones, A.C. (2008). Development and Validation of a Dog Personality Questionnaire. PhD Diss.
- Jones, A.C., and Gosling, S.D. (2005). Temperament and personality in dogs (Canis familiaris): a review and evaluation of past research. Appl. Anim. Behav. Sci. 95, 1–53. https://doi.org/10.1016/j.applanim. 2005.04.008.
- Salonen, M., Mikkola, S., Hakanen, E., Sulkama, S., Puurunen, J., and Lohi, H. (2021). Reliability and validity of a dog personality and unwanted behavior survey. Animals 11, 1234. https://doi.org/10.3390/ ani11051234.
- Ley, J.M., Bennett, P.C., and Coleman, G.J. (2009). A refinement and validation of the Monash canine personality questionnaire (MCPQ). Appl. Anim. Behav. Sci. 116, 220–227. https://doi.org/10.1016/j. applanim.2008.09.009.
- Mirkó, E., Kubinyi, E., Gácsi, M., and Miklósi, Á. (2012). Preliminary analysis of an adjective-based dog personality questionnaire developed to measure some aspects of personality in the domestic dog (Canis familiaris). Appl. Anim. Behav. Sci. 138, 88–98. https://doi.org/10.1016/j. applanim.2012.02.016.
- Ley, J., Bennett, P., and Coleman, G. (2008). Personality dimensions that emerge in companion canines. Appl. Anim. Behav. Sci. 110, 305–317. https://doi.org/10.1016/j. applanim.2007.04.016.
- Kubinyi, E., Turcsán, B., and Miklósi, A. (2009). Dog and owner demographic characteristics and dog personality trait associations. Behav. Process. 81, 392–401. https://doi.org/10.1016/j.beproc.2009. 04.004.
- Turcsán, B., Wallis, L., Virányi, Z., Range, F., Müller, C.A., Huber, L., and Riemer, S. (2018). Personality traits in companion dogs—results from the VIDOPET. PLoS One 13, e0195448. https://doi.org/10.1371/ journal.pone.0195448.
- 41. Svartberg, K., and Forkman, B. (2002). Personality traits in the domestic dog (Canis

familiaris). Appl. Anim. Behav. Sci. 79, 133–155. https://doi.org/10.1016/S0168-1591(02)00121-1.

**iScience** 

Article

- Tonoike, A., Nagasawa, M., Mogi, K., Serpell, J.A., Ohtsuki, H., and Kikusui, T. (2015). Comparison of owner-reported behavioral characteristics among genetically clustered breeds of dog (Canis familiaris). Sci. Rep. 5, 17710. https://doi. org/10.1038/srep17710.
- Turcsán, B., Kubinyi, E., and Miklósi, Á. (2011). Trainability and boldness traits differ between dog breed clusters based on conventional breed categories and genetic relatedness. Appl. Anim. Behav. Sci. 132, 61–70. https://doi.org/10.1016/J. APPLANIM.2011.03.006.
- Eken Asp, H., Fikse, W.F., Nilsson, K., and Strandberg, E. (2015). Breed differences in everyday behaviour of dogs. Appl. Anim. Behav. Sci. 169, 69–77. https://doi.org/10. 1016/j.applanim.2015.04.010.
- Serpell, J.A., and Duffy, D.L. (2014). Dog breeds and their behavior. In Domestic Dog Cognition and Behavior, A. Horowitz, ed. (Springer), pp. 31–57. https://doi.org/10. 1007/978-3-642-53994-7\_2.
- Wallis, L.J., Szabó, D., and Kubinyi, E. (2019). Cross-sectional age differences in canine personality traits; influence of breed, sex, previous trauma, and dog obedience tasks. Front. Vet. Sci. 6, 493. https://doi.org/10. 3389/fvets.2019.00493.
- Morrill, K., Hekman, J., Li, X., McClure, J., Logan, B., Goodman, L., Gao, M., Dong, Y., Alonso, M., Carmichael, E., et al. (2022). Ancestry-inclusive dog genomics challenges popular breed stereotypes. Science 376, eabk0639. https://doi.org/10. 1126/SCIENCE.ABK0639.
- Cohen, J. (1988). Statistical Power Analysis for the Behavioral Sciences, 2nd edition (Lawrence Erlbaum Associates). https://doi. org/10.4324/9780203771587.
- Serpell, J.A., and Hsu, Y.A. (2005). Effects of breed, sex, and neuter status on trainability in dogs. Anthrozoös 18, 196–207. https:// doi.org/10.2752/089279305785594135.
- Puurunen, J., Hakanen, E., Salonen, M.K., Mikkola, S., Sulkama, S., Araujo, C., and Lohi, H. (2020). Inadequate socialisation, inactivity, and urban living environment are associated with social fearfulness in pet dogs. Sci. Rep. 10, 3527. https://doi.org/10. 1038/s41598-020-60546-w.
- Duffy, D.L., Hsu, Y., and Serpell, J.A. (2008). Breed differences in canine aggression. Appl. Anim. Behav. Sci. 114, 441–460. https://doi.org/10.1016/j.applanim.2008. 04.006.
- Hsu, Y., and Sun, L. (2010). Factors associated with aggressive responses in pet dogs. Appl. Anim. Behav. Sci. 123, 108–123. https://doi.org/10.1016/j.applanim.2010. 01.013.

- 53. American Kennel Club. Dog Breeds. American Kennel Club 2022. https://www. akc.org/dog-breeds/.
- Salonen, M., Mikkola, S., Hakanen, E., Sulkama, S., Puurunen, J., and Lohi, H. (2022). Personality traits associate with behavioral problems in pet dogs. Transl. Psychiatry 12, 78.
- Salonen, M., Vapalahti, K., Tiira, K., Mäki-Tanila, A., and Lohi, H. (2019). Breed differences of heritable behaviour traits in cats. Sci. Rep. 9, 7949. https://doi.org/10. 1038/s41598-019-44324-x.
- Mikkola, S., Salonen, M., Hakanen, E., Sulkama, S., and Lohi, H. (2021). Reliability and validity of seven feline behavior and personality traits. Animals 11, 1991. https:// doi.org/10.3390/ANI11071991.
- Sackman, J.E., and Houpt, K.A. (2019). Equine personality: association with breed, use, and husbandry factors. J. Equine Vet. Sci. 72, 47–55. https://doi.org/10.1016/J. JEVS.2018.10.018.
- Lloyd, A.S., Martin, J.E., Bornett-Gauci, H.L.I., and Wilkinson, R.G. (2008). Horse personality: variation between breeds. Appl. Anim. Behav. Sci. 112, 369–383. https://doi.org/10.1016/J.APPLANIM.2007. 08.010.
- Takeuchi, Y., and Mori, Y. (2009). Behavioral profiles of feline breeds in Japan. J. Vet. Med. Sci. 71, 1053–1057. https://doi.org/10. 1292/jvms.71.1053.
- Wilhelmy, J., Serpell, J., Brown, D., and Siracusa, C. (2016). Behavioral associations with breed, coat type, and eye color in single-breed cats. J. Vet. Behav. 13, 80–87. https://doi.org/10.1016/J.JVEB.2016. 03.009.
- Starling, M.J., Branson, N., Thomson, P.C., and McGreevy, P.D. (2013). "Boldness" in the domestic dog differs among breeds and breed groups. Behav. Process. 97, 53–62. https://doi.org/10.1016/j.beproc.2013. 04.008.
- Riemer, S., Müller, C., Virányi, Z., Huber, L., and Range, F. (2016). Individual and group level trajectories of behavioural development in Border collies. Appl. Anim. Behav. Sci. 180, 78–86. https://doi.org/10. 1016/J.APPLANIM.2016.04.021.
- 63. Zablocki-Thomas, P.B., Herrel, A., Hardy, I., Rabardel, L., Perret, M., Aujard, F., and Pouydebat, E. (2018). Personality and performance are affected by age and early life parameters in a small primate. Ecol. Evol. 8, 4598–4605. https://doi.org/10.1002/ ECE3.3833.
- Bennett, P.C., Rutter, N.J., Woodhead, J.K., and Howell, T.J. (2017). Assessment of domestic cat personality, as perceived by 416 owners, suggests six dimensions. Behav. Process. 141, 273–283. https://doi. org/10.1016/j.beproc.2017.02.020.
- Gartner, M.C., Powell, D.M., and Weiss, A. (2014). Personality structure in the domestic cat (Felis silvestris catus), Scottish wildcat

(Felis silvestris grampia), clouded leopard (Neofelis nebulosa), snow leopard (Panthera uncia), and African lion (Panthera leo): a comparative study. J. Comp. Psychol. *128*, 414–426. https://doi.org/10.1037/a0037104.

- 66. Yamada, R., Kuze-Arata, S., Kiyokawa, Y., and Takeuchi, Y. (2020). Prevalence of 17 feline behavioral problems and relevant factors of each behavior in Japan. J. Vet. Med. Sci. 82, 272–278. https://doi.org/10. 1292/jvms.19-0519.
- Hart, B.L., and Hart, L.A. (2013). Your Ideal Cat: Insights into Breed and Gender Differences in Cat Behavior (Purdue University Press).
- Allik, J., and Realo, A. (2017). Universal and specific in the five factor model of personality. In The Oxford Handbook of the Five Factor Model, T.A. Widiger, ed. (Oxford University Press), pp. 173–190. https://doi.org/10.1093/oxfordhb/ 9780199352487.013.23.
- Lippa, R.A. (2010). Gender differences in personality and interests: when, where, and why? Soc. Personal. Psychol. Compass 4, 1098–1110. https://doi.org/10.1111/J.1751-9004.2010.00320.X.
- Lord, L.K., Reider, L., Herron, M.E., and Graszak, K. (2008). Health and behavior problems in dogs and cats one week and one month after adoption from animal shelters. J. Am. Vet. Med. Assoc. 233, 1715– 1722. https://doi.org/10.2460/JAVMA.233. 11.1715.
- Howell, T.J., King, T., and Bennett, P.C. (2015). Puppy parties and beyond: the role of early age socialization practices on adult dog behavior. Vet. Med. 6, 143–153. https:// doi.org/10.2147/vmrr.s62081.
- Hakanen, E., Mikkola, S., Salonen, M., Puurunen, J., Sulkama, S., Araujo, C., and Lohi, H. (2020). Active and social life associates with lower non-social fear in pet dogs. Sci. Rep. 10, 13774. https://doi.org/ 10.1038/s41598-020-70722-7.
- Tiira, K., and Lohi, H. (2015). Early life experiences and exercise associate with canine anxieties. PLoS One 10, e0141907. https://doi.org/10.1371/journal.pone. 0141907.
- Dietz, L., Arnold, A.-M.K., Goerlich-Jansson, V.C., and Vinke, C.M. (2018). The importance of early life experiences for the development of behavioural disorders in domestic dogs. Beyond Behav. 155, 83–114. https://doi.org/10.1163/1568539X-00003486.
- 75. González-Martínez, Á., Martínez, M.F., Rosado, B., Luño, I., Santamarina, G., Suárez, M.L., Camino, F., de la Cruz, L.F., and Diéguez, F.J. (2019). Association between puppy classes and adulthood behavior of the dog. J. Vet. Behav. 32, 36–41. https://doi.org/10.1016/J.JVEB. 2019.04.011.
- Freedman, D.G., King, J.A., and Elliot, O. (1961). Critical period in the social development of dogs. Science 133, 1016–

1017. https://doi.org/10.1126/science.133. 3457.1016.

- Latham, N.R., and Mason, G.J. (2008). Maternal deprivation and the development of stereotypic behaviour. Appl. Anim. Behav. Sci. 110, 84–108. https://doi.org/10. 1016/j.applanim.2007.03.026.
- Kikusui, T., Takeuchi, Y., and Mori, Y. (2004). Early weaning induces anxiety and aggression in adult mice. Physiol. Behav. *81*, 37–42. https://doi.org/10.1016/j.physbeh. 2003.12.016.
- Würbel, H., and Stauffacher, M. (1998). Physical condition at weaning affects exploratory behaviour and stereotypy development in laboratory mice. Behav. Process. 43, 61–69. https://doi.org/10.1016/ S0376-6357(97)00086-7.
- Lähdepuro, A., Savolainen, K., Lahti-Pulkkinen, M., Eriksson, J.G., Lahti, J., Tuovinen, S., Kajantie, E., Pesonen, A.-K., Heinonen, K., and Räikkönen, K. (2019). The impact of early life stress on anxiety symptoms in late adulthood. Sci. Rep. 9, 4395. https://doi.org/10.1038/s41598-019-40698-0.
- Lit, L., Schweitzer, J.B., Iosif, A.-M., and Oberbauer, A.M. (2010). Owner reports of attention, activity, and impulsivity in dogs: a replication study. Behav. Brain Funct. 6, 1. https://doi.org/10.1186/1744-9081-6-1.
- Vas, J., Topál, J., Péch, É., and Miklósi, Á. (2007). Measuring attention deficit and activity in dogs: a new application and validation of a human ADHD questionnaire. Appl. Anim. Behav. Sci. 103, 105–117. https://doi.org/10.1016/j.applanim.2006. 03.017.
- 83. Sulkama, S., Puurunen, J., Salonen, M., Mikkola, S., Hakanen, E., Araujo, C., and Lohi, H. (2021). Canine hyperactivity, impulsivity, and inattention share similar demographic risk factors and behavioural comorbidities with human ADHD. Transl. Psychiatry 11, 501.
- Wells, D.L. (2004). A review of environmental enrichment for kennelled dogs, Canis familiaris. Appl. Anim. Behav. Sci. 85, 307–317. https://doi.org/10.1016/J. APPLANIM.2003.11.005.
- Gottlieb, D.H., Capitanio, J.P., and Mccowan, B. (2013). Risk factors for stereotypic behavior and self-biting in rhesus macaques (Macaca mulatta): animal's history, current environment, and personality. Am. J. Primatol. 75, 995–1008. https://doi.org/10.1002/ajp.22161.
- Vandeleest, J.J., McCowan, B., and Capitanio, J.P. (2011). Early rearing interacts with temperament and housing to influence the risk for motor stereotypy in rhesus monkeys (Macaca mulatta). Appl. Anim. Behav. Sci. 132, 81–89. https://doi.org/10. 1016/j.applanim.2011.02.010.
- Weng, H.Y., Kass, P.H., Hart, L.A., and Chomel, B.B. (2006). Risk factors for unsuccessful dog ownership: an epidemiologic study in Taiwan. Prev. Vet.





- Serpell, J.A., and Duffy, D.L. (2016). Aspects of juvenile and adolescent environment predict aggression and fear in 12-month-old guide dogs. Front. Vet. Sci. 3, 49. https:// doi.org/10.3389/fvets.2016.00049.
- Harvey, N.D., Craigon, P.J., Blythe, S.A., England, G.C., and Asher, L. (2016). Social rearing environment influences dog behavioral development. J. Vet. Behav. 16, 13–21. https://doi.org/10.1016/j.jveb.2016. 03.004.
- Funder, D.C., and Ozer, D.J. (2019). Evaluating effect size in psychological research: sense and nonsense. Adv. Methods Pract. Psychol. Sci. 2, 156–168. https://doi.org/10.1177/ 2515245919847202.
- Gignac, G.E., and Szodorai, E.T. (2016). Effect size guidelines for individual differences researchers. Pers. Indiv. Differ. 102, 74–78. https://doi.org/10.1016/J.PAID. 2016.06.069.
- Parker, H.G., Dreger, D.L., Rimbault, M., Davis, B.W., Mullen, A.B., Carpintero-Ramirez, G., and Ostrander, E.A. (2017). Genomic analyses reveal the influence of geographic origin, migration, and hybridization on modern dog breed development. Cell Rep. 19, 697–708. https://doi.org/10.1016/j.celrep.2017. 03.079.

- Revelle, W.R. (2018). Psych: procedures for personality and psychological research. https://cran.r-project.org/package=psych.
- 94. Mangiafico, S. (2021). Rcompanion: Functions to Support Extension Education Program Evaluation. R package version 2.4.1.
- 95. Canty, A., and Ripley, B. (2021). Boot: Bootstrap R (S-Plus) Functions. R Package Version 1.3-28.
- 96. Niskanen, J.E., Salonen, M., and Puurunen, J. (2021). airGLMs. https://www.github.com/ JNisk/airGLMs.
- 97. Kuhn, M. (2021). Caret: Classification and Regression Training. R Package Version 6.0-88.
- 98. Greenwell, B., Boehmke, B., Cunningham, J., and Developers, G. (2020). Gbm: generalized boosted regression models. R Packag. version 2.1.8.
- Robinson, D., and Hayes, A. (2019). Broom: convert statistical analysis objects into tidy tibbles. https://cran.r-project.org/ package=broom.
- Wickham, H., François, R., Henry, L., and Müller, K. (2019). Dplyr: a grammar of data manipulation. https://cran.r-project.org/ package=dplyr.
- 101. Wickham, H. (2016). ggplot2: Elegant Graphics for Data Analysis (Springer-Verlag

New York). https://doi.org/10.1007/978-0-387-98141-3.

- Hastie, T. (2019). gam: generalized additive models. https://cran.r-project.org/ package=gam.
- 103. Fox, J., and Weisberg, S. (2019). An R Companion to Applied Regression Third (SAGE Publications).
- Lenth, R. (2019). emmeans: estimated marginal means, aka least-squares means. https://cran.r-project.org/ package=emmeans.
- Fox, J. (2003). Effect displays in R for generalised linear models. J. Stat. Software 8, 1–27. https://doi.org/10.18637/jss. v008.i15.
- 106. Greenwell, B., and Boehmke, B. (2020). Variable importance plots - an introduction to the vip package. Rom. Jahrb. 12, 343–366. https://doi.org/10.32614/RJ-2020-013.
- Ben-Shachar, M., Lüdecke, D., and Makowski, D. (2020). Effectsize: estimation of effect size indices and standardized parameters. J. Open Source Softw. 5, 2815. https://doi.org/10.21105/JOSS.02815.
- 108. R Core Team (2021). R: A Language and Environment for Statistical Computing.







#### **STAR\*METHODS**

#### **KEY RESOURCES TABLE**

REAGENT or RESOURCE	SOURCE	IDENTIFIER		
Deposited data				
Data used in this study	Figshare	https://doi.org/10.6084/m9.figshare.14479152.v1		
Software and algorithms				
Code used in this study	Supplementary material	Data S1		
R 4.2.1.	R Core Team	https://cran.r-project.org/		

#### **RESOURCE AVAILABILITY**

#### Lead contact

Further information and requests for resources should be directed to and will be fulfilled by the lead contact, Hannes Lohi (hannes.lohi@helsinki.fi).

#### **Materials** availability

This study did not generate new unique materials.

#### Data and code availability

- Questionnaire data have been deposited at Figshare and are publicly available as of the date of publication. DOI is listed in the key resources table.
- All original code is available in this paper's supplemental information.
- Any additional information required to reanalyze the data reported in this paper is available from the lead contact upon request.

#### **EXPERIMENTAL MODEL AND SUBJECT DETAILS**

Dog owners participated in the study by answering an extensive online behavior questionnaire of their dogs. We did not collect the dog owners' age and gender identity. Range, mean, and standard deviation of dogs' age can be found in Table S11 and sex distribution in Table S12. Dog owners provided the information of their dog's sex, age, breed, environment, and personality. The study was approved by the University of Helsinki Viikki Campus Research Ethics Committee (11.2.2019). Informed consent was obtained from all participants.

#### **METHOD DETAILS**

#### Questionnaire

We utilized our dog personality and unwanted behavior questionnaire, which was previously validated with hypothesis testing. The internal consistency, test-retest reliability, and inter-rater reliability of this questionnaire were also assessed.<sup>35</sup> The questionnaire included a personality section, several unwanted behavior sections, a health section, and a background section. A detailed description of the questionnaire and its sections is available as Supplementary Material of our previous study.<sup>35</sup>

The personality section of the questionnaire included 63 adjective-based statements and the owners indicated how strongly they agreed or disagreed with the statements using a 5-point Likert scale. We previously used factor analysis to reduce these statements into 7 personality traits (factors): insecurity, energy, training focus, aggressiveness/dominance, human sociability, dog sociability, and perseverance.<sup>35</sup> We calculated factor scores for each individual and used these as explanatory variables.

#### Subjects

We previously collected a dataset that included questionnaire responses on 15 371 dogs.<sup>35</sup> From this sample, we excluded dogs whose owners did not answer the personality section (2506 dogs). During quality





control we also noted one dog whose answers were clearly false (same answering option selected for every question) and excluded it. Furthermore, we also excluded dogs whose owners did not answer the background section (1445 dogs). Finally, we excluded one dog that was a considerable outlier in three out of seven analyses.

The final dataset included 11 418 dogs in 315 breeds and breed variants. Many breeds had only a few responses and thus, we grouped these breeds based on their genetic relationships, <sup>92</sup> purpose and use of the breed, and known behavioral similarities. Breeds that were not studied by Parker and others<sup>92</sup> were grouped based on purpose and behavioral similarities. For example, our study included more scenthound breeds than Parker et al.,<sup>92</sup> which we included in the "scenthounds" breed group. Breeds with an adequate number of responses were handled individually. This grouping resulted in 32 breed groups, 19 individual breeds, and mixed breed dogs (Table S1).

#### Variables

We included the scores of the seven personality traits as response variables. For the possible explanatory variables, we included the dog's age, sex, and breed, as well as 12 variables related to the environment: sterilization status, main reason for ownership/use of the dog, where was the dog obtained from, level of socialization, living place, other dogs in the household when the particular dog was acquired, other dogs in the household currently, daily exercise, frequency of hobbies, average time spent alone, life experience of dogs, and dog experience. Level of socialization and frequency of hobbies were variables combined from multiple questions and they are thus described in detail below. All variables are described in Table S2.

Socialization included 7 questions related to experiences between 7 weeks and 4 months of age. These socialization questions were only answered by owners who obtained their dogs before 4 months of age. In these questions, owners stated how often their dog met unfamiliar men, women, children, and dogs, visited city center, and traveled by car and by public transport. The response options were: never, rarely (1–4 times during puppyhood), sometimes (twice a month-twice a week), often (twice a week-once a day), and very often (several times a day). We used principal components analysis (PCA) to reduce these frequencies into fewer components. We first assessed the sampling adequacy with the Kaiser-Meyer-Olkin test using the package *psych*.<sup>93</sup> Then we performed the PCA using a polychoric correlation matrix and without rotation. The screen test and Velicer's minimum average partial test both suggested one component (Table S3) and we extracted the component scores for individuals with the "Thurstone" estimation method. Finally, many dogs came to the owner after 4 months of age and their owners did not, therefore, answer this question. Thus, we turned this continuous variable into categorical by dividing these factor scores into quartiles and including a fifth category labeled "Obtained after the socialization period".

The dog owners also indicated how often they engaged in activities other than walking (dog hobbies) with the dog both at home and outside of the home, for example, with an instructor. In frequency outside of home, the options were "never", "a few times a year", "1–3 times a month", "1–2 times a week", "3–4 times a week", and "almost every day". The question asking about the frequency at home had these same options and also included "several times a day" as an option. We divided these answers into three levels: active, infrequent, and never/no hobby. Active included frequency of hobbies of 1–2 times a week or higher. Infrequent included hobby frequencies a few times a year and 1–3 times a month. Never/no hobby included the answering option never. Furthermore, as these variables correlated with each other, we combined them to a single "frequency of hobbies" variable. Dogs that belonged to the category "active" in both variables were placed in the "active" category. Dogs that belonged to the category active only at home were placed in an "active only at home" category. Dogs that belonged to the "infrequent" category in either variable were placed in an "infrequent" category in frequency of hobbies. Finally, dogs that belonged to "never/no hobby" category in both variables were placed to the category "never/no hobby" in frequency of hobbies. Finally, dogs that belonged to "never/no hobby" category in both variables were placed to the category "never/no hobby" in frequency of hobbies.

We evaluated interactions between sex and sterilization, daily exercise and frequency of hobbies, dog's age and sex, living place and daily exercise, life experience of dogs and dog experience, main reason/use of the





dog and frequency of hobbies, other dogs currently and average time spent alone, and between other dogs currently and other dogs when the dog was acquired.

#### QUANTIFICATION AND STATISTICAL ANALYSIS

We fitted general and generalized linear models to examine the association of explanatory variables with personality traits, which were used as response variables. Before selecting the best explanatory variables, we fitted general linear models with age, sex, and breed as explanatory variables and investigated the fit of the normal distribution by plotting residuals with packages *rcompanion*<sup>94</sup> and *boot*<sup>95</sup> in R. If normal distribution provided poor fit, we fitted a generalized linear model. The traits insecurity and aggressiveness/ dominance had a better model fit with the gamma distribution.

We used an in-house model selection loop in R<sup>96</sup> and performed forward stepwise AIC model selection to select explanatory variables. Dog's age, sex, and breed were included in the starting model in all traits. Besides the possible explanatory variables described above, we also included possible interactions between variables, such as between age and sex, and between sex and sterilization status. These interactions are listed in Tables S4–S10.

AIC model selection tends to overfit models. Thus, we performed extensive model validation to only include relevant explanatory variables in the models. First we performed repeated train-test validation by randomly splitting the data into train (50% of data) and test (50% of data) datasets five times with the package caret<sup>97</sup> in R. Thus, this resulted in ten datasets with 50% of the data. We used the aforementioned model selection procedure for all of these datasets. Next, we performed random subsampling validation by splitting the data randomly into 10 equal-sized datasets (10% of data) and performing model selection for these datasets as well. Then we fitted boosted regression models to evaluate the relative importance of variables with the package *gbm*<sup>98</sup> in R.

After the AIC model selection of the validation datasets, we had 20 models for each response variable in total: 10 models in repeated train-test validation datasets and 10 models in random subsampling validation datasets. We calculated the number of times each explanatory variable was included in the chosen models for both validation types. In the final model for each response variable, we decided to include the explanatory variables which were 1) included in all (100%) of the repeated train-test validation dataset models and 2) included in at least 50% of the random subsampling models. The results of model validation are found in Tables S4–S10.

#### Model fit and extraction of results

We fitted general and generalized linear models using the selected explanatory variables (described above). We then assessed model fit carefully. Firstly, we again plotted the residuals with packages *rcompanion*<sup>94</sup> and *boot*<sup>95</sup> to ensure a good choice of distribution (gamma for insecurity and aggressive-ness/dominance, normal distribution for other traits) and to evaluate the presence of heteroscedasticity. Secondly, we inspected outliers with packages *broom*,<sup>99</sup> *dplyr*,<sup>100</sup> and *ggplot2*.<sup>101</sup> At this stage, we detected one outlier, excluded it (as explained in the section "Subjects") and refitted the models. Thirdly, we checked the linearity assumption of the continuous variable age by fitting generalized additive models with the package *gam*<sup>102</sup> and if this assumption was not met, included both linear and quadratic variables (age and age<sup>2</sup>) in the general/generalized linear model. Finally, we examined multicollinearity with the variance inflation factor using the package *car*.<sup>103</sup>

After examining the fit of the selected models, we extracted the results. Firstly, we conducted analysis of variance (ANOVA) with the package *car*<sup>103</sup> to obtain the overall effects of the explanatory variables. Secondly, to obtain the adjusted means, confidence limits and pairwise comparisons of the levels of categorical explanatory variables, we extracted the estimated marginal means using the package *emmeans*.<sup>104</sup> Finally, we calculated the adjusted means and confidence limits of the continuous explanatory variable age with the package *effects*.<sup>103,105</sup> Due to many pairwise comparisons, all p values were controlled for the false discovery rate (FDR). We set the significance cut-off at p < 0.05.

To compare trait scores between the most extreme breeds, we plotted the trait score distributions of breeds with lowest and highest mean scores in each trait using package ggplot2.<sup>101</sup>





#### Effect size

We examined the relative effect size of variables by computing variance-based variable importance using a feature importance ranking measure approach with the package *vip*.<sup>106</sup> Variable importance was scaled so that the most important variable was given the score of 100.

We also examined absolute effect sizes by calculating partial Cohen's  $f^2$  with the package effectsize.<sup>107</sup> We followed Cohen's suggestions<sup>48</sup> and defined cut-offs as small = 0.02, medium = 0.15, and large = 0.35.

We conducted all analyses in R version 4.1.2.<sup>108</sup>